

Nationwide House Energy Rating Scheme* Certificate



Certificate number: **0003007895**

Certificate Date: **27 Jul 2018**

★ Star rating: **5.6**

BERS Pro v4.3.0.0 (3.13) cannot be used to model 'roof windows'. Roof windows are 'openable or fixed windows in a roof' and do not have a shaft, as distinct from skylights which incorporate a built-in shaft and are not ventilated. BERS Pro v4.3 can only model skylights. If a roof window is present on the floor plan then this certificate is not valid.

Assessor details

Accreditation number: **20390**
Name: **Fadi Sweis**
Organisation: **Energy Ratings Australia Pty Ltd**
Email: **fsweis@eraservices.com.au**
Phone: **1800 372 669**
Declaration of interest: **None**
Software: **BERS Pro v4.3.0.2c (3.13)**
AAO: **ABSA**

Overview

Dwelling details

Street: **Warriewood Road**
Suburb: **Warriewood**
State: **NSW** Postcode: **2102**
Type: **New Dwelling** NCC Class: **1A**
NatHERS climate zone: **56**
Lot/DP number: **219/Unreg** Exposure: **Suburban**

Key construction and insulation materials

(see following pages for details)

Construction: **Brick Veneer**
Roof Tiles
Waffle pod slab 300 mm
Insulation: **R2.5 wall insulation**
R4.1 ceiling insulation
No floor insulation
Glazing: **ALM-002-01 A Aluminium B SG Clear**

Net floor area (m²)


Conditioned: **118.0**
Unconditioned: **26.0**
Garage: **16.0**
TOTAL: **144.0**

Annual thermal performance loads (MJ/m²)

Heating: **31.4**
Cooling: **25.5**
TOTAL: **56.9**

Plan documents

Plan ref/date: **A008398**
Prepared by: **MTT**



Ceiling penetrations

(see following pages for details)

Sealed: **19**
Unsealed: **0**
TOTAL:** **19**

NOTE: This total is the maximum number of ceiling penetrations allowed to a ceiling (under a roof) for this certificate. **If this number is exceeded in construction then this certificate IS NOT VALID and a new certificate is required. Loss of ceiling insulation for the penetrations listed has been taken into account with the rating.

Principle downlight type: **LED**

Window selection - default windows only

Note on allowable window values:
Only a 5% tolerance to the nominated SHGC window values shown on page 2 can be used with this rating.

Note: Only a +/- 5% SHGC tolerance is allowed with this rating.

NB: This tolerance ONLY applies to SHGC, the U-value can always be lower but not higher than the values stated on page 2.

If any of windows selected are outside the 5% tolerance then this certificate is no longer valid and the dwelling will need to be rerated to confirm compliance.

Scan to access this
certificate online and
confirm this is valid.



Nationwide House Energy Rating Scheme* Certificate

Certificate number: **0003007895**

Certificate Date:

27 Jul 2018

★ Star rating:

5.6



Building features

Window type and performance value

Window ID	Window type	U-value	SHGC
ALM-001-01 A	ALM-001-01 A Aluminium A SG Clear	6.7	0.57
ALM-002-01 A	ALM-002-01 A Aluminium B SG Clear	6.7	0.70

Window schedule

Location	Window ID	Window no.	Height (mm)	Width (mm)	Orientation	Outdoor shade
Laundry	ALM-001-01 A	n/a	2100	820	SW	No Shading
Kitchen/Living	ALM-002-01 A	n/a	1800	1200	SE	No Shading
Kitchen/Living	ALM-002-01 A	n/a	2100	3500	SW	No Shading
Bedroom 1	ALM-001-01 A	n/a	1200	700	NE	No Shading
Bedroom 1	ALM-001-01 A	n/a	1200	700	NE	No Shading
Bedroom 2	ALM-002-01 A	n/a	1200	1400	SW	No Shading
Bedroom 3	ALM-002-01 A	n/a	600	1800	SE	No Shading
Bedroom 3	ALM-002-01 A	n/a	1200	1400	SW	No Shading
Guest Bedroom	ALM-001-01 A	n/a	2000	2100	NE	No Shading
Ensuite 2	ALM-001-01 A	n/a	1000	600	NE	No Shading
Ensuite 1	ALM-002-01 A	n/a	1000	600	NW	No Shading
Bathroom	ALM-002-01 A	n/a	1200	1200	SE	No Shading
Bathroom	ALM-001-01 A	n/a	1200	700	NE	No Shading
Lounge	ALM-002-01 A	n/a	1200	700	NE	No Shading
Lounge	ALM-002-01 A	n/a	2100	2000	NE	No Shading

Roof window and skylight type and performance value

ID	Window type	U-value	SHGC
None Present			

Roof window and skylight schedule

Location	ID	Roof window/skylight no.	Area (m²)	Orientation	Outdoor shade	Indoor shade/diffuser
None Present						

External wall type

ID	Wall type	Insulation	Wall wrap or foil
EW-1	Cavity Brick	No insulation	No
EW-2	Brick Veneer	No insulation	No
EW-3	Brick Veneer	Bulk Insulation R2.5	No
EW-4	Weatherboard Cavity Panel Direct Fix	Bulk Insulation R2.5	No

External wall schedule

Location	ID	Width (mm)	Height (mm)	Orientation	Fixed Shade	Eaves (mm)
Garage 1	EW-1	3045	2675	NE	No	50
Garage 1	EW-2	5495	2675	NW	No	50
Laundry	EW-3	1895	2600	SW	No	600

Nationwide House Energy Rating Scheme* Certificate

Certificate number: **0003007895**

Certificate Date:

27 Jul 2018

★ Star rating:

5.6



Building features continued

Laundry	EW-3	2245	2600	NW	No	600
Entry	EW-3	1000	2600	NW	No	50
Entry	EW-3	2000	2600	NE	No	50
Entry	EW-3	650	2600	SE	No	6950
Entry	EW-3	1495	2600	NE	No	2200
Kitchen/Living	EW-3	5545	2600	SE	No	50
Kitchen/Living	EW-3	7995	2600	SW	No	600
Bedroom 1	EW-4	3045	2450	NE	No	600
Bedroom 1	EW-4	3495	2450	NW	No	600
Bedroom 2	EW-4	3390	2450	SW	No	600
Bedroom 3	EW-3	2995	2450	SE	No	600
Bedroom 3	EW-4	3445	2450	SW	No	600
Guest Bedroom	EW-3	650	2600	NW	No	3550
Guest Bedroom	EW-3	3345	2600	NE	No	50
Ensuite 2	EW-3	1495	2600	NE	No	600
Ensuite 2	EW-3	3200	2600	SE	No	600
Ensuite 2	EW-3	1495	2600	SW	No	600
Ensuite 1	EW-4	1245	2450	NW	No	600
Ensuite 1	EW-4	3045	2450	SW	No	600
WIR	EW-4	1240	2450	NW	No	600
Bathroom	EW-4	1500	2450	SE	No	600
Bathroom	EW-3	1395	2450	SE	No	600
Bathroom	EW-4	2045	2450	NE	No	600
Lounge	EW-3	1000	2450	NW	No	3650
Lounge	EW-3	2250	2450	NE	No	600
Lounge	EW-3	2545	2450	NE	No	600
Lounge	EW-3	1090	2450	SE	No	600

Internal wall type

Wall type	Area (m²)	Insulation	Wall wrap or foil
IW-1 - Cavity wall, direct fix plasterboard, single gap	22.0	Bulk Insulation, No Air Gap R2.5	No
IW-2 - Cavity wall, direct fix plasterboard, single gap	116.0	No insulation	No

Floors

Location	Construction	Area (m²)	Sub floor ventilation	Added insulation	Covering
Garage 1	Waffle pod slab 225 mm 100mm	16.4	None	Waffle Pod 225mm	Bare
Laundry	Waffle pod slab 300 mm 100mm	4.1	None	Waffle Pod 300mm	Ceramic Tiles 8mm
Powder	Waffle pod slab 300 mm 100mm	1.5	None	Waffle Pod 300mm	Ceramic Tiles 8mm
Entry	Waffle pod slab 300 mm 100mm	11.0	None	Waffle Pod 300mm	Ceramic Tiles 8mm
Kitchen/Living	Waffle pod slab 300 mm 100mm	37.0	None	Waffle Pod	Ceramic Tiles

Nationwide House Energy Rating Scheme* Certificate

Certificate number: **0003007895**

Certificate Date:

27 Jul 2018

★ Star rating:

5.6



Building features continued

Bedroom 1/Garage	Timber Above Plasterboard 19mm	10.4		300mm	8mm
Bedroom 2/Kitchen/Living	Timber Above Plasterboard 19mm	9.6		No Insulation	Carpet 10mm
Bedroom 3/Kitchen/Living	Timber Above Plasterboard 19mm	10.1		No Insulation	Carpet 10mm
Guest Bedroom	Waffle pod slab 300 mm 100mm	10.3	None	Waffle Pod 300mm	Carpet 10mm
Ensuite 2	Waffle pod slab 300 mm 100mm	4.7	None	Waffle Pod 300mm	Ceramic Tiles 8mm
Ensuite 1/Garage 1	Timber Above Plasterboard 19mm	2.2		No Insulation	Ceramic Tiles 8mm
Ensuite 1/Laundry	Timber Above Plasterboard 19mm	0.9		No Insulation	Ceramic Tiles 8mm
Ensuite 1/Kitchen/Living	Timber Above Plasterboard 19mm	0.5		No Insulation	Ceramic Tiles 8mm
WIR/Garage 1	Timber Above Plasterboard 19mm	3.5		No Insulation	Carpet 10mm
Bathroom/Guest Bedroom	Timber Above Plasterboard 19mm	5.7		No Insulation	Ceramic Tiles 8mm
Lounge/Powder	Timber Above Plasterboard 19mm	1.7		No Insulation	Carpet 10mm
Lounge/Entry	Timber Above Plasterboard 19mm	11.0		No Insulation	Carpet 10mm
Lounge/Kitchen/Living	Timber Above Plasterboard 19mm	2.6		No Insulation	Carpet 10mm
Lounge/Guest Bedroom	Timber Above Plasterboard 19mm	4.6		No Insulation	Carpet 10mm
Lounge	Suspended Timber Floor 19mm	0.9	Totally Open	No Insulation	Carpet 10mm

Ceiling type

Location	Construction	Added insulation	Roof space above
Garage 1	Timber Above Plasterboard	No Insulation	No
Laundry	Plasterboard	Bulk Insulation R4.1	Yes
Laundry	Timber Above Plasterboard	No Insulation	No
Powder	Timber Above Plasterboard	No Insulation	No
Entry	Timber Above Plasterboard	No Insulation	No
Kitchen/Living	Plasterboard	Bulk Insulation R4.1	Yes
Kitchen/Living	Timber Above Plasterboard	No Insulation	No
Bedroom 1	Plasterboard	Bulk Insulation R4.1	Yes
Bedroom 2	Plasterboard	Bulk Insulation R4.1	Yes
Bedroom 3	Plasterboard	Bulk Insulation R4.1	Yes
Guest Bedroom	Timber Above Plasterboard	No Insulation	No
Ensuite 2	Plasterboard	Bulk Insulation R4.1	Yes

Nationwide House Energy Rating Scheme* Certificate

Certificate number: **0003007895**

Certificate Date:

27 Jul 2018

★ Star rating:

5.6



Building features continued

Ensuite 1	Plasterboard	Bulk Insulation R4.1	Yes
WIR	Plasterboard	Bulk Insulation R4.1	Yes
Bathroom	Plasterboard	Bulk Insulation R4.1	Yes
Lounge	Plasterboard	Bulk Insulation R4.1	Yes

Ceiling penetrations

Location	Number	Type	Diameter (mm)	Sealed/unsealed
Powder	1	Exhaust Fans	300	Sealed
Kitchen/Living	15	Downlights - LED	150	Sealed
Ensuite 2	1	Exhaust Fans	300	Sealed
Ensuite 1	1	Exhaust Fans	300	Sealed
Bathroom	1	Exhaust Fans	300	Sealed

Ceiling fans

Location	Number	Diameter (mm)
None Present		

Roof type

Construction	Added insulation	Roof colour
Roof Tiles	Foil, Gap Above, Reflective Side Down, Anti-glare Up	Dark

Nationwide House Energy Rating Scheme* Certificate

Certificate number: 0003007895

Certificate Date: 27 Jul 2018

★ Star rating: 5.6



Additional information

Explanatory notes

About this report

Residential energy ratings address the quality of the building fabric i.e. walls, windows, floors and roof/ceilings. Ratings do not cover the energy or water efficiency of appliances including heating and cooling, hot water, dishwashers, ovens, fridges, TVs etc. or solar panel or water tank requirements. The efficiency or specification of these items is generally covered by other regulations, standards or guidelines.

General Information

A NatHERS House Energy Rating is a comprehensive, dynamic computer modelling evaluation of the floorplans, elevations and specifications to predict an energy load of a home. Not all of us use our homes in the same way, so ratings are generated using standard assumptions. This means homes can be compared across the country.

The actual energy consumption of your home may vary significantly from the predicted energy load figures in the report depending on issues such as the size of your household and your personal preferences, e.g. in terms of heating or cooling.

While the figures are an indicative guide to energy use, they can be used as a reliable guide for comparative purposes between different house designs and for demonstrating that the design meets the required regulatory compliance.

Homes that are energy efficient use less energy, are warmer in winter, cooler in summer and cost less to run. The higher the star rating the more energy efficient.

This NatHERS House Energy Rating report was carefully prepared by your assessor on the basis of comprehensive modelling using standard procedures to rate your home using the underlying engine developed by the Australian Commonwealth Scientific and Industrial Research Organisation (CSIRO).

All information relating to energy loads presented in this report is based on a range of standard assumptions in order to allow for comparisons with reports prepared for other homes and to demonstrate minimum regulatory compliance.

The standard assumptions include figures for occupancy, indoor air temperature and are based on a unique climate file for your region.

Accredited Assessors

To ensure you get a high-quality, professional NatHERS House Energy Rating report, you should always use an accredited assessor, accredited assessors are members of a professional body called an Assessor Accrediting Organisation (AAO).

AAOs have specific quality assurance processes in place and continuing professional development requirements to maintain a high and consistent standard of assessments across the country. Non-accredited assessors do not have this level of quality assurance or any on-going training requirements.

If you have any questions or concerns about this report, please direct them to your assessor in the first instance.

If your assessor is unable to address your questions or concerns, please contact their AAO listed under 'assessor details'. You can also find a range of information about accredited assessors on the AAO websites.

Disclaimer

The energy values quoted are for comparison purposes only; they are not a prediction of actual energy use. This rating only applies to the floor plan, construction details, orientation and climate as submitted and included in the attached drawing set that bears a stamp with the same number as this certificate. Changes to any of these details could affect the rating.

Contact

For more information on the Nationwide House Energy Rating Scheme (NatHERS), visit www.nathers.gov.au

For more information on energy efficient design and insulation visit www.yourhome.gov.au