

Northern Beaches Council PO Box 882 MONA VALE NSW 1660

Your reference: Mod2020/0327 (CNR-12025) Our reference: DA20200904003213-Original-1

**ATTENTION: Northern Beaches Council** Date: Tuesday 15 September 2020

Dear Sir/Madam,

**Integrated Development Application** s100B - Subdivision - Torrens Title Subdivision 65-69 Lorikeet Grove Warriewood NSW 2102, 23//DP270907

I refer to your correspondence dated 04/09/2020 seeking general terms of approval for the above Integrated Development in accordance with s4.55 of the Environmental Planning and Assessment Act 1979.

The New South Wales Rural Fire Service (NSW RFS) has reviewed the submitted amended information. General Terms of Approval are now re-issued, under Division 4.8 of the Environmental Planning and Assessment Act 1979, and a Bush Fire Safety Authority, under section 100B of the Rural Fires Act 1997, are now issued subject to the following conditions.

## **General Conditions**

There is no objection to the proposed modification subject to compliance with the General Terms of Approval of the original Bush Fire Safety Authority issued dated 15 June 2018.

This letter is in response to an assessment of the application based on the submitted further information and supersedes our previous general terms of approval dated.

For any queries regarding this correspondence, please contact Garth Bladwell on 1300 NSW RFS.

Yours sincerely,

Nika Fomin **Manager Planning & Environment Services Planning and Environment Services** 



## **BUSH FIRE SAFETY AUTHORITY**

Subdivision – Torrens Title Subdivision 65-69 Lorikeet Grove Warriewood NSW 2102, 23//DP270907 RFS Reference: DA20200904003213-Original-1

Your Reference: Mod2020/0327 (CNR-12025)

This Bush Fire Safety Authority is issued on behalf of the Commissioner of the NSW Rural Fire Service under s100b of the Rural Fires Act (1997) subject to the attached General Terms of Approval.

This authority supersedes the previous Bush Fire Safety Authority (none) issued on and confirms that, subject to the attached reissued General Terms of Approval being met, the proposed development will meet the NSW Rural Fire Service requirements for Bush Fire Safety under *s100b of the Rural Fires Act 1997*.

## Nika Fomin

Manager Planning & Environment Services
Planning and Environment Services

Tuesday 15 September 2020