

Natural Environment Referral Response - Biodiversity

Application Number:	DA2024/0627
<u> </u>	Alterations and additions to a dwelling house including a carport
Date:	30/05/2024
Responsible Officer	Anaiis Sarkissian
Land to be developed (Address):	Lot 12 DP 16029 , 23 Grandview Drive NEWPORT NSW 2106

Reasons for referral

This application seeks consent development on land, or within 40m of land, containing:

- All Development Applications on
- Actual or potential threatened species, populations, ecological communities, or their habitats;
- Wildlife corridors;
- Vegetation query stipulating that a Flora and Fauna Assessment is required;
- Vegetation query X type located in both A & C Wards;

And as such, Council's Natural Environment Unit officers are required to consider the likely potential environmental impacts.

Officer comments

The comments in this referral relate to the following applicable controls and provisions:

- NSW Biodiversity Conservation Act 2016
- NSW Biodiversity Conservation Regulation 2017
- Pittwater LEP Clause 7.6 Biodiversity Protection
- Pittwater DCP Clause B4.7 Pittwater Spotted Gum Forest Endangered Ecological Community

Portions of the site are identified on the Department of Climate Change, Energy, the Environment and Water (DCCEEW) Biodiversity Values Map (BV Map). Under the NSW Biodiversity Conservation Act 2016, any removal of native vegetation from within mapped areas will trigger the Biodiversity Offsets Scheme (BOS) and the requirement for a Biodiversity Development Assessment Report (BDAR).

As tree removal in the BV Map is being proposed, a BDAR will have to be prepared by an accredited assessor and submitted with the application and the Statement of Environmental Effects will have to be amended to address the Biodiversity Conservation Act 2016.

The Biodiversity assessment will recommence upon reception of the additional information.

The proposal is therefore unsupported.

DA2024/0627 Page 1 of 2



Note: Should you have any concerns with the referral comments above, please discuss these with the Responsible Officer.

Recommended Natural Environment Conditions:

Nil.

DA2024/0627 Page 2 of 2