Waste Management Plan

Site Address:

Lot 101 and Lot 102

83 Parkes Road Collaroy Plateau NSW 2097

DEMOLITION, CONSTRUCTION AND USE OF PREMISES

The applicable sections of this table must be completed and submitted with your Development Application.

Completing this table will assist you in identifying the type of waste that will be generated and in advising Council now you intend to reuse, recycle or dispose of the waste.

The information provided on the form (and on your plans) will be assessed against the objectives of the DCP.

If space is insufficient in the table please provide attachments.

• Out line of Proposal

Site Address:	83 Parkes Koa	a Collaroy Plateau NS	W 2097	
Applicant's nam	ne and address:			
Phone:		Fax:		
Buildings and o	ther structures cur	rently on the site:		
Brief Descriptio	n of Proposal:	Build Two Storey Brick	Veneer Dwelling o	n lot 101 and Lot 102
The details prov	rided on this form	are the intentions of mana	aging waste relating t	to this project.
Signature of Ap	plicant:		Date:	16.11.22

SECTION ONE – DEMOLITION

This is the stage with the greatest potential for waste minimisation, particularly in Sydney where there are high levels of development, relatively high tipping charges and where alternative quarry materials are located on the outskirts.

Applicants should consider if it is possible to re-use existing buildings, or parts thereof, for the proposed use.

With careful on-site sorting and storage and by staging work programs, it is possible to re-use many materials, either on-site or off. Instead of simply pulling down a building, waste management encourages the practice of recycling on site. This could require a number of colour-coded or clearly labled bins on-site rather than one size fits all.

- Location of on-site storage space for materials (for re-use) and containers for recycling and disposal.
- Vehicle access to the site and to storage and container areas.

Continued Over Page

Demolition Stage 1

Materials On-Site		DESTINATION			
		RE-USE AND RECYCLING		DISPOSAL	
Type of Material	Estimated Volume (m³) or Area (m²)	 ON-SITE Specify proposed reuse or on-site recycling methods. 	OFF-SITE ■ Specify contractor and recycling outlet.	 Specify contractor and landfill site. 	
Excavation Material Green Waste					
Bricks Concrete					
Timber –Oregon Pine Timber pallets Particle board finishes					
Plasterboard Metals –					
Copper Aluminum Excavation					
Material Green Waste Bricks					

Note: Details of site area to be used for on-site separation, treatment and storage (including weather protection) should be provided on the plan drawings accompanying your application.

SECTION TWO - CONSTRUCTION AND USE

Section 2(a) – Potential for Waste Minimisation During Construction Stage

The following measures should be considered when looking to save resources and minimise waste at the construction stage.

- Purchasing Policy considering measures such as ordering the right quantities of materials and prefabrication of materials where possible;
- Reusing formwork;
- Minimising site disturbance, limiting unnecessary excavation;
- Careful source separation of off-cuts to facilitate re-use, resale or efficient recycling; and
- Co-ordination/sequencing of various trades.

The following details should be shown on your plans.

- Location of temporary storage space within each dwelling unit;
- Location of Waste Storage and recycling Area(s), per dwelling unit or located communally on-site. In the latter case this could be a Garbage and Recycling room;
- Details of design for Waste Storage and Recycling Area(s) or Garbage and Recycling Room(s) and any conveyance of volume reduction equipment; and
- Location of communal composting area.

• Section 2(b) – Design Of Facilities

The following details should be shown on your plans:

- Location of Waste Storage and Recycling Area(s) per unit or located communally on-site;
- Details of design of Waste Storage and Recycling Area(s);
- Where appropriate, design details of Garbage and Recycling Room(s);
- Access for vehicles.

Every building shall be provided with a Waste Storage and recycling Area which is flexible in size and layout to cater for future changes in use. The size is to be calculated on the basis of waste generation rates and proposed bin sizes.

Construction - Stage 2(a)

Materials On-Site		DESTINATION			
		RE-USE AND RECYCLING		DISPOSAL	
Type of Material	Estimated	ON-SITE	OFF-SITE		
	Volume	Specify proposed	 Specify 	 Specify 	
	(m³) or	reuse or on-site	contractor and	contractor and landfill	
	Area (m²)	recycling methods.	recycling outlet.	site.	
Excavation	15 m ³	Keep and reuse	Art Excavations PO	Nil	
Material		topsoil for	Box M37		
		landscaping .Store	Bankstown NSW		
		on-site and use some	2200		
		behind retaining			
		walls etc.			
Green Waste	Nil	Wans con		Nil	
Bricks	7m ³	Use for fill behind	Remainder to	Nil	
21.010		retaining walls	Brandown Crushing		
			and Recycling		
			Company		
Concrete	3m³	Use for fill behind	Remainder to	Nil	
		retaining walls	Brandown Crushing		
			and Recycling		
			Company		
Timber –Oregon	3.0m ³	Chip for landscaping sell	Remainder to	Nil	
Pine		some on-site for	approved		
Timber pallets		firewood	landscaping supplies		
Particle board			of chipping and		
finishes	2 3		composting		
Plasterboard	2m³	Break-up and use in	Remainder to Boral	Nil	
		landscaping	Recycling 3 Thackery St Camellia 2142		
Metals –	0.5m ³	Nil	To Selland Parker		
Copper	0.5111	INII	Metal Recyclers for		
Aluminum			re-use		
Other –	3.0m ³	Nil	10 430	To Collex Recycling	
Electrical				Waste Contractors	
fittings					
Reject trade-ins					
PVC Plastic					

Note: Details of site area to be used for on-site separation, treatment and storage (including weather protection) should be provided on the plan drawings accompanying your application.

Lot 101 Design of Facilities – Stage 2(b)

EXPECTED VOLUME PER WEEK	PROPSED ON-SITE STORAGE AND TREATMENT FACILITIES	DESTINATION
Liter or m ³	For example: Waste storage & recycling area Garbage chute On-site composting Compaction equipment	RecyclingDisposalSpecifyContractor
240 Liters	A. 240 Liter waste bin for paper, cardboard, glass, plastic and aluminum.	Paper/cupboard to recyclers Glass/aluminum & plastic to collected by council appointed contractor
2 Bins		
240 Liters	B. 240 Liter waste bin	To be collected by Council appointed contractors
2 Bins		
	VOLUME PER WEEK Liter or m³ 240 Liters 2 Bins 240 Liters	VOLUME PER WEEK Liter or m³ For example: Waste storage & recycling area Garbage chute On-site composting Compaction equipment A. 240 Liter waste bin for paper, cardboard, glass, plastic and aluminum. 2 Bins 2 Bins 2 Bins 2 Bins

Note: Details of on-site waste management facilities should be provided on the plan drawings accompanying your application.

Lot 102 Design of Facilities – Stage 2(b)

TYPE OF WASTE TO BE GENERATED	EXPECTED VOLUME PER WEEK	PROPSED ON-SITE STORAGE AND TREATMENT FACILITIES	DESTINATION
Please specify. For example: glass, paper, food waste, off cuts etc.	Liter or m ³	For example: * Waste storage & recycling area * Garbage chute * On-site composting * Compaction equipment	* Recycling * Disposal * Specify Contractor
A.Recyclables:- 1.cardboard waste. 2.Glass, aluminum and plastic (bottles).	240 Liters	A. 240 Liter waste bin for paper, cardboard, glass, plastic and aluminum.	Paper/cupboard to recyclers Glass/aluminum & plastic to collected by council appointed contractor
Total	2 Bins		
B.Non-recycables:- 1.Foodscraps etc. 2.Other plastics (eg wrapping). 3.Unrecycable waste.	240 Liters	B. 240 Liter waste bin	To be collected by Council appointed contractors
Total	2 Bins		

Note: Details of on-site waste management facilities should be provided on the plan drawings accompanying your application.