

ADDRESS 66 BARRENJOEY ROAD MONA VALE

RESIDENCE





SHEET NUMBER

A 0

A 1

A 2

A 3

A 4

GENERAL NOTES

GENERAL NOTES

All dimensions are to be confirmed on site by the builder/subcontractor, any incongruencies must be reported to the Designer before commencement of any work.

No Survey has been made on the boundaries, all bearings, distances and areas have been taken from the contour survey plan. A Survey must be carried out to confirm the exact boundary locations.

No construction work shall commence until a site survey confirming the site boundaries has been completed. The contractor is to ensure that the boundary setbacks are confirmed and used, the boundary setbacks take precedence over all other dimensions. The Survey work must be performed by a registered Surveyor.

In the event of encountering any discrepancies on these drawings, specification or subsequent instructions issued, the Builder/Subcontractor shall contact the designer before proceeding further with any work.

All construction, control joints and expansion joints in the wall, floors, other locations shall be in strict accordance with the Structural Engineering details. No joints or breaks other than specified, are allowed without written permission from the Engineer.

Measurements for the fabrication of secondary components such as, windows, doors, internal frames, structural steel components and the like, are not to be taken from these documents. Measurements must be taken on site to suit the work as constructed.

All structural components shall be in strict accordance to details and specifications as prepared by a structural engineer.

All existing structures need to be examined for structural adequacy, and it is the Contractor's responsibility to ensure that a certificate of structural adequacy is available prior to the start of any work.

_	ulawii	uale	issuc	description
	LS	18/11/24	Α	ISSUE FOR DA
- 1	LS	29/11/24	В	ISSUE FOR DA
ks	LS	20/01/25	С	ISSUE FOR DA
- 1	LS	07/04/25	D	ISSUE FOR DA RFI
- 1				
or				
n				
۱ ۱				
- 1				
- 1				

PROPOSED CONSTRUCTION OF A STUDIO AT 66 BARRENJOEY ROAD MONA VALE NSW 2103 LOT 6/F/DP7236



6/7 Parkes Street, Parramatta NSW 2150 www.rkdesigns.com.au dmin@rkdesigns.com.au 02 9633 4797 abn. 68 659 200 389 spaces designed for life

SHEET LIST (A)

COVER PAGE

SITE AND ROOF PLAN

GROUND FLOOR PLAN

ELEVATIONS AND SECTION

NOTES

SHEET NAME

ISSUE

D

D

D

D

D


LINDA AND GARY CALVERT



true north drawing **COVER PAGE**

sheet no. scale @ A3 issue checked 24-80 18/11/24 A 0 D ?





PRELIMINARY DO NOT USE FOR CONSTRUCTION

SITE AND ROOF PLAN

1:200

IMPORTANT NOTE THESE DRAWINGS HAVE BEEN ISSUED FOR DEVELOPMENT APPLICATION PURPOSES ONLY. THEY ARE NOT ISSUED FOR CONSTRUCTION OR CONSTRUCTION CERTIFICATE OR FOR THE PURPOSES OF PRICING BY ANY CONTRACTOR



GENERAL NOTES

All dimensions are to be confirmed on site by the builder/subcontractor, any incongruencies must be reported to the Designer before commencement of any work.

No Survey has been made on the boundaries, all bearings, distances and areas have been taken from the contour survey plan. A Survey must be carried out to confirm the exact boundary locations.

No construction work shall commence until a site survey confirming the site boundaries has been completed. The contractor is to ensure that the boundary setbacks are confirmed and used, the boundary setbacks take precedence over all other dimensions. The Survey work must be performed by a registered Surveyor.

In the event of encountering any discrepancies on these drawings, specification or subsequent instructions issued, the Builder/Subcontractor shall contact the designer before proceeding further with any work.

All construction, control joints and expansion joints in the wall, floors, other locations shall be in strict accordance with the Structural Engineering details. No joints or breaks other than specified, are allowed without written permission from the Engineer.

Measurements for the fabrication of secondary components such as, windows, doors, internal frames, structural steel components and the like, are not to be taken from these documents. Measurements must be taken on site to suit the work as constructed.

rom these documents. Measurements must be taken on site to suit the work as constructed.
All structural components shall be in strict accordance to details and specifications as prepared by a structural engineer.
All existing structures need to be examined for structural adequacy, and it is the Contractor's responsibility to ensure that a certificate of structural adequacy is
available prior to the start of any work.

1	drawn	date	issue	description	project
ı	LS	18/11/24	Α	ISSUE FOR DA	PROPOSED CONSTRUCTION OF A STUDIO AT 66
ı	LS	29/11/29	В	ISSUE FOR DA	
ı	LS	20/01/25	С	ISSUE FOR DA	BARRENJOEY ROAD MONA VALE NSW 2103 LOT 6/F/DP7236
ı	LS	07/04/25	D	ISSUE FOR DA RFI	

LINDA AND GARY CALVERT




6/7 Parkes Street, Parramatta NSW 2150 www.rkdesigns.com.au dmin@rkdesigns.com.au 02 9633 4797

abn. 68 659 200 389 spaces designed for life








scale @ A3 issue checked

1:100 D ?


24-80 18/11/24 A 3

"Bungalow Homes



NORTH ELEVATION

1:100




EAST ELEVATION

1:100

FCL 🔻 7.03 2.4M LEVEL CEILING **SECTION A-A GUEST** GROUND FLOOR 👃 ROOM FFL 4.59 TIMBER FLOOR TO ENG.DETAILS

IMPORTANT NOTE THESE DRAWINGS HAVE BEEN ISSUED FOR DEVELOPMENT APPLICATION PURPOSES ONLY. THEY ARE NOT ISSUED FOR CONSTRUCTION OR CONSTRUCTION CERTIFICATE OR FOR THE PURPOSES OF PRICING BY ANY CONTRACTOR



SOUTH ELEVATION

FCL _ 7.03 GROUND FLOOR FFL 4.59

WEST ELEVATION 4 1:100

true north drawing

GENERAL NOTES All dimensions are to be confirmed on site by the builder/subcontractor, any incongruencies must be reported to the Designer before commencement of any work. No Survey has been made on the boundaries, all bearings, distances and areas have been taken from the contour survey plan. A Survey must be carried out to confirm the exact boundary locations. No construction work shall commence until a site survey confirming the site boundaries has been completed. The contractor is to ensure that the boundary setbacks are confirmed and used, the boundary setbacks take precedence over all other dimensions. The Survey work must be performed by a registered Surveyor. In the event of encountering any discrepancies on these drawings, specification or subsequent instructions issued, the Builder/Subcontractor shall contact the designer before proceeding further with any work. All construction, control joints and expansion joints in the wall, floors, other locations shall be in strict accordance with the Structural Engineering details. No joints or breaks other than specified, are allowed without written permission from the Engineer. Measurements for the fabrication of secondary components such as, windows, doors, internal frames, structural steel components and the like, are not to be taken from these documents. Measurements must be taken on site to suit the work as constructed. All structural components shall be in strict accordance to details and specifications as prepared by a structural engineer. All existing structures need to be examined for structural adequacy, and it is the Contractor's responsibility to ensure that a certificate of structural adequacy is available prior to the start of any work. GENERAL NOTES

LS 18/11/24 A ISSUE FOR DA LS 29/11/29 B ISSUE FOR DA LS 20/01/25 C ISSUE FOR DA LS 07/04/25 D ISSUE FOR DA RFI

description

drawn date issue

PROPOSED CONSTRUCTION OF A STUDIO AT 66 BARRENJOEY ROAD MONA VALE NSW 2103 LOT 6/F/DP7236

Bungalow Homes

LINDA AND GARY CALVERT




6/7 Parkes Street, Parramatta NSW 2150 www.rkdesigns.com.au

abn. 68 659 200 389 spaces designed for life

ELEVATIONS AND SECTION scale @ A3 issue checked 24-80 18/11/24 A 4 1:100 D ?





GROUND FLOOR 1:200

SITE AREA = 696.7 SQM

MINIMUM REQUIRED LANDSCAPED AREA = 50% WITH A MINIMUM 1M WIDTH

MINIMUM REQUIRED LANDSCAPED AREA = 348.35 SQM

PROPOSED LANDSCAPED AREA = 312.6SQM

6% OF THE TOTAL SITE AREA MAY BE PROVIDED AS LANDSCAPED AS PER D9.10 OF MONA VALE LOCALITY WITHIN AREA 3

6% OF TOTAL SITE = 41.80 SQM

TOTAL PROPOSED LANDSCAPED AREA = 354.4SQM

THEREFORE, THE PROPOSAL COMPLIES WITH PDCP

AREA CALCULATIONS SCHEDULE

NAME	LEVEL	COUNT	TOTAL
AWNING OVER DECK	GROUND FLOOR	1	29.9 m²
AWNING OVER I	DECK: 1		29.9 m²
CONC.DRIVEW AY	GROUND FLOOR	1	116.2 m²
CONC.DRIVEWA	Y: 1		116.2 m²
DECK	GROUND FLOOR	2	17.4 m ²
DECK: 2			17.4 m²
FSR	GROUND FLOOR	2	212.5 m ²
FSR: 2			212.5 m ²
LANDSCAPE	GROUND FLOOR	4	278.2 m ²
LANDSCAPE: 4			278.2 m ²
NEW LANDSCAPE	Not Placed	1	0.0 m ²
NEW LANDSCAPE	GROUND FLOOR	3	34.4 m ²
NEW LANDSCAF	PE: 4		34.4 m²
PORCH	GROUND FLOOR	1	5.6 m ²
PORCH: 1			5.6 m ²

IMPORTANT NOTE THESE DRAWINGS HAVE BEEN ISSUED FOR DEVELOPMENT APPLICATION PURPOSES ONLY. THEY ARE NOT ISSUED FOR CONSTRUCTION OR CONSTRUCTION CERTIFICATE OR FOR THE PURPOSES OF PRICING BY ANY CONTRACTOR

GENERAL NOTES

All dimensions are to be confirmed on site by the builder/subcontractor, any incongruencies must be reported to the Designer before commencement of any work.

No Survey has been made on the boundaries, all bearings, distances and areas have been taken from the contour survey plan. A Survey must be carried out to confirm the exact boundary locations.

No construction work shall commence until a site survey confirming the site boundaries has been completed. The contractor is to ensure that the boundary setbac are confirmed and used, the boundary setbacks take precedence over all other dimensions. The Survey work must be performed by a registered Surveyor.

In the event of encountering any discrepancies on these drawings, specification or subsequent instructions issued, the Builder/Subcontractor shall contact the designer before proceeding further with any work.

All construction, control joints and expansion joints in the wall, floors, other locations shall be in strict accordance with the Structural Engineering details. No joints breaks other than specified, are allowed without written permission from the Engineer.

Measurements for the fabrication of secondary components such as, windows, doors, internal frames, structural steel components and the like, are not to be taker from these documents. Measurements must be taken on site to suit the work as constructed.

All structural components shall be in strict accordance to details and specifications as prepared by a structural engineer.

All existing structures need to be examined for structural adequacy, and it is the Contractor's responsibility to ensure that a certificate of structural adequacy is available prior to the start of any work.

	drawn	date	issue	description	project
ork.	LS	18/11/24	Α	ISSUE FOR DA	PROPOSED CONSTRUCTION
to	LS	29/11/29	В	ISSUE FOR DA	
backs	LS	20/01/25	С	ISSUE FOR DA	BARRENJOEY ROAD MONA
	LS	07/04/25	D	ISSUE FOR DA RFI	
ints or					
					client
aken					LINDA AND GARY CALVERT
					" " R

PROPOSED CONSTRUCTION OF A STUDIO AT 66 BARRENJOEY ROAD MONA VALE NSW 2103 LOT 6/F/DP7236

Bungalow Homes



6/7 Parkes Street, Parramatta NSW 2150 www.rkdesigns.com.au abn. 68 659 200 389 spaces designed for life



AREA CALCULATIONS project no date sheet no. scale @ A3 issue checked 24-80 18/11/24 A 5 1:200 D ?

