BASIX°Certificate

Building Sustainability Index www.basix.nsw.gov.au

Alterations and Additions

Certificate number: A431953

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Alterations and Additions Definitions" dated 06/10/2017 published by the Department. This document is available at www.basix.nsw.gov.au

Secretary

Date of issue: Thursday, 16, September 2021

To be valid, this certificate must be lodged within 3 months of the date of issue.



Description of project

Project address						
Project name	21022					
Street address	7 ROUNCE Avenue FORESTVILLE 2087					
Local Government Area	Northern Beaches Council					
Plan type and number	Deposited Plan 200198					
Lot number	11					
Section number						
Project type						
Dwelling type	Separate dwelling house					
Type of alteration and addition	My renovation work is valued at \$50,000 or more, and does not include a pool (and/or spa).					

Certificate Prepared by (please complete before submitting to Council or PCA)

Name / Company Name: RenovatePlans

ABN (if applicable): 16617139296

BASIX Certificate number: A431953 page 2 / 6

Fixtures and systems	Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Lighting			
The applicant must ensure a minimum of 40% of new or altered light fixtures are fitted with fluorescent, compact fluorescent, or light-emitting-diode (LED) lamps.		✓	~
Fixtures			
The applicant must ensure new or altered showerheads have a flow rate no greater than 9 litres per minute or a 3 star water rating.		✓	✓
The applicant must ensure new or altered toilets have a flow rate no greater than 4 litres per average flush or a minimum 3 star water rating.		✓	✓
The applicant must ensure new or altered taps have a flow rate no greater than 9 litres per minute or minimum 3 star water rating.		✓	

BASIX Certificate number: A431953 page 3 / 6

Construction			Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Insulation requirements					
The applicant must construct the new or alterer the table below, except that a) additional insular is not required for parts of altered construction	√	✓	√		
Construction	Additional insulation required (R-value)	Other specifications			
suspended floor with enclosed subfloor: framed (R0.7).	R0.60 (down) (or R1.30 including construction)				
external wall: framed (weatherboard, fibro, metal clad)	R1.30 (or R1.70 including construction)				
flat ceiling, flat roof: framed	ceiling: R3.00 (up), roof: foil/sarking	medium (solar absorptance 0.475 - 0.70)			

BASIX Certificate number: A431953 page 4 / 6

Glazing r	requirements						Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Windows	and glazed o	loors							
The applicant must install the windows, glazed doors and shading devices, in accordance with the specifications listed in the table below. Relevant overshadowing specifications must be satisfied for each window and glazed door.							✓	✓	✓
The following requirements must also be satisfied in relation to each window and glazed door:							✓	✓	
Each window or glazed door with standard aluminium or timber frames and single clear or toned glass may either match the description, or, have a U-value and a Solar Heat Gain Coefficient (SHGC) no greater than that listed in the table below. Total system U-values and SHGCs must be calculated in accordance with National Fenestration Rating Council (NFRC) conditions.							✓	✓	
For projections described in millimetres, the leading edge of each eave, pergola, verandah, balcony or awning must be no more than 500 mm above the head of the window or glazed door and no more than 2400 mm above the sill.							✓	✓	✓
Pergolas w	with polycarbona	ite roof or s	imilar trar	slucent mate	erial must have a shading coefficient	of less than 0.35.		✓	✓
External lo	ouvres and blind	s must fully	shade th	e window or	glazed door beside which they are s	ituated when fully drawn or closed.		✓	✓
shades a p	perpendicular wi	ndow. The	spacing b	etween batte	ens must not be more than 50 mm.	ch they are situated, unless the pergola also		✓	✓
	door Orientation				Shading device	Frame and glass type			
no.	acci Cilcinano	glass	Height	Distance		r rame and glass type			
		inc. frame (m2)	(m)	(m)					
W1	S	frame	(m) 0		none	standard aluminium, single clear, (or U-value: 7.63, SHGC: 0.75)			
W1 W2	S S	frame (m2)		(m)	none				
		frame (m2) 0.9	0	(m) 0		U-value: 7.63, SHGC: 0.75) standard aluminium, single clear, (or			
W2	S	frame (m2) 0.9 3.9	0	(m) 0	none	U-value: 7.63, SHGC: 0.75) standard aluminium, single clear, (or U-value: 7.63, SHGC: 0.75) standard aluminium, single clear, (or			

BASIX Certificate number: A431953 page 5 / 6

Glazing requ	irements						Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Window / door no.	Orientation	Area of glass inc. frame (m2)	Oversha Height (m)	dowing Distance (m)	Shading device	Frame and glass type			
						U-value: 7.63, SHGC: 0.75)			
W7	W	1.24	0	0	eave/verandah/pergola/balcony >=900 mm	standard aluminium, single clear, (or U-value: 7.63, SHGC: 0.75)			
GD1	N	6.5	0	0	eave/verandah/pergola/balcony >=900 mm	standard aluminium, single clear, (or U-value: 7.63, SHGC: 0.75)			
GD2	E	5.04	0	0	external louvre/blind (adjustable)	standard aluminium, single clear, (or U-value: 7.63, SHGC: 0.75)			
GD3	S	4.3	0	0	none	standard aluminium, single clear, (or U-value: 7.63, SHGC: 0.75)			

BASIX Certificate number: A431953 page 6 / 6

Legend

In these commitments, "applicant" means the person carrying out the development.

Commitments identified with a " " in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).

Commitments identified with a "

"in the "Show on CC/CDC plans & specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.

Commitments identified with a "

"" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled, before a final occupation certificate for the development may be issued.