

# Environmental Health Referral Response - commercial use

Application Number:	Mod2022/0640
Proposed Development:	Modification of Development Consent DA2018/1771 granted for the demolition of the existing surf club building and construction of a new surf club building including a cafe, restaurant and function space
Date:	06/03/2023
То:	Dean Pattalis
Land to be developed (Address):	Lot 104 DP 1066371 , 1 Surfview Road MONA VALE NSW 2103

### **Reasons for referral**

This application seeks consent for one or more of the following:

- Food premises, or
- Backpackers/Boarding house, or
- Mortuary, or
- Skin penetration, accupuncture, tattoo, beauty salon, or
- Public pool

And as such, Council's Environmental Health and Protection officers are required to consider the likely impacts.

#### Officer comments General Comments

Environmental Have assessed the application and recommned standard conditions.

#### Recommendation

APPROVAL - subject to conditions

The proposal is therefore supported.

Note: Should you have any concerns with the referral comments above, please discuss these with the Responsible Officer.

#### **Recommended Environmental Health and Protection Conditions:**

# CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO THE ISSUE OF THE OCCUPATION CERTIFICATE

#### **Registration of food Business**

The food business must be registered with the Appropriate Regulatory Authority, prior to Occupation Certificate being issued.



Reason: Food premises are required to be registered with the Appropriate Regulatory Authority.

## Kitchen Design, construction and fit out of food premises certification

Prior to the issuing of any occupation certificate, certification is to be provided to the Principal Certifier by a suitably qualified person demonstrating that that the design, construction and fit out of food premises kitchen is compliant with the requirements of AS 4674 Design, construction and fit out of food premises.

Reason: To ensure that the kitchen complies with Australian Standard design requirements.