## BASIX® commitments

Assessor Mr. Daniel Warda

Date 24 / 09 / 2019

BASIX Certificate No. 1033661S 02

NatHERS Certificate No. 0004227070-01

project details

Site Address Lot 23, 911 Pittwater Road, Collaroy NSW 2097

Municipality Northern Beaches

Reference 17338

thermal comfort

Floors 300mm Waffle Pod Slab/AAC Hebel Suspended Floor as per job number 17338

Suspended Floors R2.5HD Soundbreak Insulation between Lower Level/Mid Level & Mid Level/First Floor

External Walls R2.0 Bulk Insulation to all external walls including Garage internal walls I Medium

Internal Walls Same value as external wall applied to Garage internal walls only

Ceilings R4.0 Bulk Insulation to all trussed ceilings over living areas

Roof Colorbond | Medium

Roof Insulation Sarking

Wideline Sliding Doors (Aluminum Framed - 6.38mm Comfort Plus)

• To SSD1, SSD2, SSD3, SSD5 & SSD6

Type B Windows (Aluminum Framed - Double Glazing)

• To W4, W5, W6, W7, W14, W15, W18, W19 & W21

Wideline Sliding Windows (Aluminum Framed - 6.38mm Comfort Plus)

• To W1 & W2

U - Value: 4.5 SHGC: 0.46

Type A Windows (Aluminum Framed - Single Clear Glazed)

• To BF

Type B Windows (Aluminum Framed - Single Clear Glazed)

• To W3, W8, W9, W10, W11, W12, W13, W16, W17, W20 & SSD4

U - Value: 6.7 SHGC: 0.70

Note: U-Value may be lower but not higher than the nominated values

Note: SHGC may have a tolerance of +/- 10% of the nominated values in NSW only

Skylights SK1 Ensuite & SK2 Bath

water energy

Landscape Area 200m<sup>2</sup> Hot Water Gas Instantaneous | 6 Stars

W.C's 4 Star Air-Con (Heating) 3-Phase Ducted A/C | EER 3.0 - 3.5

Kitchen Taps 5 Star Air-Con (Cooling) 3-Phase Ducted A/C | EER 3.0 - 3.5

Shower Heads 3 Star (>6 but <=7.5L/min) Ventilation As Per Basix Assessment

Basin Taps 5 Star PV System N/A

Alternative Water 3000L Rainwater Tank Cooking Gas Cooktop & Electric Oven

Roof Water To Tank 50m<sup>2</sup> Drying Outdoor Clothesline

Alt. Water Uses W.C, Garden & Laundry Lighting As Per BASIX Certificate



ABN

