

Nationwide House Energy Rating Scheme* — Class 2 summary



Certificate number: **0002879440**

Certificate Date: **22 Jun 2018**

★ Average Star rating: **6.4**

Assessor details


Accreditation number: **VIC/BDAV/12/1473**
Name: **Tracey Cools**
Organisation: **Efficient Living**
Email: **admin@efficientliving.com.au**
Phone: **02 9970 6181**
Declaration of interest: **None**
Software: **BERS Pro v4.3.0.2c (3.13)**

AAO: **BDAV**

Dwelling details

Street: **Allambie Road**
Suburb: **Allambie Heights**
State: **NSW**
Postcode: **2100**

Scan to access this certificate online and confirm this is valid.



Summary of all dwellings

Certificate Details

Certificate number	Unit number	Heating load	Cooling load	Total load	Star Rating
0002879153	01	40.0	20.7	60.8	5.4
0002879179	02	34.5	19.5	54.0	5.8
0002879203	03	34.8	19.6	54.4	5.8
0002879245	04	41.9	20.2	62.0	5.3
0002879260	05	38.4	26.9	65.3	5.1
0002879286	06	34.6	26.4	61.0	5.4
0002879310	07	34.3	25.5	59.8	5.4
0002879351	08	38.5	27.7	66.2	4.9
0002879138	09	25.9	12.5	38.4	7.1
0002879187	10	17.6	13.8	31.5	7.6
0002879195	11	19.5	12.2	31.7	7.5
0002879237	12	18.3	13.4	31.7	7.5
0002879252	13	18.3	13.0	31.3	7.6
0002879302	14	18.0	13.9	32.0	7.5
0002879328	15	18.1	15.0	33.1	7.4

Nationwide House Energy Rating Scheme* - Class 2 summary

Certificate number: **0002879440**

Certificate Date:

22 Jun 2018

★ Average Star rating: **6.4**



Summary of all dwellings continued

Certificate Details

Certificate number	Unit number	Heating load	Cooling load	Total load	Star Rating
0002879369	16	24.5	14.2	38.8	7
0002879146	17	29.8	18.4	48.1	6.3
0002879161	18	20.6	23.3	43.9	6.6
0002879211	19	26.4	18.3	44.7	6.5
0002879229	20	19.9	23.9	43.8	6.6
0002879278	21	25.9	18.8	44.7	6.5
0002879294	22	21.0	23.2	44.2	6.6
0002879336	23	26.2	19.8	46.0	6.4
0002879344	24	24.0	23.3	47.3	6.4