

NOTES:-

1. ALL GLAZING TO WINDOWS & DOORS SHALL BE IN ACCORDANCE WITH THE BASIX REPORT.
2. EXTERNAL WALL CLADDING SHALL BE SELECTED PLANK CLADDING WITH A SPECIFIED PAINTED COLOUR FINISH.
3. AN APPROVED RATED INSULATION TO ALL EXTERNAL TIMBER FRAMED WALLS IN ACCORDANCE WITH THE BASIX REPORT.
4. AN APPROVED RATED INSULATION MATERIAL TO BE PLACED IN THE CEILING SPACE WITHIN THE PERIMETER OF ALL EXTERNAL WALLS IN ACCORDANCE WITH THE BASIX REPORT.
5. AN APPROVED RATED CONDENSATION BLANKET PLACED UNDER ROOF SHEETING THRU-OUT IN ACCORDANCE WITH THE BASIX REPORT.
6. ROOF FINISHES TO BE IN ACCORDANCE WITH THE BASIX REPORT.
7. EXTERNAL WALL FINISHES TO BE IN ACCORDANCE WITH THE BASIX REPORT.
8. ALL WINDOWS AND DOORS TO HAVE WEATHER STRIPPING.
9. ALL WINDOWS & DOORS AS NOTED ON PLAN WITH SPECIFIED COLOUR FINISH.
10. ALL PAINTING TO OWNERS REQUIREMENTS.
11. ALL POWER OUTLETS & SWITCHES TO OWNERS REQUIREMENTS.
12. ALL GLAZING TO CODE AS1288
13. ALL PEST TREATMENT TO CODE AS3660.1-2000
14. SMOKE DETECTOR DENOTED SD ON PLAN TO BCA/39
15. ALL WATERPROOFING TO WET AREAS TO CODE AS3740
16. ALL TIMBER FRAMING TO CODE AS1684
17. ALL WORK CARRIED OUT TO BE IN ACCORDANCE WITH THE BCA.

SITE CRITERIA

No. 10 SPRING ROAD NORTH CURL CURL N.S.W 2099
LOT 47 D.P. 20103

SITE AREA = 495.1 sq. m.

EXISTING SOFT OPEN SPACE = 206.7 sq. m.

EXISTING HARD OPEN SPACE = 163.3 sq. m.

EXISTING HARDSTAND = 125.1 sq. m.

TOTAL EXISTING HARDSTAND = 288.4 sq. m.

PROPOSED DRIVEWAY AREA = 23.7 sq. m.

PROPOSED GARAGE FLOOR AREA = 41.4 sq. m.

PROPOSED TOTAL GROUND FLOOR AREA = 170.0 sq. m.

PROPOSED GROUND FLOOR FRONT DECK AREA = 6.0 sq. m.

PROPOSED GROUND FLOOR REAR DECK AREA = 29.9 sq. m.

PROPOSED TOTAL FIRST FLOOR AREA = 117.9 sq. m.

DWELLING ROOF AREA = 227.4 sq. m.

POST LANDSCAPE AREA < 2.0 WIDE = 51.7 sq. m. (10.5 %)

POST LANDSCAPE AREA > 2.0 WIDE = 249.7 sq. m. (50.4 %)

POST HARDSTAND = 193.7 sq. m. (39.1 %)

TOTAL OSD AREA POST DEVELOPEMENT = 248.4 sq. m. (50.2 %)

2 CAR PARKING SPACES PROVIDED IN GARAGE

BASIX REQUIREMENTS

TO BE READ INCONJUNCTION WITH THE
BASIX CERTIFICATE NUMBER 1062661S

ROOF AREA TO TANK TO BE USED FOR TOILET FLUSHING, COLD WATER
CLOTHS WASHING AND GARDEN TAPS SUPPLY (MINIMUM) --- 150 sq.m.
WATER STORAGE TANK CAPACITY----- 2,000 MIN. LITRES

NEW SHOWER HEAD MINIMUM RATING ----- 3 STAR RATING

NEW TOILET MINIMUM RATING ----- 3 STAR RATING

ALL NEW TAP FITTINGS MINIMUM RATING ----- 3 STAR RATING

ROOF COLOUR ----- MEDIUM SA 0.475 - 0.70

ROOF SHEETING ON INSULATION ----- R1.0 RATING

EXTERNAL WALLS INSULATION ----- R2.5 RATING

CEILING INSULATION ----- R4.0 RATING

INTERNAL WALL (GARAGE, POWDER, LAUNDRY)----- R2.0 RATING

INTERNAL INSULATION (FLOOR ABOVE GARAGE)----- R4.0 RATING

SUBFLOOR INSULATION ----- R2.0 RATING

DOOR AND WINDOWS TO HAVE WEATHER STRIPPING

ALL FIXED AND SLIDING WINDOWS TO HAVE UW 4.5 & SHGCw 0.61

ALL DOUBLE HUNG WINDOWS AND SLIDING DOORS TO HAVE UW 4.3 & SHGCw 0.53

INDIGENOUS OR LOW WATER USE SPECIES OF VEGETATION THRU-OUT 0 sq.m.
OF THE SITE TO BE PLANTED REFER LANDSCAPE PLAN.

HOT WATER SERVICE TO BE GAS INSTANTANEOUS WITH A PREFORMANCE OF
5 STARS OR BETTER.

COOLING SYSTEM TO BE IN AT LEAST 1 LIVING AREA & 1 BEDROOM
TO BE A SINGLE PHASE AIR CONDITIONING WITH AN ENERGY RATING OF
3.0 STAR (NEW RATING) PLUS A CEILING FAN. THE COOLING SYSTEM MUST
MUST PROVIDE FOR DAY/NIGHT ZONING BETWEEN LIVING & BEDROOM AREAS.

HEATING SYSTEM IN AT LEAST 1 LIVING AREA GAS FIXED FLUE FIRE PLACE
WITH A 3.5 STAR RATING.

HEATING SYSTEM IN AT LEAST 1 LIVING AREA & 1 BEDROOM PLUS 3-PHASE
AIR CONDITIONING WITH AN ENERGY RATING OF 3 STAR (NEW RATING)

FIXED OUTDOORS CLOTHES DRYING LINE TO BE INSTALLED

GAS COOKER WITH ELECTRIC OVEN.

APPLICANT MUST ENSURE THAT THE "PRIMARY TYPE OR IDENTICAL LIGHTING"
IS FLUORESCENT OR LIGHT EMITTING DIODE (LED) LIGHTING IN EACH OF THE
FOLLOWING ROOMS, AND WHERE THE "DEDICATED" AREA THE FITTINGS
FOR THOSE LIGHTS MUST ONLY BE CAPABLE OF ACCEPTING FLUORESCENT OR
LIGHT EMITTING DIODE (LED) LAMPS:

. THE LAUNDRY, AT LEAST 5 OF THE BEDROOMS / STUDY, ALL HALLWAYS

ALL BATHROOMS/TOILETS & AT LEAST 3 LIVING/DINING ROOMS - ALL DEDICATED

ROSS STREET

GENERAL NOTES AND BCA COMPLIANCE

- EARTHWORKS METHOD OF EXCAVATION AND FILL TO COMPLY WITH PART 3.1.1. B.C.A.
- TERMITE RISK MANAGEMENT TO COMPLY WITH PART 3.1.3 OF THE B.C.A. AND AS3660-1
- FOOTINGS AND SLABS TO COMPLY WITH PART 3.2 OF THE B.C.A. , AS2870 AND ENGINEERS DETAILS
- MASONARY CONSTRUCTION TO COMPLY WITH PART 3.3 OF THE B.C.A. AND AS3700
- TIMBER FRAMING TO COMPLY WITH PART 3.4 OF THE B.C.A AND AS1684
- GLAZING TO COMPLY WITH PART 3.6 OF THE B.C.A. AND AS1288
- SMOKE ALARMS TO COMPLY WITH PART 3.7.2 OF THE B.C.A. AND AS3786
- STAIR CONSTRUCTION TO COMPLY WITH PART 3.9.1 OF THE B.C.A.
- BALISTRADES AND OTHER BARRIERS TO COMPLY WITH PART 3.9.2 OF THE B.C.A.
- NATURAL LIGHT TO COMPLY WITH PART 3.8.4 OF THE B.C.A.
- VENTILATION TO COMPLY WITH PART 3.8.5 OF THE B.C.A.
- ALL DAMP AND WEATHERPROOFING TO COMPLY WITH PART 3.8 OF THE B.C.A.
- ROOFING TO COMPLY WITH PART 3.5.1 OF THE B.C.A. AND AS/NZ1562
- FLOOR SURFACES OF WATER CLOSETS, SHOWER COMPARTMENTS AND THE A LIKE TO BE OF MATERIALS IMPERVIOUS TO MOISTURE AND WALLS FINISHED WITH AN APPROVED IMPERVIOUS FINISH TO COMPLY WITH THE REQUIREMENTS OF PART 3.8 OF THE B.C.A. AND AS3740
- CLOTHS WASHING, DRYING AND COOKING FACILITIES TO BE PROVIDED TO COMPLY WITH PART 3.8.3 OF THE B.C.A.

THIS PLAN IS TO BE READ IN
CONJUNCTION WITH
THE CONDITIONS OF DEVELOPMENT
CONSENT

DA2020/0213

ABOVE NOTES TO BE READ IN-CONJUNCTION
WITH THE ARCHITECTURAL PLANS AND THE
STRUCTURAL ENGINEERS DETAILS

CLASSIC COUNTRY COTTAGES

OFFICE - 39 GAVENLOCK ROAD TUGGERAH 2259
P.O. BOX 5240 CHITTAWAY BAY N.S.W. 2261
Tel : (02) 4352 1189 Fax : (02) 4352 1198
Builders Lic. 158741C ABN 65 687 862 151

© This drawing and design remains the property of
CLASSIC COUNTRY COTTAGES and may not be copied
in whole or in part without prior approval of
CLASSIC COUNTRY COTTAGES

PROJECT

**PROPOSED NEW DWELLING
10 SPRING ROAD
NORTH CURL CURL**

FOR

Mr. C. & Mrs. L. WATSON

DATE **DEC. 2019** SCALE **1:200**

JOB No.

DWG. No.


REV


CC161

01


A

IF IN
DOUBT
ASK





NORTHERN ELEVATION



EASTERN ELEVATION

CLASSIC COUNTRY COTTAGES

OFFICE - 39 GAVENLOCK ROAD TUGGERAH 2259
P.O. BOX 5240 CHITTAWAY BAY N.S.W. 2261
Tel : (02) 4352 1189 Fax : (02) 4352 1198
Builders Lic. 158741C ABN 65 687 862 151
© This drawing and design remains the property of
CLASSIC COUNTRY COTTAGES and may not be copied
in whole or in part without prior approval of
CLASSIC COUNTRY COTTAGES

PROJECT
PROPOSED NEW DWELLING
10 SPRING ROAD
NORTH CURL CURL
FOR
Mr. C. & Mrs. L. WATSON


DATE **DEC. 2019** SCALE **1:100**

JOB No. **CC161** DWG. No. **05** REV **A**


IF IN
DOUBT
ASK

THIS PLAN IS TO BE READ IN
CONJUNCTION WITH
THE CONDITIONS OF DEVELOPMENT
CONSENT

DA2020/0213



SECTION 1



SECTION 2

CLASSIC COUNTRY COTTAGES

OFFICE - 39 GAVENLOCK ROAD TUGGERAH 2259
P.O. BOX 5240 CHITTAWAY BAY N.S.W. 2261
Tel : (02) 4352 1189 Fax : (02) 4352 1198
Builders Lic. 158741C ABN 65 687 862 151
© This drawing and design remains the property of
CLASSIC COUNTRY COTTAGES and may not be copied
in whole or in part without prior approval of
CLASSIC COUNTRY COTTAGES

PROJECT
**PROPOSED NEW DWELLING
10 SPRING ROAD
NORTH CURL CURL**
FOR
Mr. C. & Mrs. L. WATSON

DATE **DEC. 2019** SCALE **1:100**

JOB No. **CC161** DWG. No. **05** REV **A**

IF IN
DOUBT
ASK

THIS PLAN IS TO BE READ IN
CONJUNCTION WITH
THE CONDITIONS OF DEVELOPMENT
CONSENT
DA2020/0213

DRIVEWAY & CROSS-OVER HAS BEEN
DESIGNED
TO BE IN ACCORDANCE WITH THE
COUNCIL'S
NORMAL STANDARD VEHICLE CROSSING
PROFILE A4 - 3330/1 N

DRIVEWAY CROSS-OVER TO BE IN ACCORDANCE WITH THE COUNCIL'S SPECIFICATION AND AUSTRALIAN STANDARD AS1428.1:2001-DESIGN FOR ACCESS AND MOBILITY.

Scale 1:100



THIS PLAN IS TO BE READ IN
CONJUNCTION WITH
THE CONDITIONS OF DEVELOPMENT
CONSENT

CLASSIC COUNTRY COTTAGES

OFFICE - 39 GAVENLOCK ROAD TUGGERAH 2259
P.O. BOX 5240 CHITTAWAY BAY N.S.W. 2261
Tel : (02) 4352 1189 Fax : (02) 4352 1198
Builders Lic. 158741C ABN 65 687 862 151

© This drawing and design remains the property of CLASSIC COUNTRY COTTAGES and may not be copied in whole or in part without prior approval of CLASSIC COUNTRY COTTAGES


**PROPOSED NEW DWELLING
10 SPRING ROAD
NORTH CURL CURL**

FOR
Mr. C. & Mrs. L. WATSON

REV

A


IF IN
DOUBT
ASK



DEMOLITION AND SEDIMENTATION CONTROL FENCE PLAN

SEDIMENT CONTROL:

1. INSTALL SEDIMENT CONTROL STRUCTURES IN LOCATIONS INDICATED ON DRAWINGS AND AS OTHERWISE REQUIRED TO CONTROL SEDIMENT DURING ALL EXCAVATIONS AND WHILST AREAS OF THE SITE ARE EXPOSED TO EROSION.
2. CONTROL STRUCTURES TO BE AS DETAILED OR AS OTHERWISE REQUIRED.
3. REVIEW CONTROL MEASURES AND MAINTAIN STRUCTURES DURING CONSTRUCTION.
4. IF ADDITIONAL MEASURES ARE REQUIRED FOR EROSION CONTROL OR BY COUNCIL REQUIREMENTS REFER TO "URBAN EROSION AND SEDIMENT CONTROL" GUIDELINES PREPARED BY THE DEPARTMENT OF CONSERVATION AND LAND MANAGEMENT.



THIS PLAN IS TO BE READ IN CONJUNCTION WITH THE CONDITIONS OF DEVELOPMENT CONSENT
SEDIMENTATION CONTROL FENCE DETAIL
 SCALE = N.T.S.
 DA2020/0213

IF IN DOUBT
ASK

CLASSIC COUNTRY COTTAGES

OFFICE - 39 GAVENLOCK ROAD TUGGERAH 2259
 P.O. BOX 5240 CHITTAWAY BAY N.S.W. 2261
 Tel : (02) 4352 1189 Fax : (02) 4352 1198
 Builders Lic. 158741C ABN 65 687 862 151
 © This drawing and design remains the property of CLASSIC COUNTRY COTTAGES and may not be copied in whole or in part without prior approval of CLASSIC COUNTRY COTTAGES

PROJECT
PROPOSED NEW DWELLING
10 SPRING ROAD
NORTH CURL CURL
 FOR
Mr. C. & Mrs. L. WATSON

DATE **DEC. 2019** SCALE **1:200**
 JOB No. **CC161** DWG. No. **08** REV **A**