

## **VARIATIONS**

### PREMIUM INCLUSIONS

### STRUCTURE

- PROVIDE 2.740mm HIGH CEILINGS TO GROUND AND FIRST FLOOR

### KITCHEN

- PROVIDE 40mm ENGINEERED STONE BENCHTOPS TO KITCHEN WITH WATERFALL END
- PROVIDE DISHWASHER AND MICROWAVE

### BATH/ENSUITE

- PROVIDE STONE BENCHTOPS VANITIES
- PROVIDE MIRROR WITH BUILT IN LIGHTS TO SUIT VANITIES
- PROVIDE FULL HEIGHT WALL TILES TO BATHROOM AND ENSUITE
- PROVIDE SMART WASTE WITH TILE INSET

### **LAUNDRY**

- PROVIDE 20mm ENGINEERED STONE BENCHTOP WITH BUILT-IN SINGLE BOWL SINK AND CONCEALED WASHING MACHINE
- PROVIDE CUPBOARDS ABOVE BENCHTOP WITH LAMINATED DOORS

### FLOORING

- PROVIDE 600x600mm FLOOR TILES TO GROUND FLOOR AREAS (ENTRY, FAMILY, DINING, KITCHEN, WALK-IN-PANTRY)

### **DOORS & WINDOWS**

- PROVIDE 1020x2,340mm ENTRY DOOR
- PROVIDE 2,340mm HIGH LAUNDRY DOOR (SLIDING/HUNG) (IF APPLICABLE)
- PROVIDE 2,340mm HIGH INTERNAL DOORS
- PROVIDE 2,340mm HIGH ROBE DOORS

### **ELECTRICAL**

- PROVIDE UP TO 20 LED DOWNLIGHTS TO LIVING AREAS (REFER TO ELECTRICAL PLAN)
- PROVIDE 1x LINEAR PENDANT LIGHT TO KITCHEN
- PROVIDE 1x DOUBLE POWER POINT TO KITCHEN ISLAND BENCH
- PROVIDE 1x ADDITIONAL DOUBLE POWER POINT TO BEDROOMS (EXCLUDING BED 1)
- PROVIDE 1x ADDITIONAL SMOKE ALARM TO FIRST FLOOR (TOTAL 3)

### **UPGRADES/VARIATIONS**

- PROVIDE CUSTOM 'SEE-THROUGH' STAIRS

### **BASIX REQUIREMENT**

- AWNING WINDOWS TO FIRST FLOOR IN LIEU OF SLIDING WINDOWS

### **Nathers - Thermal Comport Summary**

Address: Lot 5, 5 Raven Circuit Warriewood					
<b>Building Elements</b>	Material	Detail			
External walls	Hebel	R2.5 bulk insulation (excluding garage)			
	Light Weight Cladding	Colours as per colour scheudle			
Internal walls	Plasterboard on studs	R2.5 bulk insulation to walls adjacent to garage			
Ceiling	Plasterboard	R4.0 bulk insulation to ceilings with roof above (excluding garage & porch)			
Floors	Concrete – ground floor	Waffle Pod (dwelling 225mm; garage 175mm)			
	Timber – first floor	R4.0 bulk insulation to floor between garage and first floor			
Roof	Metal Roof – Light Colour	Builders Blanket – Foil + R1.3 to underside of metal roof			
	Solar Absorptance < 0.475				
Doors/Windows	Sliding windows/doors & fixed windows:				
	Aluminium frame, single glazed clear	U value 6.70 or less and SHGC 0.70 +/- 10%			
	Awning windows:				
	Aluminium frame, single glazed clear	U value 6.70 or less and SHGC 0.57 +/- 10%			
	d with non-ventilated LED downlights as per Electric				
	talled in accordance with Part 3.12.1.1 of the BCA V				
		densation and associated interaction with adjoining building materials.			
	Laundry, WC, Bath and Ensuite exhaust fans.				
Note: Additional insulation may be required to meet acoustic requirements					
Note: If metal frames are used, a thermal break is required as per Section 3.12.1.1 – NSW Variation of the BCA Volume Two					

BASIX COMMITMENTS NOTES  *REFER TO APPROVED BASIX*  Lot 5, 5 Raven Circuit, Warriewood								
Fixtures	All Shower Heads All toilet flushing systems All kitchen taps All bathroom ta							
	4 star (> 6but <= 7.5 L/min)	4 star	4 star	4 star				
Alternative	Individual rainwater tank to	collect run off from at least 50 m <sup>2</sup>	of roof area - Tank size min	3000 litres				
water source	The applicant must connect	the rainwater tank to:						
	Outdoor tap connection	Toilet connection	Laundry connection	Pool top up				
	Yes Yes N/A N/A							
ENERGY	Hot water system: Gas Instantaneous with a performance of 6 stars							
	Bathroom ventilation system: Individual fan, ducted to façade or roof; manual switch on/off							
	Kitchen ventilation system: Individual fan, ducted to façade or roof; manual switch on/off							
	Laundry ventilation system: Individual fan, ducted to façade or roof; manual switch on/off							
	Cooling system: 1 Phase air-conditioning EER 3.0-3.5 in at least 1 living and bedroom (zoned)							
	Heating system: 1 Phase air-conditioning EER 3.0-3.5 in at least 1 living and bedroom (zoned)							
	Natural lighting: As per BASIX							
	Artificial lighting: As per BAS	SIX						
	Must install a gas cooktop a	nd electric oven.						
	Must install a fixed outdoor	clothes drying line as part of the	levelopment.					

# PROPOSED DOUBLE STOREY HEBEL **DWELLING**

### **GENERAL NOTES**

- ALL WORKS TO COMPLY WITH NCC OF AUSTRALIA & ALL OTHER RELEVANT LAWS AND AUTHORITIES.
- THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH SPECIFICATIONS PROVIDED.
- THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH STRUCTURAL AND CIVIL ENGINEERING.
- ALL TIMBER DIMENSIONS ARE TIMBER FRAMED SIZES ONLY UNLESS NOTATED OTHER
- BOUNDARY CLEARANCES MUST BE VERIFIED BY A REGISTERED SURVEYOR BEFORE COMMENCEMENT OF BUILDING WORK.
  - BUILDING WORK TO BE CARRIED OUT STRICTLY IN ACCORDANCE TO THESE DRAWINGS
- IN THE EVENT OF ANY ALTERATIONS OR DISCREPANCIES, MACASA HOMES IS TO BE

AMENDMENTS				
DATE	AMENDMENTS	REV.		
04/11/22	FIRST DRAFT	Α		
21/11/22	FINAL DRAFT	В		
24/11/22	ALIGN TO REAR SETBACK + HOUSE REDUCTION + SHADOWS	С		
20/12/22	ARCHITECTURAL PLAN	D		



H1

SALINTY ASSESSMENT:

DRAWING LIST						
DRAWING NA	ME		PAGE			
COVER PAGE	1					
SITE & STORMW	ATER PLAN		2			
SITE WORKS PLA	AN		3			
SITE ANALYSIS			4			
SHADOWS - JUN	NE 21 9-11AM		5			
SHADOWS - JUN	NE 21 12-3PM		6			
GROUND FLOOF	7					
FIRST FLOOR PL	8					
ELEVATIONS	9					
SECTION	10					
WINDOW & DOO	11					
COLOUR SELEC	12					
ELECTRICAL	13					
CONTOUR	14					
BUSHFIRE ASSESSMENT:	WIND CLASSIFICATION:	LODGEMENT:	PROJECT ID:			
N/A	-	DA-CC	WAW0005			
FLOOD ASSESSMENT:	SLAB CLASSIFICATION:	DATE DRAWN:	DRAWING No.:			

04/11/22

DRAWN BY:

ΑT

1/14

REV. ID:

D



ACN 622 610 048 LICENSE No. 317953C P: (61) 02 9096 9109 E: admin@macasahomes.com.au W: www.macasahomes.com.au

HOUSE TYPE: IVY 25 FACADE: MODERN II GARAGE:

COVER PAGE ARCHITECTURAL PLAN NORTHERN BEACHES

FU SHUN REALTY PTY LTD SITE ADDRESS: DP: 271326 | LOT 5, No.5 RAVEN CIRCUIT.

WARRIEWOOD, NSW 2102

Copyright © "All rights reserved. No part of this plan may be reproduced, stored in a retrieval system or transmitted in any form or by any means eletronic, mechanical, photocopying, recording or otherwise without written permission."

LEGEND				
E⊠	ELECTRICITY BOX			
1-	DENOTES SITE PHOTO			
*	ELECTRICITY LIGHT POLE			
	TELSTRA/NBN PIT			
	TITLE PEG			
₩ мн	MANHOLE (SEWER/STORMWATER)			
○ WT	WATER TAGS			

IS SEWER INSPECTION SHAFT

### LOT 20 (VACANT LAND) 9.50 188°21'00' 00 PPOS: 24.00 m<sup>2</sup> 3000L RAINWATER TANK AS PER BASIX-REQUIREMENTS A/C UNIT-1,390 **PROPOSED** LOT 6 + LOT 4 **27.815** 278°20'45" **DWELLING** (VACANT LAND) NON COMBUSTIBLE DOWNPIPE NOT CONNECTED TO RWT 28.7 PROPOSED ACCESS & PROPOSED ACCESS & MAINTENANCE EASEMENT ± GARAGE MAINTENANCE EASEMENT 0.9 WIDE **PORCH** STORMWATER OVERFLOW TO STREET COLOUR OVER CONCRETE DRIVEWAY 6,630 AREA: 26.48 m<sup>2</sup> $\odot$ (W2) (P) (EMA) PLAIN CONCRETE CROSSOVER AREA: 7.12 m<sup>2</sup> -529 - 3,000 -(W1) (W2) (P) (EMA) **TBM** NAIL IN KERB AHD RL: 5.02

# **RAVEN CIRCUIT**

# SITE & CONCEPT STORMWATER PLAN

STORMWATER DRAINAGE TO STREET (SUBJECT TO HYDRAULIC NGINEER'S REPORT IF APPLICABLE)

6 DOWNPIPIES TO DRAIN TO 3000L RAINWATER TANK. STORMWATER DESIGN TO COMPLY TO COUNCIL CODE & REQUIREMENTS IN ACCORDANCE WITH AS3500.3

EXCAVATE APPROX 100mm TO FORM JOB DATUM. (DATUM POINT 385mm BELOW FINISHED FLOOR LEVEL). EXTENT OF EXCAVATION AND BATTERS TO BE CONFIRMED ON SITE.

FINAL RIDGE AND FLOOR LEVELS ARE ACCEPTED TO VARY BY 100mm FROM THE APPROVED DOCUMENTS DUE TO CONDITIONS THAT MAY BE ENCOUNTERED ON SITE DURING BUILDING WORKS.

ANY RETAINING WALLS REQUIRED ARE TO BE COMPLETED TO MANUFACTURER'S SPECIFICATIONS AND DETAIL.

### SURVEY NOTE

- LEVELS ARE TO AUSTRALIAN HEIGHT DATUM BASED ON SSM 196252 WITH A STATED VALUE OF 4.52M. - CONTOUR INTERVALS AT 0.2 METRES.

-BOUNDARIES ARE UNFENCED UNLESS NOTED OTHERWISE. - THE LOCATIONS OF SURFACE PITS, VALVE COVERS ETC.

SHOWN HEREON HAVE BEEN DETERMINED BY THIS SURVEY. NO DIRECT KNOWLEDGE IS CLAIMED OF THE LOCATION OF UNDERGROUND SERVICES.

- PRIOR TO ANY EXCAVATION OR CONSTRUCTION, THE RELEVANT AUTHORITY SHOULD BE CONTACTED TO LOCATE POSSIBLE UNDERGROUND SERVICES.

ADJOINING PROPERTY INFORMATION IS A COMBINATION OF GROUND MEASUREMENT AND INTERPRETATION OF AERIAL

- DATE OF SURVEY: 06/09/2022

EMA: EASEMENT FOR MAINTENANCE ACCESS (VARIABLE WIDTH

P: POSITIVE COVENANT (DP1282811)

W1: EASEMENT FOR WATER SUPPLY PURPOSES 2.5 WIDE (DP1282811)

W2: EASEMENT FOR ACCESS AND DRAINAGE PURPOSES VARIABLE WIDTH (DP1282811)

CALCULATIONS - DA-CC						
SITE AREA: 267.8m <sup>2</sup>	REQUIRED	ACHIEVED				
FLOOR SPACE RATIO MAX ALLOWABLE	N/A	N/A				
SITE COVERAGE MAX ALLOWABLED	N/A	N/A				
LANDSCAPED AREA MIN 4m WIDE	35% (93.73m²)	35.1% (94m²)				
PRINCIPLE PRIVATE OPEN SPACE	20m²	24m²				

HOUSE AREAS				
AREA NAME	AREA m2			
1. GROUND FLOOR	84.40			
2. FIRST FLOOR	108.56			
3. GARAGE	32.96			
4. PORCH	2.98			
	228 Q0 m <sup>2</sup>			


INTERNAL FLOOR AREA			
	AREA m2		
1. GROUND FLOOR	76.53		
2. FIRST FLOOR	95.60		
	172 13 m <sup>2</sup>		






MACASA LG, 6A FIGTREE DRIVE OLYMPIC PARK NSW 2127


ACN 622 610 048 LICENSE No. 317953C	DATE 04/11/22	AMENDMENTS FIRST DRAFT	REV.	HOUSE TYPE: IVY 25	DRAWING: SITE & STORMWATER PLAN	CLIENT: FU SHUN REALTY PTY LTD	BUSHFIRE ASSESSMENT: N/A			PROJECT ID: WAW0005
P: (61) 02 9096 9109	21/11/22	FINAL DRAFT ALIGN TO REAR SETBACK + HOUSE REDUCTION +	С		STAGE: ARCHITECTURAL PLAN	DP: 271326   LOT 5, No.5	FLOOD ASSESSMENT: N/A	SLAB CLASSIFICATION:		DRAWING No.: 2/14
E: admin@macasahomes.com.au  W: www.macasahomes.com.au	20/12/22	SHADOWS ARCHITECTURAL PLAN	D		COUNCIL: NORTHERN BEACHES	RAVEN CIRCUIT, WARRIEWOOD, NSW 2102	SALINTY ASSESSMENT:		DRAWN BY:	REV. ID:








**STRAW BALE BARRIER** 





### SITE NOTE

- STORMWATER DRAINAGE TO STREET (SUBJECT TO HYDRAULIC ENGINEER'S REPORT IF APPLICABLE)
- 6 DOWNPIPIES TO DRAIN TO 3000L RAINWATER TANK. - STORMWATER DESIGN TO COMPLY TO COUNCIL CODE & REQUIREMENTS IN ACCORDANCE WITH AS3500.3
- EXCAVATE APPROX 100mm TO FORM JOB DATUM. (DATUM POINT 385mm BELOW FINISHED FLOOR LEVEL). EXTENT OF EXCAVATION AND BATTERS TO BE CONFIRMED ON SITE.
- FINAL RIDGE AND FLOOR LEVELS ARE ACCEPTED TO VARY BY + 100mm FROM THE APPROVED DOCUMENTS DUE TO CONDITIONS THAT MAY BE ENCOUNTERED ON SITE DURING BUILDING WORKS.
- ANY RETAINING WALLS REQUIRED ARE TO BE COMPLETED TO MANUFACTURER'S SPECIFICATIONS AND DETAIL.

### SURVEY NOTE


- LEVELS ARE TO AUSTRALIAN HEIGHT DATUM BASED ON SSM 196252 WITH A STATED VALUE OF 4.54M.
- CONTOUR INTERVALS AT 0.2 METRES.
- -BOUNDARIES ARE UNFENCED UNLESS NOTED OTHERWISE. - THE LOCATIONS OF SURFACE PITS, VALVE COVERS ETC.
- SHOWN HEREON HAVE BEEN DETERMINED BY THIS SURVEY. NO DIRECT KNOWLEDGE IS CLAIMED OF THE LOCATION OF UNDERGROUND SERVICES.
   PRIOR TO ANY EXCAVATION OR CONSTRUCTION, THE RELEVANT
- AUTHORITY SHOULD BE CONTACTED TO LOCATE POSSIBLE UNDERGROUND SERVICES.
- ADJOINING PROPERTY INFORMATION IS A COMBINATION OF GROUND MEASUREMENT AND INTERPRETATION OF AERIAL IMAGERY.
- DATE OF SURVEY: 08/09/2022
- **EMA**: EASEMENT FOR MAINTENANCE ACCESS (VARIABLE WIDTH ENTIRE LOT)
- P: POSITIVE COVENANT (DP1282811)
- W1: EASEMENT FOR WATER SUPPLY PURPOSES 2.5 WIDE (DP1282811)
- W2: EASEMENT FOR ACCESS AND DRAINAGE PURPOSES VARIABLE WIDTH (DP1282811)

CALCULATIONS - DA-CC						
SITE AREA: 267.8m <sup>2</sup>	REQUIRED	ACHIEVED				
FLOOR SPACE RATIO MAX ALLOWABLE	N/A	N/A				
SITE COVERAGE MAX ALLOWABLED	N/A	N/A				
LANDSCAPED AREA MIN 4m WIDE	35% (93.73m²)	35.1% (94m²)				
PRINCIPLE PRIVATE OPEN SPACE MIN 4m WIDE	20m²	24m²				
HOUSE AREAS						


HOUSE AREAS		
AREA NAME	AREA m2	
1. GROUND FLOOR	84.40	
2. FIRST FLOOR	108.56	
3. GARAGE	32.96	
4. PORCH	2.98	
	228.90 m <sup>2</sup>	

### INTERNAL FLOOR AREA

	AREA m2
1. GROUND FLOOR	76.53
2. FIRST FLOOR	95.60
	172 12 m²







)	L					
MACASA	ſ					
-HOMES-	l					
LG, 6A FIGTREE DRIVE OLYMPIC PARK NSW 2127	l					

BEFORE YOU DIG

- 1											
	ACN 622 610 048	DATE	AMENDMENTS	REV.	HOUSE TYPE:	DRAWING:	CLIENT:	BUSHFIRE ASSESSMENT:	WIND CLASSIFICATION:	LODGEMENT:	PROJECT ID :
		04/11/22	FIRST DRAFT	Α	IVY 25	SITE WORKS PLAN	FU SHUN REALTY PTY LTD	N/A	-	DA-CC	WAW0005
		21/11/22	FINAL DRAFT	В	FACADE:	STAGE:	SITE ADDRESS:	FLOOD ASSESSMENT:	SLAB CLASSIFICATION:	DATE DRAWN:	DRAWING No.:
	<b>P</b> : (61) 02 9096 9109	24/11/22	ALIGN TO REAR SETBACK + HOUSE REDUCTION +			ARCHITECTURAL PLAN	DP: 271326   LOT 5, No.5	N/A	H1	04/11/22	3/14
	E: admin@macasahomes.com.au		SHADOWS	_	GARAGE:	COUNCIL:	RAVEN CIRCUIT,	SALINTY ASSESSMENT:		DRAWN BY:	REV. ID:
127	W: www.macasahomes.com.au	20/12/22	ARCHITECTURAL PLAN	D	SG	NORTHERN BEACHES	WARRIEWOOD, NSW 2102	-		AT	D

SITE ANALYSIS PLAN

PROJECT ID :


DRAWING No.:

4/14

REV. ID:

**WAW0005** 


D






1	ACN 622 610 048	DATE	AMENDMENTS	REV.	HOUSE TYPE:
1	LICENSE No. 317953C	04/11/22	FIRST DRAFT	Α	IVY 25
		21/11/22	FINAL DRAFT	В	
	<b>P</b> : (61) 02 9096 9109	24/11/22	ALIGN TO REAR SETBACK + HOUSE REDUCTION +	С	MODERN II
	E: admin@macasahomes.com.au	20/12/22	SHADOWS ARCHITECTURAL PLAN	D	GARAGE:
	W: www.macasahomes.com.au	ZUI 12/22 ARGHITECTURAL PLAN		D	SG

DRAWING: SITE ANALYSIS	CLIENT: FU SHUN REALTY PTY LTD	BUSHFIRE ASSESSMENT: N/A	WIND CLASSIFICATION:	LODGEMENT: DA-CC
STAGE: ARCHITECTURAL PLAN	DP: 271326   LOT 5, No.5	FLOOD ASSESSMENT: N/A	SLAB CLASSIFICATION: H1	DATE DRAWN: 04/11/22
COUNCIL: NORTHERN BEACHES	RAVEN CIRCUIT, WARRIEWOOD, NSW 2102	SALINTY ASSESSMENT:		DRAWN BY:







**CEILING HEIGHT** 

2740 TO GROUND FLOOR 2740 TO FIRST FLOOR

NOTES







**GROUND FLOOR PLAN** 1:100 2. FIRST FLOOR 95.60 172.13 m<sup>2</sup> **ROOF AREA** PITCH AREA m2 10.00° 139.83

**INTERNAL FLOOR AREA** 

**HOUSE AREA** 

AREA m2

84.40

108.56

32.96 2.98 228.90 m<sup>2</sup>

AREA m2

76.53

**AREA NAME** 

1. GROUND FLOOR

1. GROUND FLOOR

2. FIRST FLOOR

3. GARAGE

MACASA	
-HOMES-	
LG, 6A FIGTREE DRIVE OLYMPIC PARK NSW 2127	


										133.03 111	
	ACN 622 610 048	DATE	AMENDMENTS	REV.	HOUSE TYPE:	DRAWING:	CLIENT:	BUSHFIRE ASSESSMENT:	WIND CLASSIFICATION:	LODGEMENT:	PROJECT ID :
	LICENSE No. 317953C	04/11/22	FIRST DRAFT	Α	IVY 25	GROUND FLOOR PLAN	FU SHUN REALTY PTY LTD	N/A	-	DA-CC	WAW0005
	LICENSE NO. 317903C	21/11/22	FINAL DRAFT	В	-		SITE ADDRESS:		SLAB CLASSIFICATION:		DRAWING No.:
		24/11/22	ALIGN TO REAR SETBACK + HOUSE REDUCTION +	С		ARCHITECTURAL PLAN	DP: 271326   LOT 5, No.5	N/A			7/14
	E: admin@macasahomes.com.au		SHADOWS	_	GARAGE:	COUNCIL:	RAVEN CIRCUIT,	SALINTY ASSESSMENT:		DRAWN BY:	REV. ID:
'	W: www.macasahomes.com.au	20/12/22	ARCHITECTURAL PLAN	D	SG	NORTHERN BEACHES	WARRIEWOOD, NSW 2102	-		AT	D



2740 TO GROUND FLOOR 2740 TO FIRST FLOOR

**CEILING HEIGHT** 

NOTES



HOUSE AREA						
AREA NAME	AREA m2					
. GROUND FLOOR	84.40					
. FIRST FLOOR	108.56					
. GARAGE	32.96					
. PORCH	2.98					
	228.90 m <sup>2</sup>					

# **INTERNAL FLOOR AREA**

	AREA m2
1. GROUND FLOOR	76.53
2. FIRST FLOOR	95.60
	172.13 m²

ROUF AREA							
PITCH	AREA m2						
10.00°	139.83						
	139.83 m²						
WIND CLASSIFICATION:		LODGEMENT:		PROJECT ID:			



**P**: (61) 02 9096 9109

E: admin@macasahomes.com.au

W: www.macasahomes.com.au

MACASA

LG, 6A FIGTREE DRIVE OLYMPIC PARK NSW 2127

r.com.au					
ACN 622 610 048	DATE	AMENDMENTS	REV.	HOUSE TYPE:	DR
LICENSE No. 317953C	04/11/22	FIRST DRAFT	Α	IVY 25	F
LICENSE NO. 3179330	21/11/22	FINAL DRAFT	В		ST
		ALICALTO DEAD CETDACIC I		FACADE:	101

HOUSE REDUCTION + SHADOWS

ARCHITECTURAL PLAN

24/11/22

20/12/22

ALIGN TO REAR SETBACK +

c MODERN II

GARAGE:

DRAWING: FIRST FLOOR PLAN	CLIENT: FU SHUN REALTY PTY LTD			
	DP: 271326   LOT 5, No.5			
	RAVEN CIRCUIT, WARRIEWOOD, NSW 2102			

			100.00	
BUSHFIRE ASSESSMENT:	WIND CLASSIFICATION	ON: LODGEMENT:		PROJECT ID:
N/A	-	DA-CC		WAW0005
FLOOD ASSESSMENT:	SLAB CLASSIFICATION	ON: DATE DRAWN:		DRAWING No.:
N/A	H1	04/11/22		8/14
SALINTY ASSESSMENT:		DRAWN BY:		REV. ID:
-		AT		D


FIRST FLOOR PLAN

### **HEAD HEIGHT NOTE** GR. FLR. WINDOW HEAD HEIGHT AT 2100mm FROM FFL


FIRST FLR. HEAD HEIGHT AT 2100mm FROM FFL UNLESS NOTATED OTHERWISE

## **SARKING NOTE:**

SARKING REQUIREMENTS FOR PROPOSED ROOF TO BE AS PER TABLE 3.5.1.1(A) AND TABLE 3.5.1.1(B) AS SET OUT IN THE BUILDING CODÉ OF AUSTRALIA









LEFT ELEVATION



ACN 622 610 048	DATE	AMENDMENTS	REV.	HOUSE TYPE:
	04/11/22	FIRST DRAFT	Α	IVY 25
LICENSE No. 317953C	21/11/22	FINAL DRAFT	В	
<b>P</b> : (61) 02 9096 9109	24/11/22	ALIGN TO REAR SETBACK + HOUSE REDUCTION + SHADOWS	С	MODERN I
E: admin@macasahomes.com.au W: www.macasahomes.com.au	20/12/22	ARCHITECTURAL PLAN	D	GARAGE:


DRAWING:	CLIENT:	BUSHFIRE ASSESSMENT:	WIND CLASSIFICATION:	LODGEMENT:	PROJECT ID:
ELEVATIONS	FU SHUN REALTY PTY LTD	N/A	-	DA-CC	WAW0005
STAGE:	SITE ADDRESS:	FLOOD ASSESSMENT:	SLAB CLASSIFICATION:		DRAWING No.:
ARCHITECTURAL PLAN	DP: 271326   LOT 5, No.5	N/A	H1	04/11/22	9/14
COUNCIL:	RAVEN CIRCUIT,	SALINTY ASSESSMENT:	SALINTY ASSESSMENT:		REV. ID:
NORTHERN BEACHES	WARRIEWOOD, NSW 2102	-		AT	D

FIRST FLR. HEAD HEIGHT AT 2100mm FROM FFL UNLESS NOTATED OTHERWISE


### **SARKING NOTE:**


SARKING REQUIREMENTS FOR PROPOSED ROOF TO BE AS PER TABLE 3.5.1.1(A) AND TABLE 3.5.1.1(B) AS SET OUT IN THE BUILDING CODE OF AUSTRALIA

# RAINWATER TANK DETAIL "SLIMLINE TANKS"









WIND CLASSIFICATION: LODGEMENT: DA-CC

BUSHFIRE ASSESSMENT:

FLOOD ASSESSMENT:

SALINTY ASSESSMENT:

N/A

N/A

DATE DRAWN: 04/11/22

PROJECT ID :

**WAW0005** SLAB CLASSIFICATION: DRAWING No. 10/14 DRAWN BY: REV. ID: D ΑT

**HEAD HEIGHT NOTE** GR. FLR. WINDOW HEAD HEIGHT AT 2100mm FROM FFL



0008340754 22 Dec 2022

**AMENDMENTS** DATE REV. HOUSE TYPE: ACN 622 610 048 04/11/22 FIRST DRAFT A IVY 25 LICENSE No. 317953C 21/11/22 FINAL DRAFT FACADE: ALIGN TO REAR SETBACK + P: (61) 02 9096 9109 c MODERN II 24/11/22 HOUSE REDUCTION + SHADOWS E: admin@macasahomes.com.au GARAGE 20/12/22 ARCHITECTURAL PLAN W: www.macasahomes.com.au

**SELECTED** METAL ROOF AT

10° PITCH

**GARAGE** 

S/01

CONCRETE SLAB TO **ENGINEER'S DETAILS** 

FRL (12.485)

F.FCL (11.435)

F.FFL (8.695) G.FCL (8.375)

G.FFL (5.635)

**SELECTED** 

10° PITCH

ZERO EAVE -

METAL ROOF AT

1,050

6,850

SECTION FU SHUN REALTY PTY LTD SITE ADDRESS: DP: 271326 | LOT 5, No.5 ARCHITECTURAL PLAN RAVEN CIRCUIT. NORTHERN BEACHES

PROVIDE WALL & CEILING INSULATION

AS PER BASIX REQUIREMENTS

**STORAGE** 

**SECTION 01** 

**WIR** 

**RUMPUS** 

1,000

**STAIRS** 

DOOR SCHEDULE							
HOME STORY	G.F	FFL					
ID	D.01						
MODEL	ASDI2424						
WIDTH	2,410						
HEIGHT	2,400						
ELEVATION							

### NOTE

- ALL WINDOWS ARE VIEWED EXTERNALLY CONFIRM ALL DIMENSIONS ON SITE AND NOTIFY THE SUPERVISOR OF ANY DISCREPANCIES OR CONFLICTS PRIOR TO FABRICATION AND INSTALLATION.

- ALL GLAZING TO EXTERNAL WINDOWS, EXTERNAL SLIDING DOORS, ADJUSTABLE TO BE IN ACCORDANCE WITH AS2047 AND ALL OTHER GLAZED ASSEMBLIES ARE TO BE IN ACCORDANCE WITH AS1288.

- PROVIDE AND INSTALL ALL NECESSARY FLASHING, TRIM, REVEALS AND SILL TRAYS TO MAKE SUITE WEATHERPROOF AND WATERPROOF, FINISH TO MATCH ALUMINIUM GLAZING.

- CHECK ALL NUMBERING AND QUANTITIES AGAINST PLANS AND ELEVATIONS AND NOTIFY THE CONSTRUCTION MANAGER SHOULD THERE BE ANY DISCREPANCIES.

### BASIX

- AWNING WINDOWS TO FIRST FLOOR IN LIEU OF SLIDING


					W	INDOW SCHEDUL	.E						
HOME STORY		G.F	FFL			F.FFL							
ID	ID W.01 W.02 W.03 W.04				W.05	W.06	W.07	W.08	W.09	W.10	W.11	W.12	
MODEL	AFW2006	AST1816	AST1824	AFW0618	AAT2027	AFW0616	AFW0624	AA0616	AA0916	AA0924	AA0922	AA0906	
GLAZING	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	OBSCURE	STANDARD	STANDARD	OBSCURE	
WIDTH	610	1,570	2,410	1,810	2,650	1,570	2,410	1,570	1,570	2,410	2,170	610	
HEIGHT	2,050	1,800	1,800	550	2,050	600	600	600	860	860	860	860	
ELEVATION			$ \longrightarrow \longleftarrow$									M	
QUANTITY	1	2	1	1	1	2	1	1	1	2	1	1	



MACASA  -HOMES-  I.G. 64 FIGTREF DRIVE OF VMPIC PARK NSW 2127	L
MACASA	P
	E
LG, 6A FIGTREE DRIVE OLYMPIC PARK NSW 2127	l۷

QTY

ACN 622 610 048	DATE	AMENDMENTS	REV.	HOUSE TYPE:	DRAWING:	CLIENT:	BUSHFIRE ASSESSMENT:	WIND CLASSIFICATION:	LODGEMENT:	PROJECT ID :	
LICENSE No. 317953C	04/11/22	FIRST DRAFT	A	IVY 25	WINDOW & DOOR SCHEDULE	FU SHUN REALTY PTY LTD	N/A	-	DA-CC	WAW0005	
	21/11/22	FINAL DRAFT ALIGN TO REAR SETBACK +	В	FACADE:	STAGE:	SITE ADDRESS:	FLOOD ASSESSMENT:	SLAB CLASSIFICATION:	DATE DRAWN:	DRAWING No.:	
<b>P</b> : (61) 02 9096 9109	24/11/22	HOUSE REDUCTION +	С	MODERN II	ARCHITECTURAL PLAN	DP: 271326   LOT 5, No.5	N/A	H1	04/11/22	11/14	
E: admin@macasahomes.com.au	SHADOWS 20/12/22 ARCHITECTURAL PLAN			_	GARAGE:	COUNCIL:	RAVEN CIRCUIT,	SALINTY ASSESSMENT:		DRAWN BY:	REV. ID:
W: www.macasahomes.com.au				NORTHERN BEACHES	WARRIEWOOD, NSW 2102	- AT		AT	D		



EXTERNAL COLO LIGHT (			
(1)	WALLS - MAIN HEBEL & SIDE CLADDING TAUBMANS - ALPINE SNOW		
(2/3/4)	WALLS - FEATURE RENDER GARAGE DOOR ENTRY DOOR TAUBMANS - DUNE		
(5/6)	WINDOW FRAMES GUTTER, DOWNPIPES, FASCIA EAVES TAUBMANS - WHITE PEARL		
(7)	WALLS - FEATURE CLADDING WEATHERGROVE 150 NATURAL		
	METAL ROOF SHALE GREY		
	DRIVEWAY Boral Blue Steel		





ACN 622 610 048	<b>DATE</b> 04/11/22 21/11/22	AMENDMENTS FIRST DRAFT FINAL DRAFT	REV.		DRAWING: COLOUR SELECTION	CLIENT: FU SHUN REALTY PTY LTD	BUSHFIRE ASSESSMENT: N/A	WIND CLASSIFICATION:		PROJECT ID: WAW0005
P. (64) 02 0006 0400	24/11/22	ALIGN TO REAR SETBACK + HOUSE REDUCTION +		-	STAGE: ARCHITECTURAL PLAN	DP: 271326   LOT 5, No.5	FLOOD ASSESSMENT: N/A	SLAB CLASSIFICATION:		DRAWING No.: 12/14
E: admin@macasahomes.com.au W: www.macasahomes.com.au	20/12/22	SHADOWS ARCHITECTURAL PLAN			COUNCIL: NORTHERN BEACHES	RAVEN CIRCUIT,  WARRIEWOOD, NSW 2102	SALINTY ASSESSMENT:		DRAWN BY:	REV. ID:

# HWS METER SOL

# GROUND FLOOR ELECTRICAL PLAN

ROBE

# FIRST FLOOR ELECTRICAL PLAN



### ELECTRICAL NOTE

- ALL ELECTRICAL WORK CARRIED OUT TO COMPLY WITH AS3000:2018, AND ALL OTHER RELEVANT STANDARDS INCLUDING SERVICES AND INSTALLATION RULES, LOCAL POWER COMPANY REQUIREMENTS, RECOMMENDATIONS OF MANUFACTURERS, SUPPLIERS, PROFESSIONALS AND TRADE ASSOCIATIONS.
- POSITION OF LIGHTS AND POWER OUTLETS ARE TO BE CONFIRMED ON SITE BY THE SUPERVISOR.
- ALL EXTERNAL POWER POINTS ARE TO BE WEATHER-PROOF - SMOKE ALARMS TO COMPLY WITH AS3786.

### NOTE

**ELECTRICAL SCHEDULE** 

- ALL EXHAUST FANS ARE TO BE DUCTED TO OUTSIDE AIR.
- SELF-CLOSING DAMPENER TO ALL EXHAUST FANS.
- DUCT KITCHEN RANGEHOOD TO OUTSIDE AIR.
- PROVIDE REMOTE CONTROL TO GARAGE DOORS.

2-in-1

3-in-1

2 IN 1 EXHAUST FAN + LIGHT
3 IN 1 EXHAUST FAN + LIGHT +
HEATER
GAS BAYONET

□ GPO■ GPO - @ 300mm FROM FFL

GPO - DBL @ 300mm ABOVE FFL

20

▶ LIGHT - CAPPED-OFF

LIGHT - LINEAR LED PENDANT

LIGHT - OYSTER

LED DOWNLIGHT

✓ LIGHT SWITCH⇒ LIGHT SWTICH - DBL

NBN BOX

SMOKE ALARM

■ TELEPHONE POINT

TELEVISION POINT

UPGRADES

- PROVIDE UP TO 20 LED DOWNLIGHTS TO LIVING AREAS (REFER TO PLAN)

- PROVIDE 1x LINEAR PENDANT LIGHT TO KITCHEN

- PROVIDE 1x DOUBLE POWER POINT TO KITCHEN ISLAND BENCH - PROVIDE 1x ADDITIONAL DOUBLE POWER POINT TO BEDROOMS (EXCLUDING BED 1)


- PROVIDE 1x ADDITIONAL SMOKE ALARM TO F.FLOOR (TOTAL 3)



LICENSE No. 317953C	<b>DATE</b> 04/11/22 21/11/22	AMENDMENTS FIRST DRAFT FINAL DRAFT	REV.		DRAWING: ELECTRICAL	CLIENT: FU SHUN REALTY PTY LTD	BUSHFIRE ASSESSMENT: N/A	WIND CLASSIFICATION:		PROJECT ID: WAW0005
P. (64) 02 0006 0400	24/11/22	ALIGN TO REAR SETBACK + HOUSE REDUCTION +		-	STAGE: ARCHITECTURAL PLAN	DP: 271326   LOT 5, No.5	FLOOD ASSESSMENT:	SLAB CLASSIFICATION:		DRAWING No.: 13/14
E: admin@macasahomes.com.au W: www.macasahomes.com.au	20/12/22	SHADOWS ARCHITECTURAL PLAN			COUNCIL: NORTHERN BEACHES	RAVEN CIRCUIT, WARRIEWOOD, NSW 2102	SALINTY ASSESSMENT:		DRAWN BY:	REV. ID:

### **SURVEY NOTES**

- LOCATION OF PROPERTY BOUNDARIES HAS BEEN ESTABLISHED BY FIELD SURVEY
- LEVELS ARE TO AUSTRALIAN HEIGHT DATUM BASED ON SSM196252 WITH A STATED VALUE OF 4.52M
- CONTOUR INTERVALS AT 0.2 METRES
- BOUNDARIES ARE UNFENCED UNLESS NOTED OTHERWISE.
- THE LOCATIONS OF SURFACE PITS, VALVE COVERS ETC. SHOWN HEREON HAVE BEEN DETERMINED BY THIS SURVEY. NO DIRECT KNOWLEDGE IS CLAIMED OF THE LOCATION OF UNDERGROUND
- PRIOR TO ANY EXCAVATION OR CONSTRUCTION, THE RELEVANT AUTHORITY SHOULD BE CONTACTED TO LOCATE POSSIBLE UNDERGROUND SERVICES.
- ADJOINING PROPERTY INFORMATION IS A COMBINATION OF GROUND MEASUREMENT AND INTERPRETATION OF AERIAL
- DATE OF SURVEY: 06/09/2022







MANHOLE (SEWER/STORMWATER)

SEWER INSPECTION SHAFT

WATER TAGS

**₩** мн

THIS SURVEY HAS BEEN CARRIED OUT FOR THE EXCLUSIVE USE OF THE PROPRIETORS FOR THE PURPOSE OF TITLE RE-ESTABLISHMENT ON THE SITE AND SHOULD NOT BE USED FOR ANY OTHER PURPOSE OR BY ANY OTHER PERSON OR CORPORATION. STRUCTURES BELOW THE SURFACE LEVEL (IF ANY) INCLUDING FOOTINGS PROJECTING INTO THE SITE FROM ADJOINING PROPERTIES HAVE NOT BEEN LOCATED BY THIS SURVEY. WE HAVE NOT EXCAVATED THE SITE TO DETERMINE THEIR EXISTENCE. THE POSITION OF OCCUPATION (FENCES, BUILDINGS ETC) SHOWN NEAR BOUNDARIES ARE NOT NECESSARILY PLOTTED TO SCALE AND IN MOST INSTANCES THEIR POSITIONS HAVE BEEN EXAGGERATED FOR CLARITY.


EMA: EASEMENT FOR MAINTENANCE ACCESS (VARIABLE WIDTH ENTIRE LOT)


P: POSITIVE COVENANT

W1: EASEMENT FOR WATER SUPPLY PURPOSES 2.5 WIDE (DP1282811)

W2: EASEMENT FOR ACCESS AND DRAINAGE PURPOSES VARIABLE WIDTH (DP1282811)







JOHN MULDOWNEY

LICENSED SURVEYOR

MACASA HOMES PTY LTD

WAW0005

FEATURE SURVEY PLAN


SCALE 1:200 @ A3


PROJECT ADDRESS RAVEN CIRCUIT, WARRIEWOOD LOT 5 DP 271326



DESIGN BY		REVISION	PROJECT NO.
T.	Ν	1	3.22.11574.4
CHECKED		DATE	SHEET NO.
P∆	S	07/09/2022	1 of 1

GARDEN TAP





SITE PLAN 1:200

GARAGE



ARCHITECTURAL PLAN

20/12/22

W: www.macasahomes.com.au

LG, 6A FIGTREE DRIVE OLYMPIC PARK NSW 2127

DRAWING:	CLIENT:	BUSHFIRE ASSESSMENT:	WIND CLASSIFICATION:	LODGEMENT:	PROJECT ID :
NOTIFICATION PLAN	FU SHUN REALTY PTY LTD	N/A	-	DA-CC	WAW0005
STAGE:	SITE ADDRESS:	FLOOD ASSESSMENT:	SLAB CLASSIFICATION:	DATE DRAWN:	DRAWING No.:
ARCHITECTURAL PLAN	DP: 271326   LOT 5, No.5	N/A	H1	04/11/22	1
COUNCIL:	RAVEN CIRCUIT,	SALINTY ASSESSMENT:	•	DRAWN BY:	REV. ID:
NORTHERN BEACHES	WARRIEWOOD NSW 2102	_		ΔΤ	D

**LEFT ELEVATION**