

Building Sustainability Index www.basix.nsw.gov.au

## Single Dwelling

Certificate number: 1777652S

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at www.basix.nsw.gov.au

#### Secretary

Date of issue: Friday, 13 December 2024

To be valid, this certificate must be submitted with a development application or lodged with a complying development certificate application within 3 months of the date of issue.



Project summary		
Project name	10 kookaburra close bayview second	dary dwelling
Street address	10 KOOKABURRA Close BAYVIEV	V 2104
Local Government Area	Northern Beaches Council	
Plan type and plan number	Deposited Plan DP204996	
Lot no.	39	
Section no.	-	
Project type	dwelling house (attached) - seconda	ary dwelling
No. of bedrooms	3	
Project score		
Water	<b>✓</b> 40	Target 40
Thermal Performance	✓ Pass	Target Pass
Energy	<b>√</b> 72	Target 68
Materials	<b>✓</b> -1	Target n/a

### **Certificate Prepared by**

Name / Company Name: BONNEFIN CONSULTING PTY LTD

Certificate No.: 1777652S

ABN (if applicable): 95164564210

Version: 4.03 / EUCALYPTUS 03 01 0

# **Description of project**

Project address	
Project name	10 kookaburra close bayview secondary dwelling
Street address	10 KOOKABURRA Close BAYVIEW 2104
Local Government Area	Northern Beaches Council
Plan type and plan number	Deposited Plan DP204996
Lot no.	39
Section no.	-
Project type	
Project type	dwelling house (attached) - secondary dwelling
No. of bedrooms	3
Site details	
Site area (m²)	791
Roof area (m²)	241
Conditioned floor area (m²)	95.3
Unconditioned floor area (m²)	3.3
Total area of garden and lawn (m²)	200
Roof area of the existing dwelling (m²)	430
Number of bedrooms in the existing dwelling	3

Assessor details and therma	al loads	
Assessor number	10056	
Certificate number	0009808551	
Climate zone	56	
Area adjusted cooling load (MJ/ m².year)	15	
Area adjusted heating load (MJ/ m².year)	14	
Project score		
Water	<b>✓</b> 40	Target 40
Thermal Performance	✓ Pass	Target Pass
Energy	<b>√</b> 72	Target 68

**✓** -1

Certificate No.: 1777652S

Materials

Version: 4.03 / EUCALYPTUS\_03\_01\_0

BASIX

Target n/a

### **Schedule of BASIX commitments**

The commitments set out below regulate how the proposed development is to be carried out. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

Water Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Fixtures			
The applicant must install showerheads with a minimum rating of 4 star (> 4.5 but <= 6 L/min plus spray force and/or coverage tests) in all showers in the development.		~	~
The applicant must install a toilet flushing system with a minimum rating of 3 star in each toilet in the development.		~	~
The applicant must install taps with a minimum rating of 3 star in the kitchen in the development.		~	
The applicant must install basin taps with a minimum rating of 3 star in each bathroom in the development.		~	
Alternative water			
Rainwater tank			
The applicant must install a rainwater tank of at least 5000 litres on the site. This rainwater tank must meet, and be installed in accordance with, the requirements of all applicable regulatory authorities.	~	~	~
The applicant must configure the rainwater tank to collect rain runoff from at least 240 square metres of the roof area of the development (excluding the area of the roof which drains to any stormwater tank or private dam).		~	~
The applicant must connect the rainwater tank to:			
<ul> <li>at least one outdoor tap in the development (Note: NSW Health does not recommend that rainwater be used for human consumption in areas with potable water supply.)</li> </ul>		<b>~</b>	-

Version: 4.03 / EUCALYPTUS\_03\_01\_0

Department of Planning, Housing and Infrastructure

Thermal Performance and Materials commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Simulation Method			
Assessor details and thermal loads	-		
The applicant must attach the certificate referred to under "Assessor Details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for an occupation certificate for the proposed development.			
The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX certificate, including the Cooling and Heating loads shown on the front page of this certificate and the "Construction" and "Glazing" tables below.			
The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Assessor Certificate requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor to certify that this is the case. The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.	~	~	~
The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	~
The applicant must show on the plans accompanying the development application for the proposed development, the locations of ceiling fans set out in the Assessor Certificate. The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.	~	~	~

Department of Planning, Housing and Infrastructure

Certificate No.: 1777652S

Thermal Performance and Materials commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Construction			
The applicant must construct the floors, walls, roofs, ceilings and glazing of the dwelling in accordance with the specifications listed in the tables below.	~	~	~
The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the tables below.			~

Construction	Area - m²	Insulation
floor - concrete slab on ground, conventional slab.	98.6	none
external wall: brick veneer; frame: timber - H2 treated softwood.	all external walls	fibreglass batts or roll+ foil/sarking
internal wall: plasterboard; frame: timber - H2 treated softwood.	66.8	none
ceiling and roof - flat ceiling / flat roof, framed - metal roof, timber - H2 treated softwood.	241	ceiling: none; roof: none.

Department of Planning, Housing and Infrastructure

BASIX

Certificate No.: 1777652S

Thermal Performance and Materials commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Glazing			
The applicant must install windows, glazed doors and skylights as described in the table below, in accordance with the specifications listed in the table.	¥	~	~

Frames	Maximum area - m2
aluminium	27.1
timber	0
uPVC	0
steel	0
composite	0

Glazing	Maximum area - m2
single	27.1
double	0
triple	0

Department of Planning, Housing and Infrastructure

Energy Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Hot water			
The applicant must install the following hot water system in the development, or a system with a higher energy rating: ground source heat pump (direct exchange) only. No other hot water systems must be installed.	•	~	~
Cooling system			
The applicant must install the following cooling system, or a system with a higher energy rating, in at least 1 living area: ground source heat pump (closed loop); Energy rating: EER 3.0 - 3.5		~	~
The applicant must install the following cooling system, or a system with a higher energy rating, in at least 1 bedroom: ground source heat pump (closed loop); Energy rating: EER 3.0 - 3.5		~	~
A certificate of specifications issued by the supplier or installer must be attached with the BASIX certificate. Information contained in the certificate must be consistent with ground source heat pump installed in the development.			~
Heating system			
The applicant must install the following heating system, or a system with a higher energy rating, in at least 1 living area: ground source heat pump (closed loop); Energy rating: EER 3.0 - 3.5		~	V
The applicant must install the following heating system, or a system with a higher energy rating, in at least 1 bedroom: ground source heat pump (closed loop); Energy rating: EER 3.0 - 3.5		~	~
A certificate of specifications issued by the supplier or installer must be attached with the BASIX certificate. Information contained in the certificate must be consistent with ground source heat pump installed in the development.			~
Ventilation			
The applicant must install the following exhaust systems in the development:			1
At least 1 Bathroom: individual fan, ducted to façade or roof; Operation control: manual switch on/off		-	~
Kitchen: individual fan, ducted to façade or roof; Operation control: manual switch on/off		<b>~</b>	~
Laundry: individual fan, ducted to façade or roof; Operation control: manual switch on/off		-	-
Artificial lighting			
The applicant must ensure that a minimum of 80% of light fixtures are fitted with fluorescent, compact fluorescent, or light-emitting-diode (LED) lamps.		V	~

Department of Planning, Housing and Infrastructure

Energy Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Natural lighting			
The applicant must install a window and/or skylight in the kitchen of the dwelling for natural lighting.	~	~	~
Other			
The applicant must install an induction cooktop & electric oven in the kitchen of the dwelling.		~	
The applicant must install a fixed outdoor clothes drying line as part of the development.		~	

### Legend

BASIX

In these commitments, "applicant" means the person carrying out the development.

Commitments identified with a in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).

Commitments identified with a in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.

Commitments identified with a in the "Certifier check" column must be certified by a certifying authority as having been fulfilled, before a final occupation certificate (either interim or final) for the development may be issued.

Department of Planning, Housing and www.basix.nsw.gov.au Version: 4.03 / EUCALYPTUS\_03\_01\_0 Certificate No.: 1777652S Friday, 13 December 2024 page 9/9 Infrastructure