

Natural Environment Referral Response - Biodiversity

Application Number: DA2021/0980

Date:	16/07/2021
Responsible Officer	Phil Lane
• ` ` '	Lot 19 DP 28663, 67 Dolphin Crescent AVALON BEACH NSW 2107

Reasons for referral

This application seeks consent development on land, or within 40m of land, containing:

- All Development Applications on
- Actual or potential threatened species, populations, ecological communities, or their habitats;
- Wildlife corridors;
- Vegetation query stipulating that a Flora and Fauna Assessment is required;
- Vegetation guery X type located in both A & C Wards;

And as such, Council's Natural Environment Unit officers are required to consider the likely potential environmental impacts.

Officer comments

Council's Biodiversity referrals team have assessed the Development Application for compliance against the following applicable biodiversity related legislation and controls:

- Biodiversity Conservation Act 2016
- Pittwater LEP cl. 7.6 Biodiversity Protection
- Pittwater 21 DCP cl. B4.7 Pittwater Spotted Gum Forest Endangered Ecological Community

The Development Application seeks consent for alterations and additions to an existing dwelling, including internal reconfigurations and an extension of the existing carport to facilitate an additional car space.

An area of the subject property is mapped on the state governments' Biodiversity Values (BV) Map which identifies land with high biodiversity value that is particularly sensitive to impacts from development and clearing. Removal of native vegetation from within the BV map triggers the Biodiversity Offset Scheme (BOS).

As the application does not require the removal of native prescribed trees or vegetation, nor is it likely to impact on the BV mapped area, the BOS is not triggered. Subject to conditions Council's Biodiversity referral team find the application to be consistent against relevant environmental controls.

The proposal is therefore supported.

Note: Should you have any concerns with the referral comments above, please discuss these with the

DA2021/0980 Page 1 of 2



Responsible Officer.

Recommended Natural Environment Conditions:

CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF THE CONSTRUCTION CERTIFICATE

No Clearing of Vegetation

Unless otherwise exempt, no vegetation is to be cleared prior to issue of a Construction Certificate.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to issue of Construction Certificate.

Reason: To protect native vegetation.

CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

Dead or Injured Wildlife

If construction activity associated with this development results in injury or death of a native mammal, bird, reptile or amphibian, a registered wildlife rescue and rehabilitation organisation must be contacted for advice.

Reason: To protect native wildlife.

CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO THE ISSUE OF THE OCCUPATION CERTIFICATE

No Weeds Imported On To The Site

No Priority or environmental weeds (as specified in the Northern Beaches Local Weed Management Plan 2021 – 2026) are to be imported on to the site prior to or during construction works.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to issue of any Occupation Certificate.

Reason: To reduce the risk of site works contributing to spread of Priority and environmental weeds.

DA2021/0980 Page 2 of 2