

REPORT ON GEOTECHNICAL SITE INVESTIGATION

for

PROPOSED ALTERATIONS AND ADDITIONS

at

345-347 WHALE BEACH ROAD, PALM BEACH

Prepared For

Rolfe Latimer

Project No.: 2020-053

March, 2020

Document Revision Record

Issue No	Date	Details of Revisions
0	11 th March 2020	Original issue

Copyright

© This Report is the copyright of Crozier Geotechnical Consultants. Any unauthorised reproduction or usage by any person other than the addressee is strictly prohibited.

Development Application for _____
 _____ Name of Applicant
 Address of site 345-347 Whale Beach Road, Palm Beach

I, **Troy Crozier** on behalf of **Crozier Geotechnical Consultants** 11th March 2020 certify that I am a ~~geotechnical engineer or engineering geologist or coastal engineer~~ as defined by the Geotechnical Risk Management Policy for Pittwater - 2009 and I am authorised by the above organisation/company to issue this document and to certify that the organisation/company has a current professional indemnity policy of at least \$2million.

- ### Geotechnical Report Details:

Report Title: Geotechnical Report for Proposed Alterations and Additions

Report Date: 11th March 2020 **Project No.:** 2020-053

Author: Jun Yan & Troy Crozier

Author's Company/Organisation: Crozier Geotechnical Consultants

Documentation which relate to or are relied upon in report preparation:

Architectural drawing by Altis Architecture, Drawing No.: DA01-05, 07-12, Issue: C, Dated: 07/02/2020.

Survey Plan by G.K. Wilson and Associates, Plan No.: 22684, Dated: 16/12/2019.

I am aware that the above Geotechnical Report, prepared for the abovementioned site is to be submitted in support of a Development Application for this site and will be relied on by Pittwater Council as the basis for ensuring that the Geotechnical Risk Management aspects of the proposed development have been adequately addressed to achieve an "Acceptable Risk Management" level for the life of the structure, taken as at least 100 years unless otherwise stated and justified in the Report and that reasonable and practical measures have been identified to remove foreseeable risk.

Signature
Name ...**Troy Crozier**.....
Chartered Professional Status...**RPGeo (A)**.....
Membership No.: ...**10197**.....
Company... **Crozier Geotechnical Consultants**



GEOTECHNICAL RISK MANAGEMENT POLICY FOR PITTWATER
FORM NO. 1(a) - Checklist of Requirements For Geotechnical Risk Management Report for Development Application

Development Application for _____
 Name of Applicant _____
 Address of site ____ 345-347 Whale Beach Road, Palm Beach _____

The following checklist covers the minimum requirements to be addressed in a Geotechnical Risk Management Geotechnical Report. This checklist is to accompany the Geotechnical Report and its certification (Form No. 1).

Geotechnical Report Details:

Report Title: Geotechnical Report for Proposed Alterations and Additions
 Report Date: 11th March 2020 Project No.: 2020-053
 Author: Jun Yan & Troy Crozier
 Author's Company/Organisation: Crozier Geotechnical Consultants

Please mark appropriate box

- ☒ Comprehensive site mapping conducted ____ 10th March 2020 _____
 (date)
- ☐ Mapping details presented on contoured site plan with geomorphic mapping to a minimum scale of 1:200 (as appropriate)
- ☐ Subsurface investigation required
☐ No Justification no bulk excavation.....
☐ Yes Date conducted
- ☐ Geotechnical model developed and reported as an inferred subsurface type-section
- ☐ Geotechnical hazards identified
☐ Above the site
☐ On the site
☐ Below the site
☐ Beside the site
- ☐ Geotechnical hazards described and reported
- ☐ Risk assessment conducted in accordance with the Geotechnical Risk Management Policy for Pittwater - 2009
☐ Consequence analysis
☐ Frequency analysis
- ☐ Risk calculation
- ☐ Risk assessment for property conducted in accordance with the Geotechnical Risk Management Policy for Pittwater - 2009
- ☐ Risk assessment for loss of life conducted in accordance with the Geotechnical Risk Management Policy for Pittwater - 2009
- ☐ Assessed risks have been compared to "Acceptable Risk Management" criteria as defined in the Geotechnical Risk Management Policy for Pittwater - 2009
- ☒ Opinion has been provided that the design can achieve the "Acceptable Risk Management" criteria provided that the specified conditions are achieved.
- ☒ Design Life Adopted:
☐ 100 years
☒ Other50 years.....
 specify
- ☐ Geotechnical Conditions to be applied to all four phases as described in the Geotechnical Risk Management Policy for Pittwater - 2009 have been specified
- ☒ Additional action to remove risk where reasonable and practical have been identified and included in the report.
- ☐ Risk assessment within Bushfire Asset Protection Zone.

I am aware that Pittwater Council will rely on the Geotechnical Report, to which this checklist applies, as the basis for ensuring that the geotechnical risk management aspects of the proposal have been adequately addressed to achieve an "Acceptable Risk Management" level for the life of the structure, taken as at least 100 years unless otherwise stated, and justified in the Report and that reasonable and practical measures have been identified to remove foreseeable risk.

Signature
 Name ...Troy Crozier.....
 Chartered Professional Status...RPGeo (AIG).....
 Membership No.10197.....
 Company... Crozier Geotechnical Consultants



TABLE OF CONTENTS

1.0	INTRODUCTION	Page 1
2.0	SITE FEATURES	
2.1.	Description	Page 2
2.2.	Geology	Page 3
3.0	FIELD WORK	
3.1	Methods	Page 3
3.2	Field Observations	Page 4
4.0	COMMENTS	
4.1	Geotechnical Assessment	Page 4
4.2	Slope Stability & Risk Assessment	Page 5
4.3	Design Life of Future Development	Page 5
5.0	CONCLUSION	Page 7
6.0	REFERENCES	Page 7

APPENDICES

1	Notes Relating to this Report
----------	-------------------------------

Date: 11th March 2020

Project No: 2020-053

Page: 1 of 7

**GEOTECHNICAL REPORT FOR PROPOSED ALTERATIONS AND ADDITIONS
345-347 WHALE BEACH ROAD, PALM BEACH, NSW**

1. INTRODUCTION:

This report details the results of a geotechnical assessment carried out for proposed alterations and additions at 345-347 Whale Beach Road, Palm Beach, NSW. The assessment was undertaken by Crozier Geotechnical Consultants (CGC) at the request of Rolfe Latimer.

It is understood that the proposed works involve alterations and additions to the existing house including replacing the existing pergola and new windows with renovations to the façade, with no bulk excavation planned.

Reference to Pittwater Council's LEP 2014 Geotechnical Risk Management Map (GTH_015), the site is located within the H1 (highest category) landslip hazard zone therefore the site requires a Geotechnical Landslip Risk Assessment to be conducted in support of a Development Application. This report therefore includes a detailed description of the site conditions, assessment of proposed works, site specific risk assessment where landslip hazards are identified and recommendations for construction maintenance to maintain the 'Acceptable Risk Management' criteria.

The investigation and reporting were undertaken as per the Tender P20-105, Dated: 6th March 2020.

The investigation comprised:

- a) A detailed geotechnical inspection and mapping of the site and adjacent properties by a Geotechnical Engineer.
- b) Review of Ortho Photomaps and Aerial Photography of the site.

The following plans and diagrams were supplied for the work:


- Architectural drawing by Altis Architecture, Drawing No.: DA01-05, 07-12, Issue: C, Dated: 07/02/2020.
- Survey Plan by G.K. Wilson and Associates, Plan No.: 22684, Dated: 16/12/2019.

2. SITE FEATURES:

2.1. Description:

The site is a trapezoidal shaped block located within moderately to steeply north dipping topography with a cliff line at the north rear of the property. It has a front south boundary of 30.48m, rear north boundary of 29.71m, side west boundary of 43.11m and side east boundary of 38.13m as referenced from the provided survey plan.

An aerial photograph of the site and its surrounds is provided below, as sourced from NSW Government Six Map spatial data, as Photograph 1.




Photograph: 1 – Aerial photo of site and surrounds

The site is currently occupied by a two and three storey stone and weatherboard residence located within the western half of the site with a swimming pool at the northwest corner and a pergola and lawns in the eastern half.

2.2. Geology:

Reference to the Sydney 1:100,000 Geological Series sheet (9130) indicates that the site is underlain by Newport Formation (Upper Narrabeen Group) rocks which are of middle Triassic in age. The Newport Formation typically comprises interbedded laminite, shale and quartz to lithic quartz sandstones and pink clay pellet sandstones.

Narrabeen Group rocks are dominated by shales and thin siltstone beds and often form rounded convex ridge tops with moderate angle ($<20^\circ$) side slopes. These side slopes can be either concave or convex depending on geology; internally they comprise shale beds with close spaced bedding partings that have either close spaced vertical joints or in extreme cases large space convex joints. The shale often forms deeply weathered silty clay soil profiles (medium to high plasticity) with thin silty colluvial cover.



Extract of Sydney Geological Series Sheet

3. FIELD WORK:

3.1. Methods:

The field investigation comprised a walk over inspection and mapping of the site and limited inspection of adjacent properties on the 10th March 2020 by a Geotechnical Engineer. It included a photographic record of the site conditions as well as geological/geomorphological mapping of the site and adjacent land with examination of ground levels and existing structures.

3.2. Field Observations:

The site is accessed via a moderately sloping concrete driveway to the garage at the first level of the house. A gently north dipping lawn is located on the eastern side of the driveway, with a flight of stairs leading to another lawn at ground floor level. On both sides of the stairs are stacked sandstone walls and sandstone block walls up to 2.50m high retaining the upper lawn, which appear in good condition with no signs of significant cracking or settlement.

The existing house is a two and three storey masonry stone and weatherboard structure. It appears to be recently built and in good condition. From the side of the house, another series of stairs lead down to the lower ground floor of the house and a pergola with timber awning. It appears that the ground floor and the lower ground floor were excavated into the slope to the south, which is supported by the house wall.

The north rear of the property contains gentle to moderate sloping garden and lawn with a sandstone cliff/outcrop adjacent to the north boundary.

The neighbouring property to the east (No. 343) contains a one and two storey weatherboard house located broadly at the centre of the property and is approximately 1.50m off the common boundary with the site, however the condition of the property could not be inspected due to heavily grown bamboo along the common boundary. The property appears at a similar ground level as the site along the common boundary with the remainder of the block having a similar topography to the site.

To the west of the site is an undeveloped block with a similar ground level as the site along the common boundary.

The neighbouring buildings and properties were only inspected from within the site or from the road reserve however the visible aspects did not show any significant signs of large scale slope instability or other major geotechnical concerns which would impact the site or the proposed development.

4. COMMENTS:

4.1. Geotechnical Assessment:

The inspection and assessment identified no obvious credible landslip hazards within the site or adjacent properties. The existing residence appears to be newly built and is in good condition, with no signs of excess cracking or settlement. The soil slopes and cliff line/outcrop within and around the site appear to have no signs of any significant instability. All visible retaining walls within the site appear stable at present. No obvious surface stormwater flow or excess seepage/wet areas were identified.

Project No: 2020-053 Palm Beach, March 2020

The proposed works involve alterations and additions to the existing house including replacing the existing pergola and new windows with renovations to the façade. Therefore, no bulk excavation is required, and the works have negligible geotechnical component.

There were no signs of existing or previous landslip instability within the site or adjacent land whilst the existing house structure shows no signs of settlement or cracking. The proposed works require no bulk excavation, therefore the proposed works are considered separate from and not affected by a geotechnical hazard. As such no further geotechnical investigation or reporting is required as part of this Development Application to meet Council's policy requirements.

4.2. Slope Stability & Risk Assessment:

Based on our site mapping no credible geological/geotechnical landslip hazards were identified which need to be considered in relation to the existing site and proposed development. As such a risk assessment is not required as the works are considered separate from, and not affected by, a geotechnical landslip hazard.

The entire site and surrounding slopes have been assessed as per the Pittwater Council Geotechnical Risk Management Policy 2009 and no credible landslip hazards were identified, therefore the site is considered to meet the 'Acceptable' risk management criteria for the design life of the development, taken as 50 years, provided the property is maintained as per the recommendations of this report.

4.3. Design Life of Future Development:

We have interpreted the design life requirements specified within Council's Risk Management Policy to refer to structural elements designed to support the adjacent slope, control stormwater and maintain the risk of instability within 'Acceptable' limits. Specific structures and features that may affect the maintenance and stability of the site in relation to the proposed development are considered to comprise:

- stormwater and subsoil drainage systems,
- retaining walls and soil slope erosion and instability,
- maintenance of trees/vegetation on this and adjacent properties,

Man-made features should be designed and maintained for a design life consistent with surrounding structures (as per AS2870 & 2011 (50 years)). In order to attain an 'Acceptable Risk Management Criteria' for a design life of 100 years as detailed by the Council's Risk Management Policy, it will be necessary for the property owner to adopt and implement a maintenance and inspection program. It is considered that the existing house will have a design life of 50 years from its upgrade following the proposed works.

Project No: 2020-053 Palm Beach, March 2020

If a maintenance and inspection schedule are not implemented the "Acceptable" risk levels for the design life of the property may not be attained. A recommended program is given in Table: 1 below and should also include the following guidelines:

- The conditions on the block don't change from those present at the time this report was prepared, except for the changes due to new development.
- There is no change to the property due to an extraordinary event external to this site, and the property is maintained in good order and in accordance with the guidelines set out in;
 - a) CSIRO sheet BTF 18
 - b) Australian Geomechanics "Landslide Risk Management" Volume 42, March 2007.
 - c) AS 2870 6 2011, Australian Standard for Residential Slabs and Footings

Table 1: Recommended Maintenance and Inspection Program for Future Developments

Structure	Maintenance/ Inspection Item	Frequency
Stormwater Drains.	Owner to inspect to ensure that the drains and pipes are free of debris & sediment build-up. Clear surface grates and litter.	Every year or following each major rainfall event
Retaining Walls or remedial measures	Owner to inspect walls for deviation from as constructed condition or for excess deterioration/rotation or signs of soil settlement/erosion or significant cracking adjacent to crest.	Every two years or following major rainfall events. Replace existing non-engineered walls as required prior to their failure
Large Trees on or adjacent to site	Arbourist to check condition of trees and remove branches and dead trees as required	Every five years

N.B. Provided the above schedule is maintained the design life of the property should conform AS2870 and Councils 100 years stability criteria


Where changes to site conditions are identified during the maintenance and inspection program, reference should be made to relevant professionals (e.g. structural engineer, geotechnical engineer or Council). It is assumed that Pittwater Council will control development on neighbouring properties, carry out regular inspections and maintenance of the road verge, stormwater systems and large trees on public land adjacent to the site so as to ensure that stability conditions do not deteriorate with potential increase in risk level to the site. Also individual Government Departments will maintain public utilities in the form of power lines, water and sewer mains to ensure they don't leak and increase either the local groundwater levels or landslide potential.

5. CONCLUSION:

The inspection and assessment identified no obvious significant slope movement, excess surface stormwater flow or seepage, erosion or instability within the site or adjacent properties. The entire site and surrounding slopes have been assessed as per the Pittwater Council's LEP Geotechnical Risk Management Policy 2009 and no credible landslip hazards were identified.

The proposed works are relatively minor from a geotechnical perspective and should not create any new instability, therefore the proposed works are separate from and not affected by a geotechnical hazard, and no further geotechnical assessment or reporting is required as part of this DA.

It is considered that the site will meet the 'Acceptable' risk management criteria for the design life of the development taken as 50 years from the proposed works provided the property is maintained as per the recommendations of this report.



Prepared By:

Jun Yan

Geotechnical Engineer



Reviewed By:

Troy Crozier

Principal

MEng, BSc, Dip. Civ. Eng

MAIG, PRGeo & Geotechnical and Engineering

Registration No.: 10197

6.0. REFERENCES:

1. Australian Geomechanics Society 2007, 'Landslide Risk Assessment and Management', Australian Geomechanics Journal Vol 42, No 1, March 2007.
2. Geotechnical Risk Management Policy for Pittwater, 2009.

Project No: 2020-053 Palm Beach, March 2020

Appendix 1

NOTES RELATING TO THIS REPORT

Introduction

These notes have been provided to amplify the geotechnical report in regard to classification methods, specialist field procedures and certain matters relating to the Discussion and Comments section. Not all, of course, are necessarily relevant to all reports.

Geotechnical reports are based on information gained from limited subsurface test boring and sampling, supplemented by knowledge of local geology and experience. For this reason, they must be regarded as interpretive rather than factual documents, limited to some extent by the scope of information on which they rely.

Description and classification Methods

The methods of description and classification of soils and rocks used in this report are based on Australian Standard 1726, Geotechnical Site Investigation Code. In general, descriptions cover the following properties - strength or density, colour, structure, soil or rock type and inclusions.

Soil types are described according to the predominating particle size, qualified by the grading of other particles present (eg. Sandy clay) on the following bases:

<u>Soil Classification</u>	<u>Particle Size</u>
Clay	less than 0.002 mm
Silt	0.002 to 0.06 mm
Sand	0.06 to 2.00 mm
Gravel	2.00 to 60.00mm

Cohesive soils are classified on the basis of strength either by laboratory testing or engineering examination. The strength terms are defined as follows:

<u>Classification</u>	<u>Undrained Shear Strength kPa</u>
Very soft	Less than 12
Soft	12 - 25
Firm	25 - 50
Stiff	50 - 100
Very stiff	100 - 200
Hard	Greater than 200

Non-cohesive soils are classified on the basis of relative density, generally from the results of standard penetration tests (SPT) or Dutch cone penetrometer tests (CPT) as below:

<u>Relative Density</u>	<u>SPT</u> "N" Value (blows/300mm)	<u>CPT</u> Cone Value (Qc - MPa)
Very loose	less than 5	less than 2
Loose	5 - 10	2 - 5
Medium dense	10 - 30	5 - 15
Dense	30 - 50	15 - 25
Very dense	greater than 50	greater than 25

Rock types are classified by their geological names. Where relevant, further information regarding rock classification is given on the following sheet.

Sampling

Sampling is carried out during drilling to allow engineering examination (and laboratory testing where required) of the soil or rock.

Disturbed samples taken during drilling to allow information on colour, type, inclusions and, depending upon the degree of disturbance, some information on strength and structure.

Undisturbed samples are taken by pushing a thin-walled sample tube into the soil and withdrawing a sample of the soil in a relatively undisturbed state. Such samples yield information on structure and strength, and are necessary for laboratory determination of shear strength and compressibility. Undisturbed sampling is generally effective only in cohesive soils.

Drilling Methods

The following is a brief summary of drilling methods currently adopted by the company and some comments on their use and application.

Test Pits – these are excavated with a backhoe or a tracked excavator, allowing close examination of the insitu soils if it is safe to descent into the pit. The depth of penetration is limited to about 3m for a backhoe and up to 6m for an excavator. A potential disadvantage is the disturbance caused by the excavation.

Large Diameter Auger (eg. Pengo) – the hole is advanced by a rotating plate or short spiral auger, generally 300mm or larger in diameter. The cuttings are returned to the surface at intervals (generally of not more than 0.5m) and are disturbed but usually unchanged in moisture content. Identification of soil strata is generally much more reliable than with continuous spiral flight augers, and is usually supplemented by occasional undisturbed tube sampling.

Continuous Sample Drilling – the hole is advanced by pushing a 100mm diameter socket into the ground and withdrawing it at intervals to extrude the sample. This is the most reliable method of drilling soils, since moisture content is unchanged and soil structure, strength, etc. is only marginally affected.

Continuous Spiral Flight Augers – the hole is advanced using 90 – 115mm diameter continuous spiral flight augers which are withdrawn at intervals to allow sampling or insitu testing. This is a relatively economical means of drilling in clays and in sands above the water table. Samples are returned to the surface, or may be collected after withdrawal of the auger flights, but they are very disturbed and may be contaminated. Information from the drilling (as distinct from specific sampling by SPT's or undisturbed samples) is of relatively lower reliability, due to remoulding, contamination or softening of samples by ground water.

Non-core Rotary Drilling - the hole is advanced by a rotary bit, with water being pumped down the drill rods and returned up the annulus, carrying the drill cuttings. Only major changes in stratification can be determined from the cuttings, together with some information from 'feel' and rate of penetration.

Rotary Mud Drilling – similar to rotary drilling, but using drilling mud as a circulating fluid. The mud tends to mask the cuttings and reliable identification is again only possible from separate intact sampling (eg. From SPT).

Continuous Core Drilling – a continuous core sample is obtained using a diamond-tipped core barrel, usually 50mm internal diameter. Provided full core recovery is achieved (which is not always possible in very weak rocks and granular soils), this technique provides a very reliable (but relatively expensive) method of investigation.

Standard Penetration Tests

Standard penetration tests (abbreviated as SPT) are used mainly in non-cohesive soils, but occasionally also in cohesive soils as a means of determining density or strength and also of obtaining a relatively undisturbed sample. The test procedures is described in Australian Standard 1289, "Methods of Testing Soils for Engineering Purposes" – Test 6.3.1.

The test is carried out in a borehole by driving a 50mm diameter split sample tube under the impact of a 63kg hammer with a free fall of 760mm. It is normal for the tube to be driven in three successive 150mm increments and the 'N' value is taken

as the number of blows for the last 300mm. In dense sands, very hard clays or weak rock, the full 450mm penetration may not be practicable and the test is discontinued.

The test results are reported in the following form.

- In the case where full penetration is obtained with successive blow counts for each 150mm of say 4, 6 and 7 as 4, 6, 7 then $N = 13$
- In the case where the test is discontinued short of full penetration, say after 15 blows for the first 150mm and 30 blows for the next 40mm then as 15, 30/40mm.

The results of the test can be related empirically to the engineering properties of the soil. Occasionally, the test method is used to obtain samples in 50mm diameter thin wall sample tubes in clay. In such circumstances, the test results are shown on the borelogs in brackets.

Cone Penetrometer Testing and Interpretation

Cone penetrometer testing (sometimes referred to as Dutch Cone – abbreviated as CPT) described in this report has been carried out using an electrical friction cone penetrometer. The test is described in Australia Standard 1289, Test 6.4.1.

In tests, a 35mm diameter rod with a cone-tipped end is pushed continually into the soil, the reaction being provided by a specially designed truck or rig which is fitted with an hydraulic ram system. Measurements are made of the end bearing resistance on the cone and the friction resistance on a separate 130mm long sleeve, immediately behind the cone. Transducers in the tip of the assembly are connected by electrical wires passing through the centre of the push rods to an amplifier and recorder unit mounted on the control truck.

As penetration occurs (at a rate of approximately 20mm per second) their information is plotted on a computer screen and at the end of the test is stored on the computer for later plotting of the results.

The information provided on the plotted results comprises: -

- Cone resistance – the actual end bearing force divided by the cross-sectional area of the cone – expressed in MPa.
- Sleeve friction – the frictional force on the sleeve divided by the surface area – expressed in kPa.
- Friction ratio - the ratio of sleeve friction to cone resistance, expressed in percent.

There are two scales available for measurement of cone resistance. The lower scale (0 – 5 MPa) is used in very soft soils where increased sensitivity is required and is shown in the graphs as a dotted line. The main scale (0 – 50 MPa) is less sensitive and is shown as a full line. The ratios of the sleeve friction to cone resistance will vary with the type of soil encountered, with higher relative friction in clays than in sands. Friction ratios 1% - 2% are commonly encountered in sands and very soft clays rising to 4% - 10% in stiff clays.

In sands, the relationship between cone resistance and SPT value is commonly in the range: -

$$Q_c \text{ (MPa)} = (0.4 \text{ to } 0.6) N \text{ blows (blows per 300mm)}$$

In clays, the relationship between undrained shear strength and cone resistance is commonly in the range: -

$$Q_c = (12 \text{ to } 18) C_u$$

Interpretation of CPT values can also be made to allow estimation of modulus or compressibility values to allow calculations of foundation settlements.

Inferred stratification as shown on the attached reports is assessed from the cone and friction traces and from experience and information from nearby boreholes, etc. This information is presented for general guidance, but must be regarded as being to some extent interpretive. The test method provides a continuous profile of engineering properties, and where precise information on soil classification is required, direct drilling and sampling may be preferable.

Dynamic Penetrometers

Dynamic penetrometer tests are carried out by driving a rod into the ground with a falling weight hammer and measuring the blows for successive 150mm increments of penetration. Normally, there is a depth limitation of 1.2m but this may be extended in certain conditions by the use of extension rods.

Two relatively similar tests are used.

- Perth sand penetrometer – a 16mm diameter flattened rod is driven with a 9kg hammer, dropping 600mm (AS1289, Test 6.3.3). The test was developed for testing the density of sands (originating in Perth) and is mainly used in granular soils and filling.
- Cone penetrometer (sometimes known as Scala Penetrometer) – a 16mm rod with a 20mm diameter cone end is driven with a 9kg hammer dropping 510mm (AS 1289, Test 6.3.2). The test was developed initially for pavement sub-grade investigations, and published correlations of the test results with California bearing ratio have been published by various Road Authorities.

Laboratory Testing

Laboratory testing is generally carried out in accordance with Australian Standard 1289 “Methods of Testing Soil for Engineering Purposes”. Details of the test procedure used are given on the individual report forms.

Borehole Logs

The bore logs presented herein are an engineering and/or geological interpretation of the subsurface conditions, and their reliability will depend to some extent on frequency of sampling and the method of drilling. Ideally, continuous undisturbed sampling or core drilling will provide the most reliable assessment, but this is not always practicable, or possible to justify on economic grounds. In any case, the boreholes represent only a very small sample of the total subsurface profile.

Interpretation of the information and its application to design and construction should therefore take into account the spacing of boreholes, the frequency of sampling and the possibility of other than ‘straight line’ variations between the boreholes.

Details of the type and method of sampling are given in the report and the following sample codes are on the borehole logs where applicable:

D	Disturbed Sample	E	Environmental sample	DT	Diatube
B	Bulk Sample	PP	Pocket Penetrometer Test		
U50	50mm Undisturbed Tube Sample	SPT	Standard Penetration Test		
U63	63mm “ “ “ “ “	C	Core		

Ground Water

Where ground water levels are measured in boreholes there are several potential problems:

- In low permeability soils, ground water although present, may enter the hole slowly or perhaps not at all during the time it is left open.
- A localised perched water table may lead to an erroneous indication of the true water table.
- Water table levels will vary from time to time with seasons or recent weather changes. They may not be the same at the time of construction as are indicated in the report.
- The use of water or mud as a drilling fluid will mask any ground water inflow. Water has to be blown out of the hole and drilling mud must first be washed out of the hole if water observations are to be made. More reliable measurements can be made by installing standpipes which are read at intervals over several days, or perhaps weeks for low permeability soils. Piezometers, sealed in a particular stratum, may be interference from a perched water table.

Engineering Reports

Engineering reports are prepared by qualified personnel and are based on the information obtained and on current engineering standards of interpretation and analysis. Where the report has been prepared for a specific design proposal (eg. A three-storey building), the information and interpretation may not be relevant if the design proposal is changed (eg. to a twenty-storey building). If this happens, the Company will be pleased to review the report and the sufficiency of the investigation work.

Every care is taken with the report as it relates to interpretation of subsurface condition, discussion of geotechnical aspects and recommendations or suggestions for design and construction. However, the Company cannot always anticipate or assume responsibility for:

- unexpected variations in ground conditions – the potential for this will depend partly on bore spacing and sampling frequency,
- changes in policy or interpretation of policy by statutory authorities,
- the actions of contractors responding to commercial pressures,

If these occur, the Company will be pleased to assist with investigation or advice to resolve the matter.

Site Anomalies

In the event that conditions encountered on site during construction appear to vary from those which were expected from the information contained in the report, the Company requests that it immediately be notified. Most problems are much more readily resolved when conditions are exposed than at some later stage, well after the event.


Reproduction of Information for Contractual Purposes

Attention is drawn to the document “Guidelines for the Provision of Geotechnical Information in Tender Documents”, published by the Institution of Engineers Australia. Where information obtained from this investigation is provided for tendering purposes, it is recommended that all information, including the written report and discussion, be made available. In circumstances where the discussion or comments section is not relevant to the contractual situation, it may be appropriate to prepare a special ally edited document. The Company would be pleased to assist in this regard and/or to make additional report copies available for contract purposes at a nominal charge.


Site Inspection

The Company will always be pleased to provide engineering inspection services for geotechnical aspects of work to which this report is related. This could range from a site visit to confirm that conditions exposed are as expected, to full time engineering presence on site.

PRACTICE NOTE GUIDELINES FOR LANDSLIDE RISK MANAGEMENT 2007



GEOTECHNICAL
PLAN




SYMBOL	GROUND PROFILE	
		Convex
		Concave
		Convex
		Concave
		Breaks of slope
		Changes of slope
		Sharp
		Rounded
		Cliff or escarpment or sharp break 40° or more (estimated height in metres)
		Uniform slope
		Concave slope
		Convex slope
		Top
		Bottom
		Hummocky or irregular ground
		Open drain, unlined
		Open drain, lined
		Fence line
		Property boundary
		Dry stone wall
		Major joint in rock face (opening in millimetres)
		Tension crack (opening in millimetres)

Example of Mapping Symbols

(after V Gardiner & R V Dackombe (1983). Geomorphological Field Manual. George Allen & Unwin).

PRACTICE NOTE GUIDELINES FOR LANDSLIDE RISK MANAGEMENT 2007

APPENDIX E - GEOLOGICAL AND GEOMORPHOLOGICAL MAPPING SYMBOLS AND TERMINOLOGY



Examples of Mapping Symbols (after Guide to Slope Risk Analysis Version 3.1 November 2001, Roads and Traffic Authority of New South Wales).