# **BASIX**<sup>®</sup>Report

Building Sustainability Index www.basix.nsw.gov.au

X Report	Project summary		
bility Index www.basix.nsw.gov.au	Project name	15683	
bility muex www.basix.nsw.gov.au	Street address	532 Pittwater Road N	Jorth Manly 2100
	Local Government Area	Northern Beaches Co	ouncil
	Plan type and plan number	deposited 7027	
	Lot no.	40	
	Section no.	- 0.	
	No. of residential flat buildings	0.0	
	No. of units in residential flat buildings	12	
	No. of multi-dwelling houses	0	
	No. of single dwelling houses	0	
	Project score		
	Water	41	Target 40
	Thermal Comfort	Pass	Target Pass
	Energy	46	Target 45
This is not a			

## **Description of project**

### Project address

15683
532 Pittwater Road North Manly 2100
Northern Beaches Council
deposited 7027
40
-
1
12
0
0
790
207
- 15
8
5/2
11.

N

Common area landscape		
Common area lawn (m <sup>2</sup> )	0.0	
Common area garden (m <sup>2</sup> )	143.0	
Area of indigenous or low water use species (m <sup>2</sup> )		
Assessor details		
Assessor number	BDAV/13/1491	
Certificate number	333	
Climate zone	56	
Project score		
Water	41	Target 40
Thermal Comfort	Pass	Target Pass
Energy	46	Target 45

### **Description of project**

The tables below describe the dwellings and common areas within the project

### Residential flat buildings - Building1, 12 dwellings, 3 storeys above ground

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.		No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
2	1	29.0	0.0	0.0	-	3	1	29.0	0.0	0.0	-	4		1	29.0	0.0	0.0	<u>}</u>	5	1	29.0	0.0	0.0	-
6	1	29.0	0.0	0.0	-	7	1	29.0	0.0	0.0	-	8		1	29.0	0.0	0.0	-	9	1	29.0	0.0	0.0	-
10	1	29.0	0.0	0.0	-	11	1	29.0	0.0	0.0	-	12		1	29.0	0.0	0.0	-	Ма	nag 1	25.0	6.0	0.0	-
						n's	5	·\?	5	0	S.S.		7											

### Description of project

The tables below describe the dwellings and common areas within the project

### Common areas of unit building - Building1

Common area Car park area (G)	Floor area (m²) 128.0	Community room (G)	Floor area (m²) 9.0	ate
				RICOL
			a ch	<i>.</i>
			' Co	
			alio	
		J.	0	
		à'a		
		a no		
	:6	12		
-	(UIS			
This is not a valid actificate		Vereige: 2.0 / DARWINIA 2		

-

### Schedule of BASIX commitments

1. Commitments for Residential flat buildings - Building1

(a) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Comfort

(b) Common areas and central systems/facilities

(i) Water

(ii) Energy

2. Commitments for multi-dwelling houses

3. Commitments for single dwelling houses

o certificate no-t not not not not 4. Commitments for common areas and central systems/facilities for the development (non-building specific)

(i) Water

(ii) Energy

### Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carried out. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

### 1. Commitments for Residential flat buildings - Building1

### (a) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.	$(I_{I_{I_{I_{I_{I_{I_{I_{I_{I_{I_{I_{I_{I$		
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	~	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		<b>~</b>	~
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		<b>~</b>	~
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		✓	~
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		~	~
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	~	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		<b>&gt;</b>	
(g) The pool or spa must be located as specified in the table.	~	<b>~</b>	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~

	Fixtures					Appli	Appliances		Individual pool				Individual spa		
Dwelling no.	All shower- heads	All toilet flushing systems	All kitchen taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded	
All dwellings	3 star (> 4.5 but <= 6 L/min)	4 star	5 star	5 star	-	-	-	-	-	-	-	20	-	-	

	Alternative water source									
Dwelling no.	Alternative water Size supply systems		Configuration	Landscape connection	Toilet connection (s)	Laundry connection	Pool Spa to n top-up			
None	-	-	-	20	-	-	-	-		
			i) iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	O						

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.	~	~	~
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.		~	~
(d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.		~	~
(e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting.		~	~

i) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.	~	~	~
(g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must:			
(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and		all	
(bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump.	1.8.0	<i>j</i> 0. <i>j</i>	
(h) The applicant must install in the dwelling:	X///		
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		~	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		~	~
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		~	
<ul> <li>(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".</li> </ul>		~	

	Hot water	Bathroom ven	tilation system	Kitchen vent	ilation system	Laundry ventilation system		
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control	
All dwellings	gas instantaneous 6 star	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	
		This						

	Cooling Heat				Artificial lighting							
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bedrooms &/or study	No. of living &/or dining rooms	Each kitchen	All bathrooms/ toilets	Each Iaundry	All hallways	No. of bathrooms &/or toilets	Main kitche
All dwellings	1-phase airconditioning EER 3.0 - 3.5	-	1-phase airconditioning EER 3.0 - 3.5	-	1 (dedicated)	1 (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	1	yes
									. ¢.C	;0.*		

	Individual pool Individual spa			Appliances & other efficiency measures						,		
Dwelling no.	Pool heating system	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Refrigerator	Well ventilated fridge space	Dishwasher	Clothes washer	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	-	-	-	-	electric cooktop & electric oven	-	yes	-	-	-	-	-
						A VI						

(iii) Thermal Comfort		Show on DA plans	Show on CC/CDC plans & specs	Certifier check
"Assessor Certificate") to the development app the applicant is applying for a complying develo	d to under "Assessor details" on the front page of this BASIX certificate (the ication and construction certificate application for the proposed development (or, if pment certificate for the proposed development, to that application). The applicant application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issue	d by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Certificate, including the details shown in the "	Assessor Certificate must be consistent with the details shown in this BASIX "hermal Loads" table below.			
	anying the development application for the proposed development, all matters be shown on those plans. Those plans must bear a stamp of endorsement from the case.	~		
	anying the application for a construction certificate (or complying development se specifications set out in the Assessor Certificate, and all aspects of the proposed se specifications.		~	

ii) Thermal Comfort	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	~
(g) Where there is an in-slab heating or cooling system, the applicant must:	~	V @.	~
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or		al	
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.	1.8.0	,0.	
h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	5 V V V	~	~
<u> </u>			

	Therma	al loads
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
Manag	40.0	15.0
All other dwellings	40.0	26.0
	this is not a	

### (b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		~	~
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.		ate	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	$\cdot \epsilon ($	у <b>с у</b>	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.	Cr.	~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	~
12/10	1	4	1

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes wa	Clothes washers rating		
All common areas	no common facility	no common facility	3 star	no commor	common laundry facility		
			6	· · · · · · · · · · · · · · · · · · ·	1		
(ii) Energy		:6		Show DA pla		Certifier check	
		ant installs a ventilation system to s of the type specified for that commo			~	~	
specified in	the table below, the lighting spec ant must also install a centralised I	It must install, as the "primary type of ified for that common area. This ligh lighting control system or Building M	hting must meet the efficiency mea	asure specified.	~	~	
	nt must install the systems and five	tures specified in the "Central ener	gy systems" column of the table be	elow. In each			

	Common area	ventilation system		Common area lighting	
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/BMS
Car park area (G)	no mechanical ventilation	-	light-emitting diode	daylight sensor and motion sensor	No
Community room (G)	no mechanical ventilation	-	light-emitting diode	daylight sensor and motion sensor	No
	this	, ot a	a valid	Sertifice	
		G			

### 4. Commitments for common areas and central systems/facilities for the development (non-building specific)

### (b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		10	~
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	. 40	;0.~	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	$\mathcal{O}$	~	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	~
10			

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	no common facility	3 star	no common laundry facility

	$\frown$	S	,
Central systems	Size	Configuration	Connection (to allow for)
Central water tank - rainwater or stormwater (No. 1)	3900.0	To collect run-off from at least: - 40.0 square metres of roof area of buildings in the development - 0.0 square metres of impervious area in the development - 0.0 square metres of garden/lawn area in the development - 0.0 square metres of planter box area in the development (excluding, in each case, any area which drains to, or supplies, any other alternative water supply system).	- irrigation of 70.0 square metres of common landscaped area on the site

	$\frown$		
Central systems	Size	Configuration	Connection (to allow for)
Central water tank - rainwater or stormwater (No. 2)	3900.0	To collect run-off from at least: - 40.0 square metres of roof area of buildings in the development - 0.0 square metres of impervious area in the development - 0.0 square metres of garden/lawn area in the development - 0.0 square metres of planter box area in the development (excluding, in each case, any area which drains to, or supplies, any other alternative water supply system).	- irrigation of 70.0 square metres of common landscaped area on the site

ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	~
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	~	<b>v</b>	~

Central energy systems	Туре	Specification
Alternative energy supply	Photovoltaic system	Rated electrical output (min): 5.0 peak kW
	rhisis	

1. In these commitments, "applicant" means the p	person carrying out the development.
	ding and common area listed in this certificate, on the plans accompanying any development application, and on the plans and or a construction certificate / complying development certificate, for the proposed development, using the same identifying letter or or common area in this certificate.
3. This note applies if the proposed development residential and non-residential purposes). Cor the building or development to be used for res	involves the erection of a building for both residential and non-residential purposes (or the change of use of a building for both nmitments in this certificate which are specified to apply to a "common area" of a building or the development, apply only to that part of sidential purposes.
	mitment for a dwelling or building, and that system will also service any other dwelling or building within the development, then that is separately listed as a commitment for that other dwelling or building).
5. If a star or other rating is specified in a commit	ment, this is a minimum rating.
6. All alternative water systems to be installed un NSW Health does not recommend that storm human consumption in areas with potable wa	der these commitments (if any), must be installed in accordance with the requirements of all applicable regulatory authorities. NOTE: water, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for the supply.
egend	12/10
<ol> <li>Commitments identified with a "         " in the "Sho development application is to be lodged for th</li> </ol>	ow on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a e proposed development).
<ol> <li>Commitments identified with a " " in the "Sho certificate / complying development certificate</li> </ol>	ow on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction for the proposed development.
· · · · · · · · · · · · · · · · · · ·	tifier check" column must be certified by a certifying authority as having been fulfilled. (Note: a certifying authority must not issue an or a building listed in this certificate, or for any part of such a building, unless it is satisfied that each of the commitments whose fulfilment ng or part, has been fulfilled).
	15