

NORTHERN BEACHES COUNCIL

Waste Management Plan

(For development in the area of WLEP 2011 and WLEP 2000)

This plan is to be completed
in accordance with Council's

Waste Management Guidelines

(For development in the area of WLEP 2011 and WLEP 2000)

Effective Date: 25 October 2016

TABLE OF CONTENTS

Purpose of the Waste Management Plan	2
Structure of the Waste Management Plan	2
Applicant and Project Details	3
Section 1 – Demolition	5
Section 2 – Construction	7
Section 3 – On-going waste management for one or two dwellings.....	9
Section 4 – On-going waste management for three or more dwellings	10
Section 5 – On-going waste management for non-residential developments	11
Section 6 – Private roadway developments.....	12

Purpose of the Waste Management Plan

This *Waste Management Plan (WMP)* will detail the arrangements for waste management during all stages of development and occupation.

The WMP must be completed in accordance with the Waste Management Guidelines (Guidelines).

A completed WMP is a mandatory requirement for any Development Application (DA) submitted under WLEP 2011 or WLEP 2000. DAs that are submitted without a completed WMP will be rejected or refused by Council.

Structure of the Waste Management Plan

All applicants are required to complete the 'Applicant and Project Details' part of the WMP and include it with the relevant Sections that apply to their proposed development.

The WMP is divided into Sections and applicants are only required to complete the relevant Sections in accordance with the Guidelines. The table below identifies which Sections are relevant to which development types.

For example, if the proposed development was to include demolition of an existing structure and construction of a single dwelling, the relevant Sections would be Sections 1, 2 and 3.

Section	Development Type [^]
Section 1 – Demolition	All
Section 2 – Construction	All
Section 3 – On-going waste management for one or two dwellings	One or two dwelling developments Mixed-use developments containing one or two dwellings
Section 4 – On-going waste management for three or more dwellings	Three or more dwelling developments Mixed-use developments containing three or more dwellings
Section 5 – On-going waste management for non-residential and mixed use developments	Commercial developments Industrial developments Mixed-use developments
Section 6 – Private roadway developments	Private roadways

[^]Note: the definitions of the development types are provided in Section vi of the Introduction to the Guidelines

Applicant and Project Details

Complete this page and the relevant Sections that apply to your proposed development.

Applicants' Details

Name: (must be the same as the DA form)	Bhabishan Tancev
Address: (must be the same as the DA form)	49 South Creek Road, Dee Why
Phone Number:	0407 480 520
Email Address:	bishiconstructions@gmail.com

Property Details

Lot No: Deposited Plan (DP) No: or Strata Plan (SP) No:	Lot 3, Section 10, DP 10223
Unit No: House No: Street: Suburb: Postcode:	49 South Creek Road, Dee Why

Project Details

Description of proposed development:	Convert / reconstruct the existing shed at the rear of the site for use as a secondary dwelling
Structures to be demolished:	Part shed

Applicant Declaration

I declare that:

1. This plan has been completed in accordance with the Waste Management Guidelines
2. To the best of my knowledge, the details on this form are accurate and correct

I understand that:

1. All records demonstrating lawful disposal of waste will be retained and kept readily accessible for inspection by regulatory authorities such as Council, NSW Environment Protection Authority or WorkCover NSW.
2. A bond in accordance with Council's fees and charges may apply to this development and must be paid to Council prior to any works commencing.
3. The bond will only be refunded when Council is satisfied that all waste outlined in this plan has been managed as per the plan, and evidence such as photos, receipts and statutory declarations must be supplied where appropriate.

Signature of Applicant:  Date: 9-10-23

Section 1 – Demolition

This section must be completed in accordance with 'Chapter 1 – Demolition' of the Waste Management Guidelines

MATERIALS ON SITE	DESTINATION <i>Evidence such as weighbridge dockets and invoices for waste disposal or recycling must be retained on site for inspection</i>					
	REUSE AND RECYCLING (MOST FAVOURABLE)				DISPOSAL (LEAST FAVOURABLE)	
Types of Waste Material	Estimated Volume (m ³) or Weight (t)	ONSITE RE-USE ✓ Specify how material will be reused on site	OFFSITE RECYCLING ✓ Recycling Outlet (RO) ✓ Waste Transport Contractor (WTC)		OFFSITE DISPOSAL ✓ Specify landfill site (LS) ✓ Specify Waste Transport Contractor (WTC)	
			WTC	RO	WTC	LS
Excavated Material		0.5 m ³				
Garden Organics				9 m ³		
Bricks					OPTION NOT AVAILABLE: These materials must be re-used or separated on or off site and sent for recycling.	
Tiles						
Concrete				3 m ³		
Timber						
Plasterboard				3 m ³		
Metals				3 m ³		
Asbestos						
Other waste (please specify)						
Estimated Total % Recovered						

Refer to the estimation tables in 'Chapter 1 – Demolition' of the Guidelines for assistance in completing this table.

The applicant must submit a Site Plan showing the structures to be demolished and storage areas for waste and construction materials (if the development also includes construction).

WMP Checklist

Have you included the following:	Applicant Tick
A site plan showing: <ul style="list-style-type: none"> • The structures to be demolished. • Storage areas for waste to be reused, recycled, or disposed of. • Materials storage (if the development also includes construction) 	<input checked="" type="checkbox"/>
The table on the previous page, completed in accordance with 'Chapter 1 – Demolition' in the guidelines.	<input checked="" type="checkbox"/>

CUT EXISTING GROUND LEVEL TO RL 9.46 TO PERIMETER OF BUILDING

DEMOLISH EXISTING SW SYSTEM AND UPGRADE

IN ACCORDANCE WITH HYDRAULIC ENGINEERS DETAILS

CONSTRUCT NEW FOOTINGS UNDER EXISTING SLAB EDGES

IN ACCORDANCE WITH ENGINEERS DETAILS

DEMOLISH METAL WALL AND ROOF SHEETING

DEMOLISH CONCRETE BLOCK RETAINING WALLS SHOWN DASHED

AND BUILD NEW SANDSTONE LOG RETAINING WALL AND FILL TO RL 10.0

DEMOLISH CHICKEN COOP AND PEN

TIMBER PALING FENCE

CONCRETE

15.24

139-10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

CONCRETE

15.24

139-10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

CONCRETE

15.24

139-10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

CONCRETE

15.24

139-10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

CONCRETE

15.24

139-10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

CONCRETE

15.24

139-10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

CONCRETE

15.24

139-10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

CONCRETE

15.24

139-10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

CONCRETE

15.24

139-10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

10'50"

CONCRETE

Section 2 – Construction

This section must be completed in accordance with 'Chapter 2 – Construction' of the Waste Management Guidelines


MATERIALS ON SITE	DESTINATION <i>Evidence such as weighbridge dockets and invoices for waste disposal or recycling must be retained on site for inspection</i>					
	REUSE AND RECYCLING (MOST FAVOURABLE)				DISPOSAL (LEAST FAVOURABLE)	
Types of Waste Material	Estimated Volume (m ³) or Weight (t)	ONSITE RE-USE ✓ Specify how material will be reused on site	OFFSITE RECYCLING ✓ Specify recycling outlet (RO) ✓ Specify Waste Transport Contractor (WTC)		OFFSITE DISPOSAL ✓ Specify landfill site (LS) ✓ Specify Waste Transport Contractor (WTC)	
* Please specify			WTC	RO	WTC	LS
Excavated Material						
Garden Organics						
Bricks					OPTION NOT AVAILABLE. These materials must be re-used or separated on or off site and sent for recycling.	
Tiles				0.5 m ³		
Concrete				0.3 m ³		
Timber*				0.2 m ³		
Plasterboard				1 m ³		
Metals*				0.1 m ³		
Asbestos						
Other waste*				1 m ³		
Estimated Total % Recovered						

Refer to the estimation tables in 'Chapter 2 – Construction' of the Guidelines for assistance in completing this table.

The applicant must submit a Site Plan showing the structures to be demolished and storage areas for waste and construction materials (if the development also includes construction).

WMP Checklist

Have you included the following:	Applicant Tick
<p>A site plan showing:</p> <ul style="list-style-type: none"> • The structures to be demolished. • Potential storage areas for waste to be reused, recycled, or disposed of. • Materials storage 	<input checked="" type="checkbox"/>
The table on the previous page, completed in accordance with 'Chapter 2 – Construction' in the guidelines.	<input checked="" type="checkbox"/>



Section 3 – On-going waste management for one or two dwellings

This section is to be completed in accordance with 'Chapter 3 – On-going waste management for one or two dwellings' of the Waste Management Guidelines.

Type of development: Secondary dwelling

Number of dwellings: Total 2 on site

WMP Checklist

Do your architectural and landscape plans include the following:	Applicant Tick
Waste Storage Area design requirements (Chapter 3.2.)	<input checked="" type="checkbox"/>
Waste Storage Area location requirements (Chapter 3.3.)	<input checked="" type="checkbox"/>

Site plan for a proposed secondary dwelling and existing house. The plan shows a 'PROPOSED SECONDARY DWELLING' (55.7 sqm) with a 1 kW PV system and electrical system. It includes a 'POOL' with a relocated plant, a 'WASHED AG. AREA', and a 'GRASS AREA'. The 'EXISTING HOUSE' has a '2 STOREY' section and a '2 STOREY' section. The site area is 766.14 sqm. The plan also shows a 'CONCRETE DRIVEWAY', 'TIMBER PALING FENCE', and 'BLUESTONE STEPPING STONES'.

4 BLUESTONE STEPPING STONES ON 40 DIA WHITE PEBBLE PATH

ONE AND TWO STOREY
RENDERED BRICK &
WEATHERBOARD HOUSE
TILE ROOF
No 47

4
SEC 10
DP10223

2 STOREY
METAL SECONDARY DWELLING
METAL ROOF

PROPOSED SITE PLAN