

Nationwide House Energy Rating Scheme — Class 2 summary

NatHERS Certificate No. 0004951630

Generated on 24 Jun 2020 using AccuRate Sustainability V2.4.3.21

Property

Address 321 Condamine Street , Manly
Vale , NSW , 2093

Lot/DP Lot 20-22,25 & 123 DP 11320 & 737259

NatHERS climate zone 56

Accredited assessor 

Peter Cumming

NatHERS & BASIX Solutions

basixsolutions@gmail.com

0299797674

Accreditation No. 20042

Assessor Accrediting Organisation ABSA



6.4
Average Rating

**NATIONWIDE
HOUSE**
ENERGY RATING SCHEME

The rating above is the average of all dwellings in this summary.

For more information on your dwelling's rating see:
www.nathers.gov.au



Verification

To verify this certificate, scan the QR code or visit hstar.com.au/QR/Generate?p=cTwhzslzt.
When using either link, ensure you are visiting hstar.com.au

Summary of all dwellings

Certificate number and link	Unit Number	Heating load (MJ/m ² /p.a.)	Cooling load (MJ/m ² /p.a.)	Total load (MJ/m ² /p.a.)	Star rating
0004947842-01	1	24.50	12.86	37.36	7.1
0004947859-01	2	23.73	13.36	37.09	7.1
0004948121	3	37.87	14.56	52.43	5.9
0004948139	4	12.54	21.49	34.04	7.4
0004948162	5	9.25	14.02	23.27	8.2

Continued Over

National Construction Code (NCC) requirements

The NCC's requirements for NatHERS-rated buildings are detailed in 3.12.0(a)(i) and 3.12.5 of the NCC Volume Two. For apartments the requirements are detailed in J0.2 and J5 to J8 of the NCC Volume One.

In NCC 2019, these requirements include minimum star ratings and separate heating and cooling load limits that need to be met by buildings and apartments through the NatHERS assessment. Requirements additional to the NatHERS assessment that must also be satisfied include, but are not limited to: insulation installation methods, thermal breaks, building sealing, water heating and pumping, and artificial lighting requirements. The NCC and NatHERS Heating and Cooling Load Limits (Australian Building Codes Board Standard) are available at www.abcb.gov.au.

State and territory variations and additions to the NCC may also apply.

Summary of all dwellings (continued)

Certificate number and link	Unit Number	Heating load (MJ/m ² /p.a.)	Cooling load (MJ/m ² /p.a.)	Total load (MJ/m ² /p.a.)	Star rating
0004948170-01	6	22.31	22.55	44.86	6.5
0004948212	7	31.07	24.00	55.07	5.7
0004948238-02	8	41.10	24.73	65.83	5
0004948246	9	21.61	17.37	38.98	7
0004948253	10	35.93	25.91	61.84	5.3
0004948261	11	22.67	14.68	37.35	7.1
0004948279	12	23.05	14.34	37.39	7.1
0004948303-02	13	22.67	15.94	38.61	7
0004948337-01	14	18.28	14.69	32.97	7.4
0004948352	15	32.96	19.41	52.38	5.9
0004948360	16	14.03	24.22	38.25	7.1
0004948402	17	12.77	14.21	26.98	7.9
0004948543-02	18	30.52	26.29	56.81	5.6
0004948568	19	36.12	24.13	60.25	5.4
0004948600-01	20	44.27	28.20	72.47	4.6
0004948618	21	26.82	17.35	44.17	6.6
0004948634	22	37.65	25.17	62.82	5.2
0004948659	23	24.04	14.53	38.57	7
0004948675	24	23.79	14.21	38.01	7.1
0004948683	25	23.28	24.54	47.83	6.3
0004948691	26	17.97	29.38	47.35	6.3
0004948709	27	29.19	23.87	53.06	5.9
0004948725	28	18.15	27.38	45.54	6.4
0004948758	29	41.89	26.59	68.47	4.9
0004948741	30	37.07	27.17	64.23	5.1
0004948766	31	23.86	29.29	53.15	5.8
0004948774	32	16.67	25.49	42.16	6.7
0004948782-01	33	14.73	29.37	44.10	6.6
Average		25.83	21.25	47.08	6.37

Explanatory Notes

About this report

This summary rating is the average rating of all NCC Class 2 dwellings in a development. The individual dwellings' ratings are a comprehensive, dynamic computer modelling evaluation of a home, using the floorplans, elevations and specifications to estimate the energy load. It addresses the building layout, orientation and fabric (i.e. walls, windows, floors, roofs and ceilings), but does not cover the water or energy use of appliances, or energy production of solar panels. For more details about an individual dwelling's assessment, refer to the individual dwelling's NatHERS Certificate (accessible via link).

Accredited Assessors

To ensure the NatHERS Certificate is of a high quality, always use an accredited or licenced assessor. NatHERS accredited assessors are members of a professional body called an Assessor Accrediting Organisation (AAO). AAOs have specific quality assurance processes in place, and continuing professional development requirements, to maintain a high and consistent standard of assessments across the country.

Any questions or concerns about this report should be directed to the assessor in the first instance. If the assessor is unable to address these questions or concerns, the AAO specified on the front of this certificate should be contacted.



Disclaimer

The format of the NatHERS Certificate was developed by the NatHERS Administrator. However the content, input and creation of the NatHERS Certificate is by the assessor. It is the responsibility of the assessor who prepared this certificate to use NatHERS accredited software correctly and follow the NatHERS Technical Notes to produce a NatHERS Certificate.