# **BASIX**<sup>°</sup>Certificate

Building Sustainability Index www.basix.nsw.gov.au

# Multi Dwelling

Certificate number: 1742159M

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at www.basix.nsw.gov.au

#### Secretary

Date of issue: Wednesday, 03 April 2024 To be valid, this certificate must be lodged within 3 months of the date of issue.



Project summary					
Project name	1-3 Gondola Road, North Narrabeen, NSW				
Street address	GONDOLA ROAD 1-3 NORTH NARRABEEN 2101				
Local Government Area	NORTHERN BEACHES				
Plan type and plan number	Deposited Plan DP16719				
Lot no.	187				
Section no.	188				
No. of residential flat buildings	1				
Residential flat buildings: no. of dwellings	14				
Multi-dwelling housing: no. of dwellings	0				
No. of single dwelling houses	0				
Project score					
Water	V 43 Target 40				
Thermal Performance	V Pass Target Pas	SS			
Energy	V 68 Target 67				
Materials	✓ -62 Target n/a				

#### Certificate Prepared by

Name / Company Name: ECO CERTIFICATES PTY LTD

#### ABN (if applicable): 82166705488

# **Description of project**

# Project address

r reject addrees					
Project name	1-3 Gondola Road, North Narrabeen, NSW				
Street address	GONDOLA ROAD 1-3 NORTH NARRABEEN 2101				
Local Government Area	NORTHERN BEACHES				
Plan type and plan number	Deposited Plan DP16719				
Lot no.	187				
Section no.	188				
Project type					
No. of residential flat buildings	1				
Residential flat buildings: no. of dwellings	14				
Multi-dwelling housing: no. of dwellings	0				
No. of single dwelling houses	0				
Site details					
Site area (m <sup>2</sup> )	1289.3				
Roof area (m²)	640				
Non-residential floor area (m <sup>2</sup> )	396				
Residential car spaces	29				
Non-residential car spaces	10				

Common area landscape						
Common area lawn (m <sup>2</sup> )	0					
Common area garden (m <sup>2</sup> )	254					
Area of indigenous or low water use species (m <sup>2</sup> )	0					
Assessor details and thermal loads						
Assessor number	DMN/12/1462					
Certificate number	55559999					
Climate zone	56					
Project score						
Water	<b>V</b> 43	Target 40				
Thermal Performance	V Pass	Target Pass				
Energy	68	Target 67				
Materials	✓ -62	Target n/a				

# **Description of project**

The tables below describe the dwellings and common areas within the project

#### Residential flat buildings - Gondola Road, 14 dwellings, 3 storeys above ground

of garden /m²\

0

0

0

0

0

0 0

0

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor
U101	3	116.8	0	0	0	U102A	2	84.7	0
U105	3	117.9	0	0	0	U106	3	116.7	0
U202	2	84.7	0	0	0	U203	2	73.7	0
U206	3	116.7	0	0	0	U207	3	123.6	0

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
U103	2	73.7	0	0	0	U104	2	76.5	0	0	0
U107	3	123.6	0	0	0	U201	3	116.8	0	0	0
U204	2	76.5	0	0	0	U205	3	117.9	0	0	0

# **Description of project**

The tables below describe the dwellings and common areas within the project

# Common areas of unit building - Gondola Road

Common area	Floor area (m²)	Common area	Floor area (m²)	Common area	Floor area (m²)
Basement undercover car park area	1016.8	Ground Floor undercover car park area	506.1	Bulk Waste	18.8
Temp Bin Holding	39.5	Basement Service Room 1	31.7	Basement Service Room 2	9.9
Common WC Basement	3.2	Common WC Ground Floor	5.2	Ground Floor Hallway/lobby	41
First Floor Hallway	33.3	Second Floor Hallway	39	Lift bank (No. 1)	-
Lift bank (No. 2)	-				

# **Schedule of BASIX commitments**

1. Commitments for Residential flat buildings - Gondola Road

(a) Buildings

(i) Materials

(b) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Performance

(c) Common areas and central systems/facilities

(i) Water

(ii) Energy

2. Commitments for multi-dwelling housing

(a) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Performance

3. Commitments for single dwelling houses

(a) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Performance

4. Commitments for common areas and central systems/facilities for the development (non-building specific)

(b) Common areas and central systems/facilities

(i) Water

(ii) Energy

# Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carriedout. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

# 1. Commitments for Residential flat buildings - Gondola Road

#### (a) Buildings

(i) Materials	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Floor types", "External wall types", "Internal wall types", "Ceiling and roof types", "Frames" and "Glazing" tables below.			>
(b) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all specifications included in the tables below.		>	
(c) The applicant must construct the floors, walls, roof, ceiling and roof, windows, glazed doors and skylights of the development in accordance with the specifications listed in the tables below. In the case of glazing, a 5% variance from the area values listed in the "Frames" and "Glazing" tables is permitted.	>	>	>
(d) The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the below tables.			>

Floor types						
Floor type	Area (m2)	Insulation	Low emissions option			
concrete slab on ground, frame:	1017.1	-	none			
suspended floor above enclosed subfloor, frame: suspended concrete slab	395.5	fibreglass batts or roll	none			
suspended floor above enclosed subfloor, frame: suspended concrete slab	37.1	-	none			
suspended floor above enclosed subfloor, frame: suspended concrete slab	29	fibreglass batts or roll	none			

External wall types					
External wall type	Construction type	Area (m2)	Low emissions option	Insulation	
External wall type 1	concrete panel/ plasterboard,frame:timber - untreated softwood	1083.5	none	fibreglass batts or roll	

	Internal wall types							
Internal wall type	Construction type	Area (m2)	Insulation					
Internal wall type 1	plasterboard, frame:timber - untreated softwood	1175.4	-					
Internal wall type 2	plasterboard, frame:timber - untreated softwood	478.8	-					
Internal wall type 3	plasterboard, frame:timber - untreated softwood	121.5	-					

Reinforcement concrete frames/columns					
Building has reinforced concrete frame/columns?	Volume (m³)	Low emissions option			
no	-	-			

Ceiling and roof types						
Ceiling and roof type	Ceiling Insulation					
concrete - plasterboard internal, frame: timber - untreated softwood	762.1	-	fibreglass batts or roll			
framed - metal roof, frame: light steel frame	265.4	foil/sarking	-			

	Glazing types		Frame types						
Single glazing (m <sup>2</sup> )	Double glazing (m²)	Triple glazing (m <sup>2</sup> )	Aluminium frames (m²)	Timber frames (m <sup>2</sup> )	uPVC frames (m²)	Steel frames (m <sup>2</sup> )	Composite frames (m²)		
555.2	-	-	555.2	-	-	-	-		

#### (b) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	~	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		~	~
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		<	>
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		<b>~</b>	<ul> <li>Image: A set of the set of the</li></ul>
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		<b>~</b>	<b>~</b>
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	~	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		<b>~</b>	
(g) The pool or spa must be located as specified in the table.	~	~	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~

	Fixtures			Appliances		Individual pool			Individual spa					
Dwelling no.	All shower- heads	All toilet flushing systems	kitchen taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
All dwellings	3 star (> 7.5 but <= 9 L/min)	4 star	4 star	4 star	-	3 star	4 star	-	-	-	-	-	-	-

			Alternativ	ve water sou	rce					
Dwelling no.	Alternative water supply systems	Size	Configuration		Landscape connection	Toilet connec (s)		Laundry connection	Pool top- up	Spa top-up
All dwellings	No alternative water supply	-	-		-	-	-		-	-
All dwellings	No alternative water supply	-	-		-	-	-	-		
(ii) Energy							Show o DA pla		w on CC/CDC s & specs	Certifier check
(a) The applica	ant must comply with the co	mmitments list	ed below in carrying out the development of	of a dwelling l	isted in a table	below.				
(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.									<b>~</b>	~
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.									~	~
headings c cooling or l such areas	of the "Cooling" and "Heatin heating system is specified	g" columns in th in the table for	tem/s specified for the dwelling under the le table below, in/for at least 1 living/bedro 'Living areas" or "Bedroom areas", then no air conditioning system, then the system	oom area of th o systems ma	ne dwelling. If n ay be installed i	o n any			~	~
the table by lighting" for specified for	elow (but only to the extent r each such room in the dw	specified for th elling is fluoreso , then the light f	dwelling which is referred to in a heading at room or area). The applicant must ensu ent lighting or light emitting diode (LED) li ttings in that room or area must only be ca	ire that the "p ighting. If the	rimary type of a term "dedicated	rtificial d" is			~	~
<ul> <li>(f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.</li> </ul>							~		~	~
	nitment applies if the applica	int installs a wa	er heating system for the dwelling's pool	or spa. The a	applicant must:					
		r the need in the	"Individual Pool" column of the table below	w (or alternat	ively must not i	nstall				
(g) This comm (aa) ins			plicant must install a timer, to control the p		and				¥	

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		~	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		<ul> <li>Image: A second s</li></ul>	<b>~</b>
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		<ul> <li>Image: A second s</li></ul>	
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		~	

	Hot water	Bathroom ven	tilation system	Kitchen venti	lation system	Laundry ventilation system		
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control	
All dwellings	Central hot water system (No. 1)	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof		individual fan, ducted to façade or roof	manual switch on/off	

	Coc	bling	Hea	ting	Natural lighting		
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bathrooms or toilets	Main kitchen	
All dwellings	1-phase airconditioning - ducted / 6 star (average zone)	0	no				

	Individual pool			Individual spa		Appliances other efficiency measures				
Dwelling no.	Pool heating system	Pool Pump	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Dishwasher	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	-	-	-	-	-	electric cooktop & electric oven	3.5 star	6.5 star	yes	no

(iii) Thermal Performance	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	>		
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		~	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	~
(g) Where there is an in-slab heating or cooling system, the applicant must:	~	~	~
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	~	<b>~</b>	~
(i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.	~		
(j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.		<b>v</b>	

	Thermal loads						
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)				
U101	15	12	27.000				
U102A	25	14.4	39.400				
U103	25.1	12.7	37.800				
U104	24.3	12	36.300				

		Thermal loads							
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)						
U105	4.4	11.4	15.800						
U106	2.8	10.1	12.900						
U107	5.6	7.1	12.700						
U201	28.7	15.5	44.200						
U202	22.5	18.9	41.400						
U203	31.1	13.1	44.200						
U204	28	14.7	42.700						
U205	15	12.2	27.200						
U206	10.3	16	26.300						
All other dwellings	16.7	10.8	27.500						

# (c) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		<b>~</b>	>
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	>	>	>
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	>	<b>~</b>	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		<b>~</b>	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		<b>~</b>	<
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	>

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common	no common facility	no common facility	no common facility	no common laundry facility
areas				

Central systems	Size	Configuration	Connection (to allow for)
Fire sprinkler system (No. 1)	-	So that fire sprinkler test water is contained within the fire sprinkler system for re-use, rather than disposed.	-
Fire sprinkler system (No. 2)		So that fire sprinkler test water is contained within the fire sprinkler system for re-use, rather than disposed.	-
Fire sprinkler system (No. 3)	-	So that fire sprinkler test water is contained within the fire sprinkler system for re-use, rather than disposed.	-

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		<	•

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	>	<b>~</b>	~

	Common area v	entilation system	Common area lighting			
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/ BMS	
Basement undercover car park area	no mechanical ventilation	-	fluorescent	motion sensors	no	
Ground Floor undercover car park area	no mechanical ventilation	-	fluorescent	motion sensors	no	
Bulk Waste	ventilation (supply + exhaust)	-	light-emitting diode	manual on / manual off	no	
Temp Bin Holding	ventilation (supply + exhaust)	-	light-emitting diode	manual on / manual off	no	
Basement Service Room 1	no mechanical ventilation	-	fluorescent	manual on / manual off	no	
Basement Service Room 2	no mechanical ventilation	-	fluorescent	manual on / manual off	no	
Common WC Basement	ventilation supply only	time clock or BMS controlled	fluorescent	manual on / manual off	no	
Common WC Ground Floor	ventilation (supply + exhaust)	time clock or BMS controlled	fluorescent	manual on / manual off	no	
Ground Floor Hallway/lobby	tempered supply air only	time clock or BMS controlled	fluorescent	motion sensors	no	
First Floor Hallway	air conditioning system	time clock or BMS controlled	fluorescent	motion sensors	no	
Second Floor Hallway	air conditioning system	time clock or BMS controlled	fluorescent	motion sensors	no	
Lift bank (No. 1)	-	-	light-emitting diode	none	no	
Lift bank (No. 2)	-	-	light-emitting diode	none	no	

Central energy systems	Туре	Specification
	synchronous motor (PMSM) and regenerative drive	Number of levels (including basement): 1 number of levels from the bottom of the lift shaft to the top of the lift shaft: 2 number of lifts: 1 lift load capacity: <1001 kg

Central energy systems	Туре	Specification
Lift bank (No. 2)	permanent magnet synchronous motor (PMSM) and regenerative drive	Number of levels (including basement): 14 number of levels from the bottom of the lift shaft to the top of the lift shaft: 3 number of lifts: 1 lift load capacity: >= 1001 kg but <= 1500kg
Central hot water system (No. 1)	electric instantaneous	Piping insulation (ringmain & supply risers): (a) Piping external to building: R1.0 (~38 mm); (b) Piping internal to building: R1.0 (~38 mm)

# 2. Commitments for multi-dwelling housing

#### (a) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			1
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	~	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		>	>
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		×	~
(e) The applicant must install:			1
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		✓	<ul> <li>✓</li> </ul>
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		<ul> <li></li> </ul>	-
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	~	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		<ul> <li>Image: A second s</li></ul>	
(g) The pool or spa must be located as specified in the table.	~	<b>~</b>	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~
(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.	~	~	~
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in			

the table below. Each such ventilation system must have the operation control specified for it in the table.

ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.		~	~
(e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting.		~	~
(f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.	>	~	>
(g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must:			
(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and		✓	
(bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump.		✓	
(h) The applicant must install in the dwelling:	1		1
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		<b>~</b>	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		<b>~</b>	~
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		<b>~</b>	
<ul> <li>(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".</li> </ul>		~	
iii) Thermal Performance	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			Î

(iii) Thermal Performance	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	~		
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		~	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	~
(g) Where there is an in-slab heating or cooling system, the applicant must:	~	~	~
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	>	<b>~</b>	~
(i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.	~		
(j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.		<b>v</b>	

# 3. Commitments for single dwelling houses

#### (a) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.	1		
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	~	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		~	~
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		~	~
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		<b>~</b>	<b>~</b>
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		<b>~</b>	~
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	~	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		<	
(g) The pool or spa must be located as specified in the table.	~	~	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~
(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.	~	~	~
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in			

the table below. Each such ventilation system must have the operation control specified for it in the table.

ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.		~	~
(e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting.		~	~
(f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.	>	~	~
g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must:			
(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and		✓	
(bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump.		<b>~</b>	
(h) The applicant must install in the dwelling:	1		
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		<b>~</b>	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		<b>~</b>	<b>~</b>
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		✓	
<ul> <li>i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".</li> </ul>		~	
iii) Thermal Performance	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.	Î		

(iii) Thermal Performance	Show on DA plans	Show on CC/CDC plans & specs	Certifier check	
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.				
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	~			
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		~		
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	<	
(g) Where there is an in-slab heating or cooling system, the applicant must:	~	~	~	
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or				
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.				
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	<b>v</b>	<b>~</b>	~	
(i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.	>			
(j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.		~		

# 4. Commitments for common areas and central systems/facilities for the development (non-building specific)

#### (b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		<b>~</b>	>
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	>	~	•
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	>	<b>~</b>	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		<b>~</b>	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		<b>~</b>	>

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	no common facility	no common facility	no common laundry facility

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		<b>•</b>	>
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	>
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	<b>~</b>	<b>~</b>	~

Central energy systems	Туре	Specification
Alternative energy supply	Photovoltaic system	Rated electrical output (min): 20 peak kW
	Building management system installed?: yes	-

#### Notes

- 1. In these commitments, "applicant" means the person carrying out the development.
- 2. The applicant must identify each dwelling, building and common area listed in this certificate, on the plans accompanying any development application, and on the plans and specifications accompanying the application for a construction certificate / complying development certificate, for the proposed development, using the same identifying letter or reference as is given to that dwelling, building or common area in this certificate.
- 3. This note applies if the proposed development involves the erection of a building for both residential and non-residential purposes (or the change of use of a building for both residential and non-residential purposes). Commitments in this certificate which are specified to apply to a "common area" of a building or the development, apply only to that part of the building or development to be used for residential purposes.
- 4. If this certificate lists a central system as a commitment for a dwelling or building, and that system will also service any other dwelling or building within the development, then that system need only be installed once (even if it is separately listed as a commitment for that other dwelling or building).
- 5. If a star or other rating is specified in a commitment, this is a minimum rating.
- 6. All alternative water systems to be installed under these commitments (if any), must be installed in accordance with the requirements of all applicable regulatory authorities. NOTE: NSW Health does not recommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for human consumption in areas with potable water supply.

#### Legend

- 1. Commitments identified with a "V" in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).
- 2. Commitments identified with a " " in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.
- 3. Commitments identified with a "" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled. (Note: a certifying authority must not issue an occupation certificate (either interim or final) for a building listed in this certificate, or for any part of such a building, unless it is satisfied that each of the commitments whose fulfillment it is required to monitor in relation to the building or part, has been fulfilled).