


NOTES:	
PLEASE NOTE: DETAILS SHOWN ON THESE PLANS ARE INTE	INDED 1
TO BE ACCURATE - HOWEVER INFORMATION WRITTEN INT	-
INDIVIDUAL CONTRACTS WILL TAKE PRECEDENCE OVER PL	ANS R
* ALL DIMENSIONS ARE IN MILLIMETRES * DO NOT SCALE - USE WRITTEN DIMENSIONS	
* ALL DIMENSIONS ARE TO STRUCTURAL FRAMES ONLY	E E
EXCLUDING FINISHED SURFACES	B

RAWSON HON	ЛES
------------	-----

1 HOMEBUSH BAY DRIVE, BLDG. F LEVEL 2, SUITE 1 RHODES NSW 2138 TELEPHONE 02 8765 5500 FAX 02 8765 8099 Builder's licence No. 33493C

HOUSE TYPE HUNTLEY 27 MODEL: MAJESTIC FACADE: DOUBLE GARAGE TYPE: SPECIFICATION: LUX DRAWING TITLE: COVER SHEET

NO	TES	:			
		- NSIONS ARE IN N	/IILLIMETERS		
	NOT S	CALE THE DRAW S	'ING - USE W	RITTE	N
ENSU	RE TH	RESPONSIBILITY AT THE LAYOUT S ARE CORRECT			0
RESP(INSTF		Homes Pty. Lim Ility for any V DNS. All Chang S Must be docu	ERBAL DISCU ES AND SPEC	JSSIO IAL	NS OR
and M Perm	MAY NO	WING IS SUBJEC DT BE COPIED W N OF RAWSON H	ITHOUT THE	WRIT	TEN
SCI	HED	ULE OF D	RAWIN	GS:	
SHEETCONTENTS01COVER SHEET02SITE PLAN03GROUND FLOOR04FIRST FLOOR05ELEVATIONS 1-206ELEVATIONS 3-407SECTIONS08WET AREA DETAILS09SLAB SETOUT PLAN (NOT IN SET)10SITE ANALYSIS & SEDIMENT PLAN11SHADOW DIAGRAMSKDKITCHEN DETAILS					
		AMENDM			DATE
ISS A B	APPLIC	DESCRIPTI CATION PLANS (VAR SSION PLANS (VAR	ON R:1-10)	BY PG PG	DATE 11.09.11 09.11.11
А	APPLIC SUBMI	DESCRIPTI CATION PLANS (VAR SSION PLANS (VAR	ON R:1-10)	PG	11.09.1
А	APPLIC SUBMI	DESCRIPTI CATION PLANS (VAR SSION PLANS (VAR	ON R:1-10)	PG	11.09.1
А	APPLIC SUBMI	DESCRIPTI CATION PLANS (VAR SSION PLANS (VAR	ON R:1-10)	PG	11.09.1
AB	APPLIC SUBMI (C1,C2	DESCRIPTI CATION PLANS (VAR SSION PLANS (VAR	ON R:1-10) ::11-28) +	PG	11.09.1
A B U SUB	APPLIC SUBMI (C1,C2 MISS TURE: N BY:	DESCRIPTI CATION PLANS (VAR SSION PLANS (VAR)	ON R:1-10) ::11-28) +	PG PG	11.09.1 09.11.1
A B SUB SIGNA DRAW D	APPLIC SUBMI (C1,C2 MISS TURE: N BY:	DESCRIPTI CATION PLANS (VAR SSION PLANS (VAR) ION PLANS - DATE DRAWN: 12.11.18	ON R:1-10) ::11-28) + DA CHECKED BY:	PG PG	11.09.11 09.11.11
A B SUB SIGNA DRAW D COUNC	APPLIC SUBMI (C1,C2 MISS MISS TURE: N BY: D	DESCRIPTION EXATION PLANS (VAR SSION PLANS (VAR) ION PLANS - DATE DRAWN: 12.11.18 A:	ON R:1-10) ::11-28) + DA CHECKED BY: QC	PG PG	11.09.1
A B SUB SIGNA DRAW D COUNC PITT JOB NG	APPLIC SUBMI (C1,C2 MISS TURE: N BY: D CIL ARE/	DESCRIPTION EXATION PLANS (VAR SSION PLANS (VAR) ION PLANS - DATE DRAWN: 12.11.18 A: ER	ON R:1-10) ::11-28) + DA CHECKED BY: QC	PG PG	09.11.13 09.11.13




THIS DRAWING IS SUBJECT TO COPYRIGHT LAWS AND MAY NOT BE COPIED WITHOUT THE WRITTEN PERMISSION OF RAWSON HOMES PTY LTD-ACN 053 733 841 \bigcirc

SITE NOTES:

BEFORE STARTING WORK ON SITE CHECK FOLLOWING:

- 1. SERVICE LOCATIONS
- 2. SEWER CONNECTION POSITION
- 3. DRIVEWAY ALIGNMENT & LEVELS

DP • INDICATES DOWNPIPE LOCATION




DRAWN BY: DATE DRAWN: CHECKED BY: APPROVED FOR CONSTRUCTION DD QC 12.11.18 COUNCIL AREA: SCALE: PITTWATER 1:200 DRWG No: ISSUE: JOB No: A008854 02 В

24m² (6m x 4m) PRINCIPAL PRIVATE OPEN SPACE.

LOT 12

LOT 4 393.1m² **DP UNREG**.







N	OT	FS

NOTES: PLEASE NOTE: DETAILS SHOWN ON THESE PLANS ARE INTENDED TO BE ACCURATE - HOWEVER INFORMATION WRITTEN INTO INDIVIDUAL CONTRACTS WILL TAKE PRECEDENCE OVER PLANS * ALL DIMENSIONS ARE IN MILLIMETRES * DO NOT SCALE - USE WRITTEN DIMENSIONS * ALL DIMENSIONS ARE TO STRUCTURAL FRAMES ONLY EXCLUDING FINISHED SURFACES	RAWSON HOMES	^{CLIENT:} MR. T. HOLL & MS. K. J. NIELD	HOUSE TYPE MODEL: HUNTLEY 27 FACADE: MAJESTIC
	LEVEL 2, SUITE 1 RHODES NSW 2138 TELEPHONE 02 8765 5500 FAX 02 8765 8099 Builder's licence No. 33493C	SITE ADDRESS: LOT 4 (DP UNREG.)	TYPE: DOUBLE GARAGE SPECIFICATION: LUX
		WARRIEWOOD ROAD WARRIEWOOD NSW 2102	DRAWING TITLE: ELEVATIONS 1-2

	THIS DRAWING IS SUBJECT TO COPYRIGHT LAWS AND MAY NOT BE COPIED WITHOUT THE WRITTEN PERMISSION OF RAWSON HOMES PTY LTD-ACN 053 733 841
<u>RID</u> G <u>E</u> HEIGHT	NOTE: NYLON MESH FLYSCREENS TO ALL OPENING WINDOWS & STACKER DOORS (EXCLUDING HINGED DOORS)

DRAWN BY: DD	DATE DRAWN: 12.11.18	CHECKED BY: QC	APPROVED FOR CONSTRUCTION:
COUNCIL ARE		SCALE: 1 :	: 100
JOB No:	54	DRWG No:	ISSUE: B





1	VIC)T	F٩

NOTES: PLEASE NOTE: DETAILS SHOWN ON THESE PLANS ARE INTENDED TO BE ACCURATE - HOWEVER INFORMATION WRITTEN INTO INDIVIDUAL CONTRACTS WILL TAKE PRECEDENCE OVER PLANS * ALL DIMENSIONS ARE IN MILLIMETRES * DO NOT SCALE - USE WRITTEN DIMENSIONS	RAWSON HOMES 1 HOMEBUSH BAY DRIVE, BLDG. F	^{CLIENT:} MR. T. HOLL & MS. K. J. NIELD	HOUSE TYPE MODEL: HUNTLEY 27 FACADE: MAJESTIC
	LEVEL 2, SUITE 1 RHODES NSW 2138 TELEPHONE 02 8765 5500	site address: LOT 4 (DP UNREG.)	TYPE: DOUBLE GARAGE SPECIFICATION: LUX
* ALL DIMENSIONS ARE TO STRUCTURAL FRAMES ONLY EXCLUDING FINISHED SURFACES	FAX 02 8765 8099 Builder's licence No. 33493C	WARRIEWOOD ROAD WARRIEWOOD NSW 2102	DRAWING TITLE: ELEVATIONS 3-4

	MAY NOT BE	NG IS SUBJECT TO COPIED WITHOUT HOMES PTY LTD-A	THE WRITTEN	PERMISSION
Q <u>E</u> HEIGHT		N MESH FLYSCREE		
R <u>CE</u> ILING				
R IL <u>IN</u> G				
D <u>OR</u>				
\				
2310 J				
	DRAWN BY: DD	DATE DRAWN: 12.11.18	CHECKED BY: QC	APPROVED FOR CONSTRUCTION:
	COUNCIL ARE		SCALE: 1	: 100
				ISSUE

JOB No:


A008854

ISSUE:

В


DRWG No:


06



NOTES: PLEASE NOTE: DETAILS SHOWN ON THESE PLANS ARE INTENDED TO BE ACCURATE - HOWEVER INFORMATION WRITTEN INTO INDIVIDUAL CONTRACTS WILL TAKE PRECEDENCE OVER PLANS * ALL DIMENSIONS ARE IN MILLIMETRES * DO NOT SCALE - USE WRITTEN DIMENSIONS * ALL DIMENSIONS ARE TO STRUCTURAL FRAMES ONLY EXCLUDING FINISHED SURFACES	1 HOMEBUSH BAY DRIVE, BLDG. F LEVEL 2, SUITE 1 RHODES NSW 2138	^{CLIENT:} MR. T. HOLL & MS. K. J. NIELD		HUNTLEY 27 MAJESTIC	
		PRECEDENCE OVER PLANS TRES RHODES NSW 2138		SITE ADDRESS: LOT 4 (DP UNREG.)	TYPE: SPECIFICATIO
	FAX 02 8765 8099 Builder's licence No. 33493C		WARRIEWOOD ROAD WARRIEWOOD NSW 2102	DRAWING TIT	REA DETAILS

	THIS DRAWING IS SUBJECT TO COPYRIGHT LAWS AND MAY NOT BE COPIED WITHOUT THE WRITTEN PERMISSION OF RAWSON HOMES PTY LTD-ACN 053 733 841
	LAUNDRY / WC • PROVIDE SKIRTING TILE TO PERIMETER WALLS OF LAUNDRY • TILED SPLASHBACK OVER LAUNDRY TUB & BENCH @ 650mm HIGH BATHROOM
M TAPS UB	 PROVIDE 2100 HIGH TILES TO SHOWER RECESS 500 OVER BATH & SKIRTING TILE TO PERIMETER WALL 1900H SHOWER HEAD FROM FFL TO UNDERSIDE OF SHOWER HEAD FLOATING VANITIES 340H TILED SPLASHBACKS ABOVE VANITIES WITH FLOATING MIRROR OVER ON 32mm BOARD, 130mm FROM SIDE OF VANITY, MAX. HEIGHT 880mm PROVIDE KICKER TO BATH HOB 140H x 70W WALL MOUNTED TAPS & SPOUT TO VANITIES & BATH SMART FLOOR WASTE TO ALL WET AREAS






CLIENT: HOUSE TYPE NOTES: **RAWSON HOMES** HUNTLEY 27 MODEL: MR. T. HOLL & MS. K. J. NIELD PLEASE NOTE: DETAILS SHOWN ON THESE PLANS ARE INTENDED 1 HOMEBUSH BAY DRIVE, BLDG. F MAJESTIC TO BE ACCURATE - HOWEVER INFORMATION WRITTEN INTO FACADE: SITE ADDRESS: LEVEL 2, SUITE 1 INDIVIDUAL CONTRACTS WILL TAKE PRECEDENCE OVER PLANS DOUBLE GARAGE TYPE: * ALL DIMENSIONS ARE IN MILLIMETRES **RHODES NSW 2138** LOT 4 (DP UNREG.) SPECIFICATION: LUX * DO NOT SCALE - USE WRITTEN DIMENSIONS TELEPHONE 02 8765 5500 WARRIEWOOD ROAD * ALL DIMENSIONS ARE TO STRUCTURAL FRAMES ONLY DRAWING TITLE: FAX 02 8765 8099 EXCLUDING FINISHED SURFACES WARRIEWOOD NSW 2102 SITE ANALYSIS & SEDIMEN Builder's licence No. 33493C

THIS DRAWING IS SUBJECT TO COPYRIGHT LAWS AND MAY NOT BE COPIED WITHOUT THE WRITTEN PERMISSION OF RAWSON HOMES PTY LTD-ACN 053 733 841 \bigcirc

SEDIMENT CONTROL

INSTALL SEDIMENT CONTROL STRUCTURES IN LOCATIONS INDICATED ON THIS DRAWING AND AS OTHERWISE REQUIRED TO CONTROL SEDIMENT DURING ALL EXCAVATIONS AND WHILST AREAS OF THE SITE ARE EXPOSED TO EROSION. REVIEW CONTROL MEASURES AND MAINTAIN STRUCTURES DURING

IF ADDITIONAL MEASURES ARE REQUIRED FOR EROSION AND CONTROL OR BY COUNCIL REQUIREMENTS, REFER TO "URBAN EROSION AND SEDIMENT CONTROL" GUIDELINES PREPARED BY THE DEPARTMENT OF CONSERVATION AND LAND MANAGEMENT.




- * DO NOT SCALE USE WRITTEN DIMENSIONS
- * ALL DIMENSIONS ARE TO STRUCTURAL FRAMES ONLY
- EXCLUDING FINISHED SURFACES


RHODES NSW 2138 TELEPHONE 02 8765 5500 FAX 02 8765 8099 Builder's licence No. 33493C

CLIENT: MR. T. HOLL & MS. K. J. NIELD SITE ADDRESS: LOT 4 (DP UNREG.)	HOUSE TYPE MODEL: HUNTLEY 27 FACADE: MAJESTIC TYPE: DOUBLE GARAGE SPECIFICATION: LUX
WARRIEWOOD ROAD WARRIEWOOD NSW 2102	DRAWING TITLE: SHADOW DIAGRAMS

THIS DRAWING IS SUBJECT TO COPYRIGHT LAWS AND MAY NOT BE COPIED WITHOUT THE WRITTEN PERMISSION C OF RAWSON HOMES PTY LTD-ACN 053 733 841

DRAWN BY:	DATE DRAWN:	CHECKED BY:	APPROVED FOR	
DD	12.11.18	QC	CONSTRUCTION:	
COUNCIL AREA:		SCALE:		
PITTWAT	ER	1 : 200		
JOB No:		DRWG No:	ISSUE:	
A0088	54	11	В	






1x Ceratopetalum gummiferum Albrey's Red x250 pot 20x Dianella caerulea as under planting 140 pot 5xGrevillea flamingo 200 pot D D Approx location of H4 pine retaining wall

andrew davies. LANDSCAPE DESIGN

Plant schedule

Angophora floribunda	Rough Barked Apple	250	10x10plus	2
Acmena smithii Allyn Magic	Lilly pilly hedge	200	.6x1.2	12
Ceratopetalum gummiferum	NSW xmas bush	250	6.x8.0plus	1
Dianella caerulea	Dianella	140	.6x.8	20
Dichondra repens	Kidney Weed	tube	.4x.1	100
Grevillea flamingo	pink flowering Grevillea	200	3.0x4.0	5
Lomdandra tanika	fine leaf Lomandra	140	.8x1.0	10
Loropetalum chinensis	Loropetalum	200	1.2x1.5	10
Myoporum parvifolium	Creeping Myoporum	140	.8x.1	20
Syzygium australe Resillence	Lilly pilly hedge	200	.8x2.5	10
Syzygium Pink Cascade	Pink flowering Lillypilly	200	1.5x2.0	18



Planting detail

×				
Landscape plan Mr Holl and Mrs Neild	Issue: A Issue: B	Landscape DA Plan Drewing: AD/TT Checked by: AD Andrew Davles Job:R3 31,1,19	banksig	a n
lot 4 Warriewood rd Warriewood		anu abi	27 Turtmila Street, Mone Vele NSW 2103 andrevstyjsa@bankaideigngroup.com.su ab.: 17 068 316 620 www.bankaideideigngroup.com.su 0414 2800 57	L A

site and confirmed by landscape site supervisor viability Do not scale from drawings. Dimensions take Plant schedule and quantities to be used as guide only and to be confirmed by contractor before

SOIL:

Final plant positions to be determined on site (by andscape Supervisor).

LANDSCAPE GENERAL SPECIFICATION AND NOTES

before commencement of works

final purchase of plants

of Australia

preference

All landscape works and material supply, to be in

accordance with AS 4000, LCA guidelines and

All landscape works to comply with relevant Australian Standards and relevant Building Codes

All dimensions and locations to be checked on

Occupational Health & Safety standards.

DESIGN LIABILITY NOTE: No liability is accepted by these plans. Contractors are required to check ALL construction facts, figures and relevant information pertaining to the soft and hard scape works to be performed. Should anomalies occur, the designer or a representative of Liberty Landscapes Pty Ltd must be contacted and given due notice and sufficient documentation and, if required, due compensation to allow for adjustment/s to plans, documentation etc

REMOVAL OF NOXIOUS WEEDS: As a duty of care exists for all contractors: if a noxious weed exists onsite it should be removed after discussion with the owner or site supervisor,

ENVIRONMENTAL MANAGEMENT AND SEDIMENT CONTROL: All Landscape works to adhere with Environmental Legislation outlined in the Protection of the environment operations act 1997, by the EPA NSW.

It is highly recommended to use Dial Before You Dig services - contact for information at www.dialbeforeyoudig.com.au or call 1100.

TREES: All trees to be staked: use 2 x hardwood 50x50mm stakes and hessian webbing. See detail

TURF: 1. Install turf rolls diagonal to the fall of the land. Roll turf following installation, and water as required. Use soft leaf Buffalo sp

2. 50 - 70mm topsoil underlay to be used in ground preparation .Note check ph after construction and before laying turf, adjust as required for optimum plant growth

1. Contractor is to check soil pH levels, two weeks prior to planting, and allow for reasonable adjustments, using lime or similar to ensure plant

2. Break up existing ground surface using mattock, rotary hoe or tractor tine as required

3. Topsoil sandy loam 50mm depth to turf areas.

4. Where necessary mound soil to assist in soil drainage to avoid root rot and poor plant growth

5. Incorporate 1/4 tonne organic soil mix into holes where trees are planted, using recycled leaf litter as mulch

6. Soil Quality to be Australian Native Landscape Standard

7. Supply and Install 'Garden Mix' to all garden beds incorporated into the top 300mm of existing site profile. Note use rotary hoe as required do not just place on top of ground

MULCH: Mulch to be installed to all planter beds to a depth of 75mm. Mulch type to be Recycled Leaf Litter ideally from local tree company based on more native plants than general exotics.

EDGING: See plan for locations. Top edge higher than lawn to allow garden beds to be aerated & mounded

DRAINAGE: fall paving to lawn area

Install Everhard drainage pit to front of house.Liaise with Rawson Homes re connection to stormwater pipes

LIGHTING: to future plans TBA

MAINTENANCE: New plants to receive regular deep irrigation for a minimum 12 weeks establishment period. Seasonal pruning, fertilising and pest and disease checks to be carried out. Advice by qualified horticulturalist recommended


IRRIGATION: Drip irrigation TBA

ndrew davies. ANDSCAPE DESIGN



External Colour Selections

Lot 4, Warriewood Road, Warriewood NSW 2102 Kelly Nield & Tamas Holl





Driveway: Avista - Gunmental



Garage Door:

Knotwood - Black Walnut