

CheckThisProperty.com.au



53A & 53B Warriewood Road, Warriewood Phase 2 – Integrated DA Transport Impact Statement

Prepared by CTP Consult Pty Ltd
for Sekisui House Services (NSW) Pty Limited



53A & 53B Warriewood Road, Warriewood

Phase 2 – Integrated DA

Transport Impact Statement

Client	Job Number
Sekisui House Services (NSW) Pty Limited	22-003

Document Quality Information

Issue	Date	Details	Approved By	Signature
A	8/5/2025	Submission	Matthew Houlden	

© CTP Consult Pty Ltd 2025

This report has been prepared for the Client in accordance with the terms and conditions of appointment. CTP Consult Pty Ltd (ABN 68 649 792 709) cannot accept any responsibility for any use of or reliance on the contents of this report by any third party.

Table of Contents

<u>1.</u>	<u>Introduction</u>	<u>1</u>
1.1	Background	1
1.2	Scope and Objectives of this Report	2
1.3	References	2
<u>2.</u>	<u>Existing Conditions</u>	<u>3</u>
2.1	Site Location	3
2.2	Local Area Travel Statistics	4
2.3	Pedestrian Facilities	5
2.4	Cycle Facilities	6
2.5	Public Transport	6
2.6	Road Network	7
<u>3.</u>	<u>Proposed Development</u>	<u>9</u>
3.1	Overview	9
3.2	Vehicle Access	9
<u>4.</u>	<u>Operational Impacts</u>	<u>10</u>
4.1	Trip Generation	10
4.2	Transport Impact Assessment	10
<u>5.</u>	<u>Assessment of Vehicular Access Driveway Locations</u>	<u>11</u>
5.1	Design Guidelines	11
5.2	Driveway Locations	11
5.3	Visitor Car Parking	12
5.4	Vehicle Swept Paths, Refuse Collection and Emergency Vehicles Access	12
5.5	Sight Distance at the intersection of Road 1 / Lorikeet Grove	12
<u>6.</u>	<u>Conclusions</u>	<u>14</u>

Appendices

Assessed Plans

Swept Path Assessment



Table of Contents

Tables

Table 2.1: Public Transport Provision	7
Table 2.2 Summary of Adjoining Roads	8
Table 2.3 Existing Major Intersections in the Vicinity of the Subject Site	8

Figures

Figure 2.1: Subject Site and Its Surrounds	3
Figure 2.2: PLEP 2014 Urban Release Area Map	4
Figure 2.3: 2021 Warriewood Census Travel Statistics	5
Figure 2.4: 2016 Warriewood Census Travel Statistics	5
Figure 2.5: Existing Cycle Network	6
Figure 2.6: Public Transport in the Vicinity of the Subject Site	7
Figure 3.1: Proposed Dwelling Structure	9
Figure 5.1: Proposed Driveway Locations	11
Figure 5.2: Potential Sight Distance Available at Lorikeet Grove and Pheasant Place	13



1. Introduction

1.1 Background

A number of Development Applications (**DAs**) have previously been lodged with Northern Beaches Council for 53A and 53B Warriewood Road in Warriewood as follows:

- > DA2024/1079 was lodged 26 August 2024 and sought consent for the five (5) lot Community Title Subdivision of the site, including the future public reserve, the extension of Lorikeet Grove, an internal road, stormwater works, associated landscaping and tree removal to facilitate the future residential development of the site. Three (3) super lots were proposed which will be further subdivided at a later date. The DA ultimately proposed the construction of 31 residential dwellings, consisting of 28 lots with 3 x lots with secondary dwellings in proposed lots 21, 22 & 23.
- > DA2024/1847 was lodged 15 January 2025 Subdivision of a proposed lot into nine (9) lots and construction of two (2) semi-detached dwellings and seven (7) dwellings across two attached housing buildings.
- > The proposed development seeks consent for the subdivision of a proposed lot into eight (8) lots and construction of four (4) semi-detached dwellings and four (4) detached dwellings.

This development will be assessed under Part 4 of the *Environmental Planning and Assessment Act 1979* act and primarily the following documents:

- > Pittwater Local Environmental Plan 2014 (**PLEP 2014**)
- > Pittwater 21 Development Control Plan (**PDCP 21**)
- > Pittwater 21 Development Control Plan – Appendices.

This development does not propose access from a classified road and is not of a size that requires referral to TfNSW (Roads and Maritime) under Schedule 3 of the *State Environmental Planning Policy (Transport and Infrastructure) 2021*.

With 8 residential dwellings and estimating an average of 2.9 people per dwelling¹, this equates to a total of approximately 23 future residents.

CTP Consult was commissioned by Sekisui House Services (NSW) Pty Limited in April 2025 to prepare a transport impact statement of the proposed development.

¹ <https://abs.gov.au/census/find-census-data/quickstats/2021/SAL14191> - accessed 5/12/24



1.2 Scope and Objectives of this Report

This report sets out an assessment of the anticipated transport implications of the proposed development, including consideration of the following:

- 1) the active transport requirements (pedestrians and cyclists)
- 2) the public transport in the vicinity of the subject site
- 3) the existing conditions surrounding the subject site
- 4) the suitability of the vehicle access for the subject site
- 5) the transport generating characteristics of the proposed development
- 6) the transport impact of the proposal on the surrounding road network.

1.3 References

The following were referenced as part of the preparation of this report:

- > Pittwater Local Environmental Plan 2014 (**PLEP 2014**)
- > Pittwater 21 Development Control Plan (**PDCP 21**)
- > Pittwater 21 Development Control Plan – Appendices.
- > Northern Beaches Council Waste Management Guidelines Chapter 3
- > TfNSW Guide to Transport Impact Assessment, 2024
- > Guide to Road Design Part 4A: Unsignalised and Signalised Intersections, 2023
- > plans for the proposed development prepared by ShaWood dated 16/4/2025 (a selection of which, are provided in **Appendix A** of this report)
- > Pre-lodgement Meeting Notes, PLM2022/0235, 9 February 2023 (**PLM Notes**)
- > 53A & 53B Warriewood Road, Warriewood Residential Subdivision – Integrated DA, Transport Impact Assessment, CTP Consult dated 18/12/2024 (**Integrated DA Report**)
- > Australian Standard, Parking Facilities, Part 1: Off-Street Car Parking AS/NZS 2890.1:2004
- > Australian Standard, Parking Facilities, Part 2: Off-Street Commercial Vehicle Facilities AS 2890.2:2018
- > Australian Standard / New Zealand Standard, Parking Facilities, Part 6: Off-Street Parking for People with Disabilities AS/NZS 2890.6:2009
- > Warriewood Valley Roads Masterplan 2018 (**Masterplan 2018**)
- > Integrated Public Transport Service Planning Guidelines Sydney Metropolitan Area, December 2013
- > State Transit Bus Infrastructure Guide July 2011
- > Amended documentation submitted as part of DA2024/1079 and DA2024/1847, including the parent lot subdivision and civil documentation
- > 53A & 53B Warriewood Road, Warriewood Residential Subdivision – Integrated DA Transport Impact Assessment, CTP Consult, dated 18/12/24 (**Integrated TIA**)
- > Additional documents and data identified throughout the report.



2. Existing Conditions


2.1 Site Location

The subject site is located at 53A & 53B Warriewood Road in Warriewood, has a frontage of approximately 81m to Warriewood Road and a total site area of approximately 15,500m². The subject site is currently zoned as R3 in the PLEP 2014 and is occupied by a single dwelling on each lot (total of 2 dwellings).

The surrounding properties predominantly include residential uses. To the south and west of the subject site on the opposite side of Narrabeen Creek is an aged care facility.

The location of the subject site and its surrounds is shown in Figure 2.1.

Figure 2.1: Subject Site and Its Surrounds




Base map source: www.checkthisproperty.com.au – Accessed 28/4/25

The subject site is located in the Warriewood Valley Release Area which is shown in Figure 2.2.



Figure 2.2: PLEP 2014 Urban Release Area Map



Base Map Source: https://eplanningdplprod.blob.core.windows.net/pdfmaps/6370_COM_URA_012_010_20150921.pdf - Accessed 28/4/25

Figure 2.2 indicates that the subject site is identified as Buffer Area 1b and 1c and 1d.

2.2 Local Area Travel Statistics

CTP Consult has reviewed the local area travel statistics from the 2021 census to understand how the people living in the new development could potentially travel to and from the subject site. The travel statistics are shown in Figure 2.3.



Existing Conditions

Figure 2.3: 2021 Warriewood Census Travel Statistics

Method of travel to work on the day of the Census, top responses <i>Employed people aged 15 years and over</i>	Warriewood	%	New South Wales	%	Australia	%
Car, as driver	1,589	38.4	1,587,613	43.1	6,347,498	52.7
Car, as passenger	115	2.8	117,143	3.2	466,904	3.9
Walked only	84	2.0	92,368	2.5	306,045	2.5
Bus	57	1.4	34,408	0.9	175,085	1.5
Bicycle	23	0.6	14,466	0.4	79,089	0.7
Did not go to work	547	13.2	487,646	13.2	1,417,449	11.8
Worked at home	1,610	38.9	1,141,467	31.0	2,531,262	21.0
People who travelled to work by public transport (a)	84	2.0	147,492	4.0	554,711	4.6
People who travelled to work by car as driver or passenger (b)	1,737	42.0	1,737,359	47.2	6,961,762	57.8
Note: Respondents had the option to report up to three methods of travel to work on the day of the Census. (a) Includes people who used public transport (train, bus, ferry, tram/light rail), as at least one of their methods of travel to work on Census day. (b) Includes people who travelled by car (as a driver, or as a passenger), as at least one of their methods of travel to work on Census day. More information on Method of travel to work (MTWP) Table based on place of usual residence						

<https://www.abs.gov.au/census/find-census-data/quickstats/2021/SAL14191> - Accessed 5/12/24

The 2021 census was affected by COVID-19 restrictions and a comparison has been made to the 2016 census data shown in Figure 2.4.

Figure 2.4: 2016 Warriewood Census Travel Statistics

Travel to work, top responses <i>Employed people aged 15 years and over</i>	Warriewood	%	New South Wales	%	Australia	%
Car, as driver	2,434	65.0	1,953,399	57.8	6,574,571	61.5
Bus	261	7.0	133,903	4.0	323,201	3.0
Worked at home	257	6.9	163,026	4.8	503,582	4.7
Car, as passenger	146	3.9	144,820	4.3	489,922	4.6
Walked only	89	2.4	130,957	3.9	370,427	3.5
People who travelled to work by public transport	353	9.4	540,215	16.0	1,225,668	11.5
People who travelled to work by car as driver or passenger	2,655	70.6	2,182,854	64.6	7,305,271	68.4

<https://www.abs.gov.au/census/find-census-data/quickstats/2016/SSC14173> - Accessed 5/12/24

Figure 2.4 indicates that when compared to the New South Wales average, more people from Warriewood on average take the bus to work, more people work at home and more people drive to work.

2.3 Pedestrian Facilities

Pedestrian paths in the vicinity of the subject site are described as follows:


- > There are currently no footpaths adjacent to the subject site on the northern side Warriewood Road.
- > A shared path is currently being constructed on the southern side of Warriewood Road as properties adjacent to Warriewood Road are redeveloped.
- > A footpath on the northern side and a shared path on the southern side of Lorikeet Grove are currently being constructed as properties adjacent to Lorikeet Grove are redeveloped.
- > There are no formal crossing points on Warriewood Road or Lorikeet Grove in the vicinity of the subject site.



2.4 Cycle Facilities

The existing cycle facilities in the vicinity of the subject site are shown in Figure 2.5.

Figure 2.5: Existing Cycle Network



Basemap Source: <https://northernbeaches.maps.arcgis.com/apps/webappviewer/index.html?id=abedc5db2afb4951a5596b64acc2641e> – accessed 28/4/25

Figure 2.5 indicates that there are existing and proposed Tier 3 local connections along Warriewood Road and there is a Tier 2 District Route along Lorikeet Grove. There is also a Tier 2 local connection between Lorikeet Grove and Warriewood Road via Bubalo Street.

2.5 Public Transport

A review of the public transport available in the vicinity of the subject site is shown in Figure 2.6 and are summarised in Table 2.1.



Figure 2.6: Public Transport in the Vicinity of the Subject Site



Source: <https://transportnsw.info/document/5202/1H2024-R8-network-map.pdf> - Accessed 28/4/25

Table 2.1: Public Transport Provision

Mode	Route	Route Description	Location of Nearest Stop	Frequency On/Off peak
Bus	185	Mona Vale to Narrabeen via Warriewood Valley	Approximately 80m to 130m (1-2 minutes) to the east	10 minutes peak / 30 minutes off peak

2.6 Road Network

The road network in the vicinity of the subject site is described in the following sections.

2.6.1 Adjoining Roads

Details of the roads in close proximity to the subject site are provided in Table 2.1 as outlined in the *Masterplan 2018*.



Existing Conditions

Table 2.2 Summary of Adjoining Roads

Road Name	Classification	Orientation	Configuration	Approx. Carriageway Width	Target Daily Volume [1]	On-Street Restrictions
Warriewood Road (north of MacPherson Street)	Collector	East-West	1 lane in each direction	7.4m	5,000	Unrestricted car parking
Lorikeet Grove	Local Street	East-West	1 lane in each direction	5.5m to 7.5m	2,000	Unrestricted car parking
Pheasant Place	Access Street	North-South	1 lane in each direction	6m	<300	Unrestricted car parking on the eastern side of the street
Brands Lane	Access Street	North-South	1 lane in each direction	7.5m with a 5.5m wide threshold treatment near Warriewood Road	<300	Unrestricted car parking on the eastern side of the street
Bubalo Street	Access Street	North-South	1 lane in each direction	7.5m	<300	Unrestricted car parking

[1] As outlined in the *Masterplan 2018*

2.6.2 Surrounding Intersections

The existing intersections in the vicinity of the subject site are summarised in Table 2.3.

Table 2.3 Existing Major Intersections in the Vicinity of the Subject Site

Intersection	Intersection Control
Warriewood Road / Monooka Place	Priority Controlled T-Intersection
Warriewood Road / Hill Street	Roundabout
Warriewood Road / MacPherson Street	Roundabout




3. Proposed Development

3.1 Overview

The proposed development seeks consent for the subdivision of a proposed lot into eight (8) lots and construction of four (4) semi-detached dwellings and four (4) detached dwellings.

Based on the 2021 Census and an average of 2.9 people per dwelling², this equates to a total of approximately 23 future residents. The proposed development shown in Figure 3.1.

Figure 3.1: Proposed Dwelling Structure



Source: Plan DA-2 prepared by ShaWood, dated 16/4/2025

3.2 Vehicle Access

Vehicle access to the properties within the subject site is proposed via Lorikeet Grove, Road No. 1, Road No. 2 and Pheasant Place.

The suitability of the proposed access arrangements is discussed in Section 5 of this report.

² <https://abs.gov.au/census/find-census-data/quickstats/2021/SAL14191> - accessed 22/7/24

4. Operational Impacts

4.1 Trip Generation

Traffic generation estimates for the proposed development have been sourced from the TfNSW Guide to Transport Impact Assessment, 2024 (GTIA).

GTIA provides traffic generation estimates for low density residential developments across Sydney which are:

- > 0.68 movements per dwelling during the weekday AM peak hour
- > 0.77 movements per dwelling during the weekday PM peak hour
- > 8.12 daily movements per dwelling.

Application of the above rates to the proposed 8 dwellings results in the following estimated traffic generation:

- > 5.44 (adopt 5) movements during the weekday AM peak hour
- > 6.16 (adopt 6) movements during the weekday PM peak hour
- > 64.96 (adopt 65) daily movements.

4.2 Transport Impact Assessment

As set out in PLEP 2014 - Reg 6.1 the site has been estimated to cater for 30 to 42 future residential dwellings.

The overall transport assessment of the site was previously undertaken in the Integrated DA Report prepared by CTP Consult dated 18/12/2024 as part of DA2024/1847.

As the proposed dwelling subdivision is consistent with the previously amended plans, based on the proposed development falling within the range of 30-42 dwellings as envisaged by the PLEP 2014, no additional road upgrades are proposed beyond those already envisaged and against existing traffic volumes in the vicinity of the subject site, the additional traffic generated by the proposed development is not expected to compromise the safety or function of the surrounding road network.



5. Assessment of Vehicular Access Driveway Locations

5.1 Design Guidelines

The design guidelines for the placement of driveways has been based on the following:


- > *Masterplan 2018* which provides guidelines for the design of new roads within the Warriewood Valley and states that driveways are to conform to Council specifications in the Pittwater 21 Development Control Plan.
- > AS2890.1:2004 which provides guidance on driveway locations.

5.2 Driveway Locations

As per the *PLM Notes*, the PDCP 21 seeks to minimise the number of driveways along Warriewood Road. This DA does not propose any lots that front Warriewood Road and all lots are proposed to have access via the local road network.

The proposed driveway locations are shown in Figure 5.1 with more detail provided in **Appendix 2** of this report.

Figure 5.1: Proposed Driveway Locations



All driveway locations accord with AS2890.1:2004 and are a minimum of 6.0m from the tangent point at intersections.



5.3 Visitor Car Parking

The PDCP 21 section B6.3 Table 1 identifies a visitor car parking rate of 1 space per 3 dwellings for multi-unit dwellings. It is noted that many of the proposed dwellings are on a single lot and although not considered strictly applicable to all the proposed dwellings, it is considered a reasonable rate to aim for in this instance.

As identified in Section 5.2, based on the driveway locations proposed, there are expected to be approximately 10 on-street parking spaces with 7 on internal roads and 3 on Warriewood Road. This is satisfactory to cater for the 31 proposed residential dwellings in the previously submitted Integrated DA DA2024/1847. In addition there are extra car parking spaces that will be available nearby on Pheasant Place and Lorikeet Grove and as such, the quantum of on-street visitor parking is expected to be satisfactory to cater for the proposed dwellings.

To facilitate the proposed driveway locations, when compared to the Integrated TIA DA2024/1847, one on-street car parking space adjacent to Lot 13 is recommended to be relocated north to between the driveways for Lot 13 and Lot 20. There is no change to the overall on-street parking supply as a result of this change and as such, this is considered satisfactory.

5.4 Vehicle Swept Paths, Refuse Collection and Emergency Vehicles Access

CTP Consult has undertaken a swept path assessment of the proposed design which is provided in **Appendix B**. There is no change to the overall road layout when compared to DA2024/1079 and DA2024/1847.

The swept path assessment indicates that all driveways are accessible and based on the above, the proposed vehicle access arrangements are considered satisfactory in accordance with AS2890.1:2004.

5.5 Sight Distance at the intersection of Road 1 / Lorikeet Grove

As outlined in Section 2.3 of the Warriewood Valley Roads Masterplan, Lorikeet Grove is considered to be a local street and has a design speed of 40km/h. Table 3.2 of the Austroads Guide to Road Design Part 4A identifies that for a 40km/h road and a reaction time of 2 seconds, a Safe Intersection Sight Distance of 73m is required. Figure 5.2 provides an estimate of the available sight distance at the proposed intersection of Road No. 1 / Lorikeet Grove and Pheasant Place / Lorikeet Grove.



Figure 5.2: Potential Sight Distance Available at Lorikeet Grove and Pheasant Place




Figure 5.2 indicates that with a restriction on the fence / retaining wall height for the properties fronting Lorikeet Grove between Pheasant Place and Road No. 1, the location of the intersection provides the ability to see the required distance to the north-west for drivers exiting onto Lorikeet Grove.

The dimensions in Figure 5.2 between each property show the distance that a fence or vegetation must be below 1m to provide satisfactory sight distance.

As Lorikeet Grove isn't constructed to the south-east, and while there appears to be the ability to provide sufficient sight distance in both directions, this would have to be checked in more detail by others as part of the detailed design of Lorikeet Grove.

6. Conclusions

Based on the analysis and discussions presented within this report, the following conclusions are made:

- 1) The proposed development seeks consent for subdivision of a proposed lot into eight (8) lots and construction of four (4) semi-detached dwellings and four (4) detached dwellings.
- 2) As the development yield is consistent with previous DAs submitted (DA2024/1079 and DA2024/1847) and amended and the overall development falling within the range of 30-42 dwellings as envisaged by the PLEP 2014, no additional road upgrades are proposed beyond those already envisaged and against existing traffic volumes in the vicinity of the subject site, the additional traffic generated by the proposed development is not expected to compromise the safety or function of the surrounding road network.
- 3) The proposed driveway locations accord with AS2890.1:2004 and CTP Consult has undertaken a swept path assessment of each driveway location which indicates that access is satisfactory. The swept path assessment is shown in **Appendix B** of this report.
- 4) Based on the driveway locations proposed, there are expected to be approximately 10 on-street parking spaces (7 on internal roads and 3 on Warriewood Road). This is considered satisfactory to cater for the proposed 31 residential dwellings within the overall integrated DA. With additional spaces on Pheasant Place and Lorikeet Grove, the quantum of on-street visitor parking is expected to be satisfactory to cater for the proposed dwellings. When compared to the Integrated TIA submitted as part of DA2024/1847, one on-street car parking space adjacent to Lot 13 is recommended to be relocated north to be between the driveways for Lot 13 and Lot 20. There is no change to the overall on-street parking supply as a result of this change and as such, this is considered satisfactory.
- 5) With a restriction on the fence height for the properties fronting Lorikeet Grove between Pheasant Place and Road No. 1, the location of the intersection provides the ability to see the required distance to the north-west for drivers exiting onto Lorikeet Grove. The dimensions in Figure 6.3 between each property show the distance that a fence / retaining wall or vegetation must be below 1m to provide satisfactory sight distance. As Lorikeet Grove isn't constructed to the south-east, and while there appears to be the ability to provide sufficient sight distance in both directions when exiting from Pheasant Place onto Lorikeet Grove, this would have to be checked in more detail by others as part of the future detailed design of Lorikeet Grove.





Appendix A


Assessed Plans



LEGEND

- 

EXISTING TREES TO BE REMOVED.
REFER TO ARBORIST REPORT AND
CIVIL PLANS
- 

EXISTING 1% AEP FLOOD LINE (INDICATIVE)
REFER FLOOR STUDY AND REPORT BY CSS
- 

EXISTING 20% AEP FLOOD LINE (INDICATIVE)
REFER FLOOR STUDY AND REPORT BY CSS

CORRIDOR

CORRIDOR

CROSSOVER TO BE RELOCATED
AS SHOWN

CROSSOVER TO BE RELOCATED
AS SHOWN

CROSSOVER TO BE RELOCATED
AS SHOWN

CROSSOVER TO BE RELOCATED
AS SHOWN

CROSSOVER TO BE RELOCATED
AS SHOWN

CROSSOVER TO BE RELOCATED
AS SHOWN

CROSSOVER TO BE RELOCATED
AS SHOWN

CROSSOVER TO BE RELOCATED
AS SHOWN

CROSSOVER TO BE RELOCATED
AS SHOWN

CROSSOVER TO BE RELOCATED
AS SHOWN

A: PROPOSED EASEMENT TO DRAIN WATER, MAX 1.5M WIDE.
B: EASEMENT FOR ACCESS AND MAINTENANCE 0.9M WIDE

ROAD No.1

ROAD No.2

ROAD No.3

ROAD No.4

ROAD No.5

ROAD No.6

ROAD No.7

ROAD No.8

ROAD No.9

ROAD No.10

ROAD No.11

ROAD No.12

ROAD No.13

ROAD No.14

ROAD No.15

ROAD No.16

ROAD No.17

ROAD No.18

ROAD No.19

ROAD No.20

ROAD No.21

ROAD No.22

ROAD No.23

ROAD No.24

ROAD No.25

ROAD No.26

ROAD No.27

ROAD No.28

ROAD No.29

ROAD No.30

ROAD No.31

ROAD No.32

ROAD No.33

ROAD No.34

ROAD No.35

ROAD No.36

ROAD No.37

ROAD No.38

ROAD No.39

ROAD No.40

ROAD No.41

ROAD No.42

ROAD No.43

ROAD No.44

ROAD No.45

ROAD No.46

ROAD No.47

ROAD No.48

ROAD No.49

ROAD No.50

ROAD No.51

ROAD No.52

ROAD No.53

ROAD No.54

ROAD No.55

ROAD No.56

ROAD No.57

ROAD No.58

ROAD No.59

ROAD No.60

ROAD No.61

ROAD No.62

ROAD No.63

ROAD No.64

ROAD No.65

ROAD No.66

ROAD No.67

ROAD No.68

ROAD No.69

ROAD No.70

ROAD No.71

ROAD No.72

ROAD No.73

ROAD No.74

ROAD No.75

ROAD No.76

ROAD No.77

ROAD No.78

ROAD No.79

ROAD No.80

ROAD No.81

ROAD No.82

ROAD No.83

ROAD No.84

ROAD No.85

ROAD No.86

ROAD No.87

ROAD No.88

ROAD No.89

ROAD No.90

ROAD No.91

ROAD No.92

ROAD No.93

ROAD No.94

ROAD No.95

ROAD No.96

ROAD No.97

ROAD No.98

ROAD No.99

ROAD No.100

ROAD No.101

ROAD No.102

ROAD No.103

ROAD No.104

ROAD No.105

ROAD No.106

ROAD No.107

ROAD No.108

ROAD No.109

ROAD No.110

ROAD No.111

ROAD No.112

ROAD No.113

ROAD No.114

ROAD No.115

ROAD No.116

ROAD No.117

ROAD No.118

ROAD No.119

ROAD No.120

ROAD No.121

ROAD No.122

ROAD No.123

ROAD No.124

ROAD No.125

ROAD No.126

ROAD No.127

ROAD No.128

ROAD No.129

ROAD No.130

ROAD No.131

ROAD No.132

ROAD No.133

ROAD No.134

ROAD No.135

ROAD No.136

ROAD No.137

ROAD No.138

ROAD No.139

ROAD No.140

ROAD No.141

ROAD No.142

ROAD No.143

ROAD No.144

ROAD No.145

ROAD No.146

ROAD No.147

ROAD No.148

ROAD No.149

ROAD No.150

ROAD No.151

ROAD No.152

ROAD No.153

ROAD No.154

ROAD No.155

ROAD No.156

ROAD No.157

ROAD No.158

ROAD No.159

ROAD No.160

ROAD No.161

ROAD No.162

ROAD No.163

ROAD No.164

ROAD No.165

ROAD No.166

ROAD No.167

ROAD No.168

ROAD No.169

ROAD No.170

ROAD No.171

ROAD No.172

ROAD No.173

ROAD No.174

ROAD No.175

ROAD No.176

ROAD No.177

ROAD No.178

ROAD No.179

ROAD No.180

ROAD No.181

ROAD No.182

ROAD No.183

ROAD No.184

ROAD No.185

ROAD No.186

ROAD No.187

ROAD No.188

ROAD No.189

ROAD No.190

ROAD No.191

ROAD No.192

ROAD No.193

ROAD No.194

ROAD No.195

ROAD No.196

ROAD No.197

ROAD No.198

ROAD No.199

ROAD No.200

ROAD No.201

ROAD No.202

ROAD No.203

ROAD No.204

ROAD No.205

ROAD No.206

ROAD No.207

ROAD No.208

ROAD No.209

ROAD No.210

ROAD No.211

ROAD No.212

ROAD No.213

ROAD No.214

ROAD No.215

ROAD No.216

ROAD No.217

ROAD No.218

ROAD No.219

ROAD No.220

ROAD No.221

ROAD No.222

ROAD No.223

ROAD No.224

ROAD No.225

ROAD No.226

ROAD No.227

ROAD No.228

ROAD No.229

ROAD No.230

ROAD No.231

ROAD No.232

ROAD No.233

ROAD No.234

ROAD No.235

ROAD No.236

ROAD No.237

ROAD No.238

ROAD No.239

ROAD No.240

ROAD No.241

ROAD No.242

ROAD No.243

ROAD No.244

ROAD No.245

ROAD No.246

ROAD No.247

ROAD No.248

ROAD No.249

ROAD No.250

ROAD No.251

ROAD No.252

ROAD No.253

ROAD No.254

ROAD No.255

ROAD No.256

ROAD No.257

ROAD No.258

ROAD No.259

ROAD No.260

ROAD No.261

ROAD No.262

ROAD No.263

ROAD No.264

ROAD No.265

ROAD No.266

ROAD No.267

ROAD No.268

ROAD No.269

ROAD No.270

ROAD No.271

ROAD No.272

ROAD No.273

ROAD No.274


ROAD No.275

ROAD No.

LEGEND




SOFT LANDSCAPING




FENCING AS PER LOCAL AUTHORITY, DEVELOPER & IF APPLICABLE, DA CONSENT BUSHFIRE REQUIREMENTS.



EXISTING TREES TO BE REMOVED. REFER TO ARBORIST REPORT AND CIVIL PLANS




EXISTING 1% AEP FLOOD LINE (RL 4.361) REFER WATER MANAGEMENT REPORT BY CRAIG AND RHODES (AS SHOWN ON CIVIL PLANS)



EXISTING 20% AEP FLOOD LINE (RL 3.755) REFER WATER MANAGEMENT REPORT BY CRAIG AND RHODES (AS SHOWN ON CIVIL PLANS)

CORRIDOR

IRRIDOR



REV	AMENDMENT	BY	DATE
01	IDA PLANS	NM	26.03.2025
02	IDA PLANS UPDATED TO SUIT NEW CIVILS (UPDATED ROAD LEVELS, STORMWATER PITS, EASEMENTS, SUBSTATION & LOT NUMBER CHANGES)	NM	16.04.2025

ADDRESS: 53A & 53B WARRIEWOOD ROAD, WARRIWOOD 2102 (PROPOSED LOTS 13-20)

SHAWWOOD

68 Waterloo Rd Macquarie Park, NSW 2113 Tel: 1800 951 068
Sekisui House Services (NSW) Pty Limited
ABN: 42119550220. BL: 226045C.

© COPYRIGHT 2022
REPRODUCTION IN PART OR WHOLE FORBIDDEN

LANDSCAPE PLAN				
MODEL	TL -	FACADE	01	
STOREY	D	ACCOM		GARAGE -
CONTRACT No:				SHEET DA-8
MASTER DESIGN		MASTER CHECKED		PAGE 8
NM		-		SCALE:

Appendix B

Swept Path Assessment




LEGEND:



INDICATIVE ON-STREET PARKING

INDICATIVE ON-STREET PARKING IN ACCORDANCE WITH AS2890.5:2020

RECOMMENDED DRIVEWAY LOCATION IN ACCORDANCE WITH AS2890.1:2004



CTP Consult Pty Ltd
ABN: 68 649 792 709
M: 0439 064 432
E: info@checkthisproperty.com.au

WARNING
BEWARE OF UNDERGROUND SERVICES
THE LOCATIONS OF UNDERGROUND SERVICES ARE
APPROXIMATE ONLY AND THEIR EXACT POSITION
SHOULD BE VERIFIED ON SITE. NO GUARANTEE IS
GIVEN THAT ALL EXISTING SERVICES ARE SHOWN.

PRELIMINARY PLAN
FOR DISCUSSION PURPOSES
ONLY SUBJECT TO CHANGE
WITHOUT NOTIFICATION



53A&53B WARRIWOOD ROAD, WARRIWOOD
SUBDIVISION ROAD LAYOUT COMPLIANCE REVIEW
CONCEPT LAYOUT

DRAWING NO. 21-003-05-V8
SHEET NO. 01 OF 05
ISSUE DATE 23 April 2025

SCALE 0 5.0 10.0 1:500 @ A3

Page 10 of 10

Page 10 of 10



	meters
Width	: 2.50
Track	: 2.50
Lock to Lock Time	: 6.0
Steering Angle	: 36.7

— VEHICLE CENTRE LINE
 - - - VEHICLE TYRE PATH
 — VEHICLE BODY PATH
 - - - 500mm CLEARANCE FROM VEHICLE BODY



CTP Consult Pty Ltd
ABN: 68 649 792 709
M: 0439 064 432
E: info@checkthisproperty.com.au

WARNING
BEWARE OF UNDERGROUND SERVICES
THE LOCATIONS OF UNDERGROUND SERVICES ARE APPROXIMATE ONLY AND THEIR EXACT POSITION SHOULD BE VERIFIED ON SITE. NO GUARANTEE IS GIVEN THAT ALL EXISTING SERVICES ARE SHOWN.

PRELIMINARY PLAN
FOR DISCUSSION PURPOSES
ONLY SUBJECT TO CHANGE
WITHOUT NOTIFICATION



53A&53B WARRIEWOOD ROAD, WARRIEWOOD
SUBDIVISION ROAD LAYOUT COMPLIANCE REVIEW
SWEEP PATH ASSESSMENT


DRAWING NO.	21-003-05-V8
SHEET NO.	02 OF 05
ISSUE DATE	23 April 2025

SCALE 0 5.0 10.0 1:500 @ A3

LEGEND:



INDICATIVE ON-STREET PARKING




B99

Width : 1.94
Track : 1.84
Lock to Lock Time : 6.0
Steering Angle : 33.9

SWEPT PATH KEY:

- VEHICLE CENTRE LINE
- VEHICLE TYRE PATH
- VEHICLE BODY PATH
- 300mm CLEARANCE FROM VEHICLE BODY



CTP Consult Pty Ltd
ABN: 68 649 792 709
M: 0439 064 432
E: info@checkthisproperty.com.au

WARNING
BEWARE OF UNDERGROUND SERVICES
THE LOCATIONS OF UNDERGROUND SERVICES ARE
APPROXIMATE ONLY AND THEIR EXACT POSITION
SHOULD BE VERIFIED ON SITE. NO GUARANTEE IS
GIVEN THAT ALL EXISTING SERVICES ARE SHOWN.

PRELIMINARY PLAN
FOR DISCUSSION PURPOSES
ONLY SUBJECT TO CHANGE
WITHOUT NOTIFICATION




53A&53B WARRIWOOD ROAD, WARRIWOOD
SUBDIVISION ROAD LAYOUT COMPLIANCE REVIEW
SWEPT PATH ASSESSMENT

DRAWING NO. 21-003-05-V8
SHEET NO. 03 OF 05
ISSUE DATE 23 April 2025

SCALE 0 5.0 10.0 1:500 @ A3

LEGEND:

INDICATIVE ON-STREET PARKING





B99

Width : 1.94 meters
Track : 1.84
Lock to Lock Time : 6.0
Steering Angle : 33.9

SWEPT PATH KEY:

VEHICLE CENTRE LINE
VEHICLE TYRE PATH
VEHICLE BODY PATH
300mm CLEARANCE FROM VEHICLE BODY



CTP Consult Pty Ltd
ABN: 68 649 792 709
M: 0439 064 432
E: info@checkthisproperty.com.au

WARNING
BEWARE OF UNDERGROUND SERVICES
THE LOCATIONS OF UNDERGROUND SERVICES ARE
APPROXIMATE ONLY AND THEIR EXACT POSITION
SHOULD BE VERIFIED ON SITE. NO GUARANTEE IS
GIVEN THAT ALL EXISTING SERVICES ARE SHOWN.


PRELIMINARY PLAN
FOR DISCUSSION PURPOSES
ONLY SUBJECT TO CHANGE
WITHOUT NOTIFICATION



53A&53B WARRIWOOD ROAD, WARRIWOOD
SUBDIVISION ROAD LAYOUT COMPLIANCE REVIEW
SWEPT PATH ASSESSMENT

DRAWING NO. 21-003-05-V8
SHEET NO. 04 OF 05
ISSUE DATE 23 April 2025

SCALE 0 5.0 10.0 1:500 @ A3





CTP Consult Pty Ltd
ABN: 68 649 792 709

www.checkthisproperty.com.au

info@checkthisproperty.com.au