

# DEVELOPMENT APPLICATION ASSESSMENT REPORT

Application Number:	DA2022/0908	
Responsible Officer:	Gareth David	
Land to be developed (Address):	Lot 25 DP 26140, 26 Claudare Street COLLAROY PLATEAU NSW 2097	
Proposed Development:	Construction of a dwelling house	
Zoning:	Warringah LEP2011 - Land zoned R2 Low Density Residential	
Development Permissible:	Yes	
Existing Use Rights:	No	
Consent Authority:	Northern Beaches Council	
Land and Environment Court Action:	No	
Owner:	Lorraine Parisi Stefan Andre Schaeren	
Applicant:	Bell River Homes Pty Ltd	

Application Lodged:	06/06/2022
Integrated Development:	No
Designated Development:	No
State Reporting Category:	Residential - Single new detached dwelling
Notified:	16/06/2022 to 30/06/2022
Advertised:	Not Advertised
Submissions Received:	0
Clause 4.6 Variation:	Nil
Recommendation:	Approval

Estimated Cost of Works:	\$ 920,000.00

## PROPOSED DEVELOPMENT IN DETAIL

The proposed development is for the construction of a new two storey dwelling consisting of:

## Ground Floor

- Front porch
- Entry
- Double garage
- Guest bedroom with ensuite and walk-in robe,
- Laundry
- Kitchen with walk-in pantry,



- Lounge room, dining room, living room
- Alfresco

#### First Floor

- Master bedroom with walk-in-wardrobe and ensuite
- Three bedrooms each with a walk-in-robe and ensuite
- Sitting room.

#### <u>External</u>

- New driveway
- Landscaping
- Retaining walls
- Rainwater tank

## **ASSESSMENT INTRODUCTION**

The application has been assessed in accordance with the requirements of the Environmental Planning and Assessment Act 1979 and the associated Regulations. In this regard:

- An assessment report and recommendation has been prepared (the subject of this report) taking into account all relevant provisions of the Environmental Planning and Assessment Act 1979, and the associated regulations;
- A site inspection was conducted and consideration has been given to the impacts of the development upon the subject site and adjoining, surrounding and nearby properties;
- Notification to adjoining and surrounding properties, advertisement (where required) and referral to relevant internal and external bodies in accordance with the Act, Regulations and relevant Development Control Plan;
- A review and consideration of all submissions made by the public and community interest groups in relation to the application;
- A review and consideration of all documentation provided with the application (up to the time of determination);
- A review and consideration of all referral comments provided by the relevant Council Officers, State Government Authorities/Agencies and Federal Government Authorities/Agencies on the proposal.

## SUMMARY OF ASSESSMENT ISSUES

Warringah Development Control Plan - D1 Landscaped Open Space and Bushland Setting Warringah Development Control Plan - D6 Access to Sunlight Warringah Development Control Plan - D7 Views Warringah Development Control Plan - D8 Privacy Warringah Development Control Plan - D9 Building Bulk

## SITE DESCRIPTION



Lot 25 DP 26140 , 26 Claudare Street COLLAROY PLATEAU NSW 2097
The subject site consists of one (1) allotment located on the western side of Claudare Street.
The site is regular in shape with a frontage of 15.5m along Claudare Street and a depth of 39.6m. The site has a surveyed area of 614.6m².
The site is located within the R2 Low Density Residential zone and accommodates a single storey dwelling.
The site has a crossfall of approximately 1.8m from the eastern boundary (street frontage) to the western boundary (rear).
The site does not contain any significant trees or landscape features.
Detailed Description of Adjoining/Surrounding Development
Adjoining and surrounding development is characterised by one and two storey dwellings of varying architectural styles.



## SITE HISTORY

The land has been used for residential purposes for an extended period of time. A search of Council's records has revealed the following relevant history:



- **PLM2022/0023** Pre-lodgement for the construction of a dwelling house
- CDC2022/0629 Complying Development Certificate for a swimming pool Approved 01 July 2022

## 13 July 2022

Following concerns raised by Council, amended plans were submitted. The amended plans resulted in the proposed roof ridge height being reduced to meet the required 8.5m height requirement.

In accordance with Northern Beaches Community Participation Plan amendments which have a reduction of impact or minimal environmental impact do not have to be formally re-notified. It is considered the proposed amendments would have an overall reduction of impact.

## **ENVIRONMENTAL PLANNING AND ASSESSMENT ACT, 1979 (EPAA)**

The relevant matters for consideration under the Environmental Planning and Assessment Act, 1979, are:

Section 4.15 Matters for Consideration	Comments
Section 4.15 (1) (a)(i) – Provisions of any environmental planning instrument	See discussion on "Environmental Planning Instruments" in this report.
Section 4.15 (1) (a)(ii) – Provisions of any draft environmental planning instrument	There are no current draft environmental planning instruments.
Section 4.15 (1) (a)(iii) – Provisions of any development control plan	Warringah Development Control Plan applies to this proposal.
Section 4.15 (1) (a)(iiia) – Provisions of any planning agreement	None applicable.
Section 4.15 (1) (a)(iv) – Provisions of the Environmental Planning and Assessment Regulation 2000 (EP&A Regulation 2000)	<u>Division 8A</u> of the EP&A Regulation 2000 requires the consent authority to consider "Prescribed conditions" of development consent. These matters have been addressed via a condition of consent.
	<u>Clause 50(1A)</u> of the EP&A Regulation 2000 requires the submission of a design verification certificate from the building designer at lodgement of the development application. This clause is not relevant to this application.
	<u>Clauses 54 and 109</u> of the EP&A Regulation 2000 allow Council to request additional information. Additional information was requested in relation to amended plans.
	<u>Clause 92</u> of the EP&A Regulation 2000 requires the consent authority to consider AS 2601 - 1991: The Demolition of Structures. This matter has been addressed via a condition of consent
	<u>Clauses 93 and/or 94</u> of the EP&A Regulation 2000 requires the consent authority to consider the upgrading of a building (including fire safety upgrade of development). This clause is not relevant to this application.



Section 4.15 Matters for Consideration	Comments
	<u>Clause 98</u> of the EP&A Regulation 2000 requires the consent authority to consider insurance requirements under the Home Building Act 1989. This matter has been addressed via a condition of consent.
	<u>Clause 98</u> of the EP&A Regulation 2000 requires the consent authority to consider the provisions of the Building Code of Australia (BCA). This matter has been addressed via a condition of consent.
	<u>Clause 143A</u> of the EP&A Regulation 2000 requires the submission of a design verification certificate from the building designer prior to the issue of a Construction Certificate. This clause is not relevant to this application.
Section 4.15 (1) (b) – the likely impacts of the development, including environmental impacts on the natural and built environment and social and economic impacts in the locality	(i) <b>Environmental Impact</b> The environmental impacts of the proposed development on the natural and built environment are addressed under the Warringah Development Control Plan section in this report.
	(ii) <b>Social Impact</b> The proposed development will not have a detrimental social impact in the locality considering the character of the proposal.
	(iii) <b>Economic Impact</b> The proposed development will not have a detrimental economic impact on the locality considering the nature of the existing and proposed land use.
Section 4.15 (1) (c) – the suitability of the site for the development	The site is considered suitable for the proposed development.
Section 4.15 (1) (d) – any submissions made in accordance with the EPA Act or EPA Regs	See discussion on "Notification & Submissions Received" in this report.
Section 4.15 (1) (e) – the public interest	No matters have arisen in this assessment that would justify the refusal of the application in the public interest.

## **EXISTING USE RIGHTS**

Existing Use Rights are not applicable to this application.

## **BUSHFIRE PRONE LAND**

The site is not classified as bush fire prone land.

## **NOTIFICATION & SUBMISSIONS RECEIVED**

The subject development application has been publicly exhibited from 16/06/2022 to 30/06/2022 in



accordance with the Environmental Planning and Assessment Act 1979, Environmental Planning and Assessment Regulation 2000 and the Community Participation Plan.

As a result of the public exhibition of the application Council received no submissions.

#### REFERRALS

Internal Referral Body	Comments
Landscape Officer	The application seeks consent for construction of a dwelling house.
	The application is assessed by Landscape Referral against Warringah Local Environmental Plan 2011 and the following Warringah Development Control Plan 2011 controls (but not limited to): I D1 Landscaped Open Space and Bushland Setting I E1 Preservation of Trees or Bushland Vegetation and I E6 Retaining Unique Environmental Features
	The Landscape Plan prepared by Monaco Designs is noted.
	The DA plans indicate that no significant landscape features are affected by the proposed works. Several small trees (<5m) are required to be removed, which is not objected to.
	No objections are raised with regard to landscape issues subject to conditions.
NECC (Development Engineering)	Applicant seeks approval for new dwelling. The submitted stormwater management is acceptable. A new access driveway and crossing is proposed. No Development Engineering objection subject to recommended conditions.
-	

External Referral Body	Comments
	The proposal was referred to Ausgrid who provided a response stating that the proposal is acceptable subject to compliance with the relevant Ausgrid Network Standards and SafeWork NSW Codes of Practice. These recommendations will be included as a condition of consent.

## **ENVIRONMENTAL PLANNING INSTRUMENTS (EPIs)\***

All, Environmental Planning Instruments (SEPPs, REPs and LEPs), Development Controls Plans and Council Policies have been considered in the merit assessment of this application.

In this regard, whilst all provisions of each Environmental Planning Instruments (SEPPs, REPs and LEPs), Development Controls Plans and Council Policies have been considered in the assessment, many provisions contained within the document are not relevant or are enacting, definitions and operational provisions which the proposal is considered to be acceptable against.

As such, an assessment is provided against the controls relevant to the merit consideration of the application hereunder.



# State Environmental Planning Policies (SEPPs) and State Regional Environmental Plans (SREPs)

## SEPP (Building Sustainability Index: BASIX) 2004

A BASIX certificate has been submitted with the application (see Certificate No.1272528S\_02). The BASIX Certificate indicates that the development will achieve the following:

Commitment	Required Target	Proposed
Water	40	40
Thermal Comfort	Pass	Pass
Energy	50	50

A condition has been included in the recommendation of this report requiring compliance with the commitments indicated in the BASIX Certificate.

## SEPP (Transport and Infrastructure) 2021

## <u>Ausgrid</u>

Section 2.48 of Chapter 2 requires the Consent Authority to consider any development application (or an application for modification of consent) for any development carried out:

- within or immediately adjacent to an easement for electricity purposes (whether or not the electricity infrastructure exists).
- immediately adjacent to an electricity substation.
- within 5.0m of an overhead power line.
- includes installation of a swimming pool any part of which is: within 30m of a structure supporting an overhead electricity transmission line and/or within 5.0m of an overhead electricity power line.

#### Comment:

The proposal was referred to Ausgrid who raised no objections, subject to conditions which have been included in the recommendation of this report.

## SEPP (Resilience and Hazards) 2021

## Chapter 4 – Remediation of Land

Sub-section 4.6 (1)(a) of Chapter 4 requires the Consent Authority to consider whether land is contaminated. Council records indicate that the subject site has been used for residential purposes for a significant period of time with no prior land uses. In this regard it is considered that the site poses no risk of contamination and therefore, no further consideration is required under sub-section 4.6 (1)(b) and (c) of this Chapter and the land is considered to be suitable for the residential land use.

## Warringah Local Environmental Plan 2011



Is the development permissible?	Yes
After consideration of the merits of the proposal, is the develo	opment consistent with:
aims of the LEP?	Yes
zone objectives of the LEP?	Yes

## Principal Development Standards

Standard	Requirement	Proposed	% Variation	Complies
Height of Buildings:	8.5m	8.5m	N/A	Yes

#### **Compliance Assessment**

Clause	Compliance with Requirements
4.3 Height of buildings	Yes
5.8 Conversion of fire alarms	Yes
6.2 Earthworks	Yes
6.4 Development on sloping land	Yes

# Warringah Development Control Plan

## Built Form Controls

Built Form Control	Requirement	Proposed	% Variation*	Complies
B1 Wall height	7.2m	6m	N/A	Yes
B3 Side Boundary Envelope	5m (N)	Within envelope	N/A	Yes
	5m (S)	Within envelope	N/A	Yes
B5 Side Boundary Setbacks	0.9m (N)	1.66m	N/A	Yes
	0.9m (S)	0.9m	N/A	Yes
B7 Front Boundary Setbacks	6.5m	6.5m	N/A	Yes
B9 Rear Boundary Setbacks	6m	9.1m	N/A	Yes
D1 Landscaped Open Space (LOS) and Bushland Setting	40% (254.84sqm)	39% (240sqm)	N/A	No

## Compliance Assessment

		Consistency Aims/Objectives
A.5 Objectives	Yes	Yes
B1 Wall Heights	Yes	Yes
B3 Side Boundary Envelope	Yes	Yes
B5 Side Boundary Setbacks	Yes	Yes



Clause	Compliance with Requirements	Consistency Aims/Objectives
B7 Front Boundary Setbacks	Yes	Yes
B9 Rear Boundary Setbacks	Yes	Yes
C2 Traffic, Access and Safety	Yes	Yes
C3 Parking Facilities	Yes	Yes
C4 Stormwater	Yes	Yes
C6 Building over or adjacent to Constructed Council Drainage Easements	Yes	Yes
C7 Excavation and Landfill	Yes	Yes
C8 Demolition and Construction	Yes	Yes
C9 Waste Management	Yes	Yes
D1 Landscaped Open Space and Bushland Setting	No	Yes
D2 Private Open Space	Yes	Yes
D3 Noise	Yes	Yes
D6 Access to Sunlight	Yes	Yes
D7 Views	Yes	Yes
D8 Privacy	No	Yes
D9 Building Bulk	No	Yes
D10 Building Colours and Materials	Yes	Yes
D11 Roofs	Yes	Yes
D12 Glare and Reflection	Yes	Yes
D14 Site Facilities	Yes	Yes
D20 Safety and Security	Yes	Yes
D21 Provision and Location of Utility Services	Yes	Yes
D22 Conservation of Energy and Water	Yes	Yes
E1 Preservation of Trees or Bushland Vegetation	Yes	Yes
E2 Prescribed Vegetation	Yes	Yes
E6 Retaining unique environmental features	Yes	Yes
E10 Landslip Risk	Yes	Yes

#### **Detailed Assessment**

## D1 Landscaped Open Space and Bushland Setting

## Description of non-compliance

Control D1 requires a minimum landscaped area of 40%, equating to an area of 254.84sqm in this case. The proposal includes a total of 240sqm (39%) landscaped area, representing a variation of 9.4%.

#### Merit consideration

With regard to the consideration for a variation, the development is considered against the underlying



Objectives of the Control as follows:

• To enable planting to maintain and enhance the streetscape.

#### Comment:

The proposed front setback provides adequate landscaped area to accommodate planting to enhance the streetscape. Additional tree planting is required by condition to reduce the visual bulk of the proposal and enhance the streetscape.

• To conserve and enhance indigenous vegetation, topographical features and habitat for wildlife.

#### Comment:

The subject site does not contain any existing high value vegetation or topographic features that will be impacted by the proposal. The proposal has been reviewed by Council's Landscape Officer who has raised no objection to the proposal.

• To provide for landscaped open space with dimensions that are sufficient to enable the establishment of low lying shrubs, medium high shrubs and canopy trees of a size and density to mitigate the height, bulk and scale of the building.

#### Comment:

The proposal includes landscaped area of sufficient dimensions to accommodate and maintain a variety of vegetation types to mitigate the perceived bulk and scale of the dwelling.

• To enhance privacy between buildings.

#### Comment:

The shortfall in landscaped open space is not considered to result in unreasonable impacts upon of privacy. The proposal does not result in unacceptable privacy impacts (subject to recommended conditions)

• To accommodate appropriate outdoor recreational opportunities that meet the needs of the occupants.

#### Comment:

Suitable space will be provided to accommodate outdoor recreational opportunities that will meet the needs of the occupants

• To provide space for service functions, including clothes drying.

#### Comment:

There is adequate outdoor open space to service functions, including clothes drying.

• To facilitate water management, including on-site detention and infiltration of stormwater.

## Comment:

The site has adequate permeable surfaces, in addition to a stormwater concept approved by Councils Development Engineer to ensure that appropriate stormwater management.

Having regard to the above assessment, it is concluded that the proposed development is consistent with the relevant objectives of WLEP 2011 / WDCP and the objectives specified in s1.3 of the Environmental Planning and Assessment Act, 1979. Accordingly, this assessment finds that the



proposal is supported in this particular circumstance.

## **D6 Access to Sunlight**

The proposed dwelling will cause additional overshadowing to the southern adjoining site No.24 Claudare Street, particularly to the northern elevation of the dwelling house.

Clause D6 Access to Sunlight of Warringah Development Control Plan 2011 (WDCP 2011)states the following:-

"At least 50% of the required area of private open space of each dwelling and at least 50% of the required area of private open space of adjoining dwellings are to receive a minimum of 3 hours of sunlight between 9am and 3pm on June 21."

Therefore, solar access is assessed in relation to a sites private open space, not internal spaces/rooms within a dwelling, i.e lounge or kitchen.

The solar access diagrams provided demonstrates sufficient provision solar access to neighbouring properties private open space areas. Shading of the buildings is not considered by the clause, however, it is considered that there is additional overshadowing impacts of this area by the proposal. The vulnerability of the ground floor north (side) facing windows is such that any two storey dwelling with a compliant building height would result in additional overshadowing of these areas. The proposed development demonstrates that it is acceptable in relation to the objectives of all built form controls, for the reasons detailed in this report. As such, given the reasonableness of the proposed dwelling and the vulnerability of the southern neighbour to overshadowing, the overshadowing impact is considered reasonable and equitable in instance.

## **D7 Views**

No prominent views were identified during the site visit and no submissions in relation the view loss has been received from adjoining properties.

#### **D8 Privacy**

#### Merit Assessment

Clause D8 of the WDCP 2011 requires the building layout to be designed to optimise privacy for occupants of the development and occupants of adjoining properties. The Control stipulates that windows of a dwelling are to be located so they do not provide direct or close views (ie. from less than 9 metres away) into the windows or private open space of other dwellings.

No submissions in relation to privacy have been received from adjoining neighbours. Nevertheless, consideration of potential privacy is provided below.

• Proposed Windows - North Elevation:

The proposed first floor window to bedroom 1 (ASW1221) on the northern elevation would result in a spatial separation of less than 9m between the adjoining dwellings' (No.28 Claudare Street) first floor southern window. In this respect, it is considered appropriate to impose a condition of consent requiring this window to install privacy screens of horizontal louvre style construction (with a maximum spacing of 20mm), or be either high sill (ie. containing a sill height of 1.65m from the FFL) or obscure glazed.

It is considered that the other proposed windows on the northern elevation within the development have



been appropriately designed to ensure the privacy of the adjoining neighbour through the use of offset and high sill designs. Proposed ground floor side facing windows will be separated by existing boundary fencing. Additionally, no submissions in relation to privacy have been received by the neighbour to the north.

## • Proposed Windows - South Elevation:

It is considered that the proposed window on the first floor southern elevation has been appropriately designed to ensure the privacy of the adjoining neighbours through the use of offset positioning. Ground floor side facing windows will be separated by existing boundary fencing. Additionally, no submissions in relation to privacy have been received by the neighbour to the south.

## • Proposed "Ground Floor" Alfresco

A "ground floor" alfresco deck area is proposed on the western (rear) elevation which is 1.1m from the southern boundary .This area would have a raised floor level from existing ground level which would result in potential overlooking opportunities to adjoining neighbours.

This alfresco would be within 9m of adjoining southern neighbours window and private open space. To ensure a reasonable level of visual privacy is maintained between the subject site and this neighbour (No.24 Claudare Street), a suitable condition has been included with this consent requiring the southern elevation of the ground floor alfreso deck area to be affixed with a screening device of louver screening with a maximum spacing of 20mm. The screening device must be to a height of 1.65m above the finished floor level. It is recognised that this adjoining neighbour (No.24 Claudare Street) has screen vegetation which would assist in the mitigation of privacy between this area. However, Council cannot rely on vegetation of adjoining properties in this instance given the possibility of its removal in the future.

Subject to recommended conditions, the privacy impacts are considered to be reasonable within a residential environment.

## **D9 Building Bulk**

Clause D9 of the Warringah Development Control Plan 2011 (WDCP 2011) requires a development to limit large areas of continuous wall plans by varying building setbacks and using appropriate techniques to provide visual relief. The control also requires walls to be articulated to reduce building mass. The northern wall plane of the proposed dwelling would have a continuous wall plane, contrary to the requirements of this control. Nevertheless consideration to the proposed building bulk is provided below.

The proposal has a compliant building height and side setbacks that are greater than the required minimum of 0.9m. The proposed development would have a modulated built form and a varied roof line as viewed from the street. Furthermore, the proposed dwelling is appropriately setback from front and rear boundaries and the development would comply with prescribed side boundary envelope requirements. The use of varied colour, materials and surface treatment, as well balconies, eaves and landscaping will also assist to reduce perceived building bulk. The height and scale of the structure is not dissimilar from other recently developed two (2) storey dwellings within the locality. In this regard, the proposed building bulk is considered acceptable in this instance.

## THREATENED SPECIES, POPULATIONS OR ECOLOGICAL COMMUNITIES



The proposal will not significantly affect threatened species, populations or ecological communities, or their habitats.

## CRIME PREVENTION THROUGH ENVIRONMENTAL DESIGN

The proposal is consistent with the principles of Crime Prevention Through Environmental Design.

## POLICY CONTROLS

## Northern Beaches Section 7.12 Contributions Plan 2022

The proposal is subject to the application of Northern Beaches Section 7.12 Contributions Plan 2022.

A monetary contribution of \$9,200 is required for the provision of new and augmented public infrastructure. The contribution is calculated as 1% of the total development cost of \$920,000.

## CONCLUSION

The site has been inspected and the application assessed having regard to all documentation submitted by the applicant and the provisions of:

- Environmental Planning and Assessment Act 1979;
- Environmental Planning and Assessment Regulation 2000;
- All relevant and draft Environmental Planning Instruments;
- Warringah Local Environment Plan;
- Warringah Development Control Plan; and
- Codes and Policies of Council.

This assessment has taken into consideration the submitted plans, Statement of Environmental Effects, all other documentation supporting the application and public submissions, and does not result in any unreasonable impacts on surrounding, adjoining, adjacent and nearby properties subject to the conditions contained within the recommendation.

In consideration of the proposal and the merit consideration of the development, the proposal is considered to be:

- Consistent with the objectives of the DCP
- Consistent with the zone objectives of the LEP
- Consistent with the aims of the LEP
- Consistent with the objectives of the relevant EPIs
- Consistent with the objects of the Environmental Planning and Assessment Act 1979

It is considered that the proposed development satisfies the appropriate controls and that all processes and assessments have been satisfactorily addressed.

## RECOMMENDATION

THAT Council as the consent authority grant Development Consent to DA2022/0908 for Construction of a dwelling house on land at Lot 25 DP 26140, 26 Claudare Street, COLLAROY PLATEAU, subject to the conditions printed below:



# **DEVELOPMENT CONSENT OPERATIONAL CONDITIONS**

## 1. Approved Plans and Supporting Documentation

The development must be carried out in compliance with the endorsed stamped plans and documentation listed below, except as amended by any other condition of consent:

a) Approved Plans

Architectural Plans - Endorsed with Council's stamp			
Drawing No.	Dated	Prepared By	
Sheet 2 Rev.F- Site Plan	13/07/2022	A &N Design Group	
Sheet 3 Rev.F- Ground Floor Plan	13/07/2022	A &N Design Group	
Sheet 4 Rev.F-First Floor Plan	13/07/2022	A &N Design Group	
Sheet 5 Rev.F- Elevations	13/07/2022	A &N Design Group	
Sheet 6 Rev.F- South Elevation & Section AA	13/07/2022	A &N Design Group	
Sheet 8 Rev.F- Slab Plan	13/07/2022	A &N Design Group	

Engineering Plans			
Drawing No.	Dated	Prepared By	
Sheet 1 issue 1 - Stormwater Layout	02/05/2022	Ibrahim Stormwater Consultants	
Sheet 2 issue 1 - Stormwater Layout	02/05/2022	Ibrahim Stormwater Consultants	

Reports / Documentation – All recommendations and requirements contained within:

Report No. / Page No. / Section No.	Dated	Prepared By
BASIX Certificate (1272528S_02)	13/07/2022	Dural Group Pty Ltd
External Colour Schedule	-	Bellriver
Soil Classification Report	09/07/2021	Structerre Consulting Engineers

b) Any plans and / or documentation submitted to satisfy the Conditions of this consent.

c) The development is to be undertaken generally in accordance with the following:

Landscape Plans		
Drawing No.	Dated	Prepared By
Sheet 1 - Landscape Plan Rev.D	07/07/2022	Monaco Designs
Sheet 2 - Landscape Details Rev.D	07/07/2022	Monaco Designs

Waste Management Plan		
Drawing No/Title.	Dated	Prepared By



Waste Management Plan	-	-
		I

In the event of any inconsistency between conditions of this consent and the drawings/documents referred to above, the conditions of this consent will prevail.

Reason: To ensure the work is carried out in accordance with the determination of Council and approved plans.

## 2. Compliance with Other Department, Authority or Service Requirements

The development must be carried out in compliance with all recommendations and requirements, excluding general advice, within the following:

Other Department, Authority or Service	EDMS Reference	Dated
Ausgrid	Response Ausgrid Referral	29/06/2022

(NOTE: For a copy of the above referenced document/s, please see Application Tracking on Council's website <u>www.northernbeaches.nsw.gov.au</u>)

Reason: To ensure the work is carried out in accordance with the determination and the statutory requirements of other departments, authorities or bodies.

#### 3. Approved Land Use

Nothing in this consent shall authorise the use of site/onsite structures/units/tenancies as detailed on the approved plans for any land use of the site beyond the definition of a dwelling house

A dwelling house is defined as:

"dwelling house means a building containing only one dwelling." (development is defined by the Warringah Local Environment Plan 2011 (as amended) Dictionary)

Any variation to the approved land use and/occupancy of any unit beyond the scope of the above definition will require the submission to Council of a new development application.

Reason: To ensure compliance with the terms of this consent.

## 4. No Works on Adjoining Land

No Approval is granted under this consent for any works within or on the property boundaries of adjoining privately owned land.

Reason: To ensure compliance with the terms of this consent.

## 5. **Prescribed Conditions**

- (a) All building works must be carried out in accordance with the requirements of the Building Code of Australia (BCA).
- (b) BASIX affected development must comply with the schedule of BASIX commitments specified within the submitted BASIX Certificate (demonstrated compliance upon plans/specifications is required prior to the issue of the Construction Certificate);
- (c) A sign must be erected in a prominent position on any site on which building work, subdivision work or demolition work is being carried out:
  - (i) showing the name, address and telephone number of the Principal Certifying



Authority for the work, and

- (ii) showing the name of the principal contractor (if any) for any building work and a telephone number on which that person may be contacted outside working hours, and
- (iii) stating that unauthorised entry to the work site is prohibited.

Any such sign is to be maintained while the building work, subdivision work or demolition work is being carried out, but must be removed when the work has been completed.

- (d) Residential building work within the meaning of the Home Building Act 1989 must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council) has given the Council written notice of the following information:
  - (i) in the case of work for which a principal contractor is required to be appointed:
    - A. the name and licence number of the principal contractor, and
    - B. the name of the insurer by which the work is insured under Part 6 of that Act,
  - (ii) in the case of work to be done by an owner-builder:
    - A. the name of the owner-builder, and
    - B. if the owner-builder is required to hold an owner-builder permit under that Act, the number of the owner-builder permit.

If arrangements for doing the residential building work are changed while the work is in progress so that the information notified under becomes out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council) has given the Council written notice of the updated information.

- (e) Development that involves an excavation that extends below the level of the base of the footings of a building on adjoining land, the person having the benefit of the development consent must, at the person's own expense:
  - (i) protect and support the adjoining premises from possible damage from the excavation, and
  - (ii) where necessary, underpin the adjoining premises to prevent any such damage.
  - (iii) must, at least 7 days before excavating below the level of the base of the footings of a building on an adjoining allotment of land, give notice of intention to do so to the owner of the adjoining allotment of land and furnish particulars of the excavation to the owner of the building being erected or demolished.
  - (iv) the owner of the adjoining allotment of land is not liable for any part of the cost of work carried out for the purposes of this clause, whether carried out on the allotment of land being excavated or on the adjoining allotment of land.

In this clause, allotment of land includes a public road and any other public place.

Reason: Legislative requirement.

## 6. General Requirements

- (a) Unless authorised by Council: Building construction and delivery of material hours are restricted to:
  - 7.00 am to 5.00 pm inclusive Monday to Friday,



- 8.00 am to 1.00 pm inclusive on Saturday,
- No work on Sundays and Public Holidays.

Demolition and excavation works are restricted to:

• 8.00 am to 5.00 pm Monday to Friday only.

(Excavation work includes the use of any excavation machinery and the use of jackhammers, rock breakers, excavators, loaders and the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site).

- (b) Should any asbestos be uncovered on site, its demolition and removal must be carried out in accordance with WorkCover requirements and the relevant Australian Standards.
- (c) At all times after the submission the Notice of Commencement to Council, a copy of the Development Consent and Construction Certificate is to remain onsite at all times until the issue of a final Occupation Certificate. The consent shall be available for perusal of any Authorised Officer.
- (d) Where demolition works have been completed and new construction works have not commenced within 4 weeks of the completion of the demolition works that area affected by the demolition works shall be fully stabilised and the site must be maintained in a safe and clean state until such time as new construction works commence.
- (e) Onsite toilet facilities (being either connected to the sewer or an accredited sewer management facility) for workers are to be provided for construction sites at a rate of 1 per 20 persons.
- (f) Prior to the release of the Construction Certificate, payment of the Long Service Levy is required. This payment can be made at Council or to the Long Services Payments Corporation. Payment is not required where the value of the works is less than \$25,000. The Long Service Levy is calculated on 0.35% of the building and construction work. The levy rate and level in which it applies is subject to legislative change. The applicable fee at the time of payment of the Long Service Levy will apply.
- (g) The applicant shall bear the cost of all works associated with the development that occurs on Council's property.
- (h) No skip bins, building materials, demolition or excavation waste of any nature, and no hoist, plant or machinery (crane, concrete pump or lift) shall be placed on Council's footpaths, roadways, parks or grass verges without Council Approval.
- (i) Demolition materials and builders' wastes are to be removed to approved waste/recycling centres.
- (j) No trees or native shrubs or understorey vegetation on public property (footpaths, roads, reserves, etc.) or on the land to be developed shall be removed or damaged during construction unless specifically approved in this consent including for the erection of any fences, hoardings or other temporary works.
- (k) Prior to the commencement of any development onsite for:
  - i) Building/s that are to be erected
  - ii) Building/s that are situated in the immediate vicinity of a public place and is dangerous to persons or property on or in the public place
  - iii) Building/s that are to be demolished
  - iv) For any work/s that is to be carried out



v) For any work/s that is to be demolished

The person responsible for the development site is to erect or install on or around the development area such temporary structures or appliances (wholly within the development site) as are necessary to protect persons or property and to prevent unauthorised access to the site in order for the land or premises to be maintained in a safe or healthy condition. Upon completion of the development, such temporary structures or appliances are to be removed within 7 days.

- (I) A "Road Opening Permit" must be obtained from Council, and all appropriate charges paid, prior to commencement of any work on Council property. The owner/applicant shall be responsible for all public utilities and services in the area of the work, shall notify all relevant Authorities, and bear all costs associated with any repairs and/or adjustments as those Authorities may deem necessary.
- (m) The works must comply with the relevant Ausgrid Network Standards and SafeWork NSW Codes of Practice.
- (n) Requirements for new swimming pools/spas or existing swimming pools/spas affected by building works.
  - (1) Child resistant fencing is to be provided to any swimming pool or lockable cover to any spa containing water and is to be consistent with the following;

Relevant legislative requirements and relevant Australian Standards (including but not limited) to:

- (i) Swimming Pools Act 1992
- (ii) Swimming Pools Amendment Act 2009
- (iii) Swimming Pools Regulation 2018
- (iv) Australian Standard AS1926 Swimming Pool Safety
- (v) Australian Standard AS1926.1 Part 1: Safety barriers for swimming pools
- (vi) Australian Standard AS1926.2 Part 2: Location of safety barriers for swimming pools.
- (2) A 'KEEP WATCH' pool safety and aquatic based emergency sign, issued by Royal Life Saving is to be displayed in a prominent position within the pool/spa area.
- (3) Filter backwash waters shall be conveyed to the Sydney Water sewerage system in sewered areas or managed on-site in unsewered areas in a manner that does not cause pollution, erosion or run off, is separate from the irrigation area for any wastewater system and is separate from any onsite stormwater management system.
- (4) Swimming pools and spas must be registered with the Division of Local Government.

Reason: To ensure that works do not interfere with reasonable amenity expectations of residents and the community.

# FEES / CHARGES / CONTRIBUTIONS

## 7. Policy Controls

Northern Beaches 7.12 Contributions Plan 2021

A monetary contribution of \$9,200.00 is payable to Northern Beaches Council for the provision



of local infrastructure and services pursuant to section 7.12 of the Environmental Planning & Assessment Act 1979 and the Northern Beaches Section 7.12 Contributions Plan 2021. The monetary contribution is based on a development cost of \$920,000.00.

The monetary contribution is to be paid prior to the issue of the first Construction Certificate or Subdivision Certificate whichever occurs first, or prior to the issue of the Subdivision Certificate where no Construction Certificate is required. If the monetary contribution (total or in part) remains unpaid after the financial quarter that the development consent is issued, the amount unpaid (whether it be the full cash contribution or part thereof) will be adjusted on a quarterly basis in accordance with the applicable Consumer Price Index. If this situation applies, the cash contribution payable for this development will be the total unpaid monetary contribution as adjusted.

The proponent shall provide to the Certifying Authority written evidence (receipt/s) from Council that the total monetary contribution has been paid.

The Northern Beaches Section 7.12 Contributions Plan 2021 may be inspected at 725 Pittwater Rd, Dee Why and at Council's Customer Service Centres or alternatively, on Council's website at www.northernbeaches.nsw.gov.au

This fee must be paid prior to the issue of the Construction Certificate. Details demonstrating compliance are to be submitted to the Principal Certifying Authority.

Reason: To provide for contributions in accordance with the Contribution Plan to fund the provision of new or augmented local infrastructure and services.

## 8. Security Bond

A bond (determined from cost of works) of \$2,000 and an inspection fee in accordance with Council's Fees and Charges paid as security are required to ensure the rectification of any damage that may occur to the Council infrastructure contained within the road reserve adjoining the site as a result of construction or the transportation of materials and equipment to and from the development site.

An inspection fee in accordance with Council adopted fees and charges (at the time of payment) is payable for each kerb inspection as determined by Council (minimum (1) one inspection).

All bonds and fees shall be deposited with Council prior to Construction Certificate or demolition work commencing, and details demonstrating payment are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

To process the inspection fee and bond payment a Bond Lodgement Form must be completed with the payments (a copy of the form is attached to this consent and alternatively a copy is located on Council's website at www.northernbeaches.nsw.gov.au).

Reason: To ensure adequate protection of Council's infrastructure.

## CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF THE CONSTRUCTION CERTIFICATE

#### 9. Amendments to the approved plans

The following amendments are to be made to the approved plans:



a) **First Floor Window (ASW1221)** - A privacy screen is to be installed on the "first floor" northern window to "Bed 1" (ASW1221) as shown on the approved plans. The privacy screen shall be of horizontal louver style construction (with a maximum spacing of 20mm), in materials that complement the design of the approved development. Alternatively, this window shall be fitted with obscured glazing or have a minimum sill height of 1.65m above the Finished Floor Level

b) **Rear Alfresco Area** - A 1.65 metre privacy screen (measured from finished floor level) is to be erected for the entire length of the outermost southern edge of the "ground floor alfresco" area located off the "Living Room & Dining" as shown on the approved plans. The privacy screen shall be of fixed panels or louver style construction (with a maximum spacing of 20mm), in materials that complement the design of the approved development.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the construction certificate.

Reason: To ensure development minimises unreasonable impacts upon surrounding land.

#### 10. Boundary Identification Survey

A boundary identification survey, prepared by a Registered Surveyor, is to be prepared in respect of the subject site.

The plans submitted for the Construction Certificate are to accurately reflect the property boundaries as shown on the boundary identification survey, with setbacks between the property boundaries and the approved works consistent with those nominated on the Approved Plans of this consent.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of any Construction Certificate.

Reason: To ensure all approved works are constructed within the subject site and in a manner anticipated by the development consent.

#### 11. **On-site Stormwater Detention Details**

The Applicant is to provide a certification of drainage plans detailing the provision of on-site stormwater detention in accordance with Northern Beaches Council's WATER MANAGEMENT for DEVELOPMNT POLICY, and generally in accordance with the concept drainage plans prepared by Ibrahim Stormwater Consultants, drawing number B10543-403705 sheet 1 and 2, dated 02/05/22. Detailed drainage plans are to be prepared by a suitably qualified Civil Engineer, who has membership to the Institution of Engineers Australia, National Professional Engineers Register (NPER) and registered in the General Area of Practice for civil engineering.

Detailed drainage plans, including engineering certification, are to be submitted to the Certifying Authority for approval prior to the issue of the Construction Certificate.

Reason: To ensure appropriate provision for the disposal of stormwater and stormwater management arising from the development.

#### 12. Structural Adequacy and Excavation Work

Excavation work is to ensure the stability of the soil material of adjoining properties, the protection of adjoining buildings, services, structures and / or public infrastructure from damage using underpinning, shoring, retaining walls and support where required. All retaining walls are to be structurally adequate for the intended purpose, designed and certified by a Structural



Engineer, except where site conditions permit the following:

(a) maximum height of 900mm above or below ground level and at least 900mm from any property boundary, and

(b) Comply with AS3700, AS3600 and AS1170 and timber walls with AS1720 and AS1170.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of the Construction Certificate.

Reason: To provide public and private safety.

#### 13. Vehicle Crossings Application

The Applicant is to submit an application for driveway levels with Council in accordance with Section 138 of the Roads Act 1993. The fee associated with the assessment and approval of the application is to be in accordance with Council's Fee and Charges.

An approval is to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To facilitate suitable vehicular access to private property.

#### 14. Compliance with Standards

The development is required to be carried out in accordance with all relevant Australian Standards.

Details demonstrating compliance with the relevant Australian Standard are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure the development is constructed in accordance with appropriate standards.

#### 15. External Finishes to Roof

The external finish to the roof shall have a medium to dark range in order to minimise solar reflections to neighbouring properties. Any roof with a metallic steel finish is not permitted.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure that excessive glare or reflectivity nuisance does not occur as a result of the development.

#### 16. Sydney Water "Tap In"

The approved plans must be submitted to the Sydney Water Tap in service, prior to works commencing, to determine whether the development will affect any Sydney Water assets and/or easements. The appropriately stamped plans must then be submitted to the Certifying Authority demonstrating the works are in compliance with Sydney Water requirements.

Please refer to the website www.sydneywater.com.au for:

- "Tap in" details see http://www.sydneywater.com.au/tapin
- Guidelines for Building Over/Adjacent to Sydney Water Assets.

Or telephone 13 000 TAP IN (1300 082 746).

Reason: To ensure compliance with the statutory requirements of Sydney Water.



## 17. Construction Site Management Plan

Before the issue of a construction certificate, the applicant must ensure a construction site management plan is prepared before it is provided to and approved by the certifier. The plan must include the following matters:

- o location and materials for protective fencing and hoardings to the perimeter on the site
- provisions for public safety
- o pedestrian and vehicular site access points and construction activity zones
- details of construction traffic management, including proposed truck movements to and from the site and estimated frequency of those movements, and measures to preserve pedestrian safety in the vicinity of the site
- protective measures for on-site tree preservation (including in accordance with AS 4970-2009 Protection of trees on development sites and Council's DCP, if applicable) and trees in adjoining public domain (if applicable)
- o details of any bulk earthworks to be carried out
- o location of site storage areas and sheds
- o equipment used to carry out all works
- o a garbage container with a tight-fitting lid
- dust, noise and vibration control measures
- o location of temporary toilets.
- The applicant must ensure a copy of the approved construction site management plan is kept on-site at all times during construction.

0

Reason: To require details of measures that will protect the public, and the surrounding environment, during site works and construction.

#### 18. Waste Management Plan

A Waste Management Plan must be prepared for this development. The Plan must be in accordance with the Development Control Plan.

Details demonstrating compliance must be provided to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure that any demolition and construction waste, including excavated material, is reused, recycled or disposed of in an environmentally friendly manner.

# CONDITIONS TO BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK

## 19. **Tree and Vegetation Protection**

- a) Existing trees and vegetation shall be retained and protected including:
  - i) all trees and vegetation within the site not indicated for removal, excluding exempt trees and vegetation under the relevant planning instruments of legislation,
  - ii) all trees and vegetation located on adjoining properties,
  - iii) all road reserve trees and vegetation.
- b) Tree protection shall be undertaken as follows:
  - tree protection shall be in accordance with Australian Standard 4970-2009
    Protection of Trees on Development Sites including the provision of temporary fencing to protect existing trees within 5 metres of development,
  - ii) existing ground levels shall be maintained within the tree protection zone of



trees to be retained unless authorised by an Arborist with minimum AQF Level 5 in arboriculture,

- iii) removal of existing tree roots at or >25mm (Ø) diameter is not permitted without consultation with an Arborist with minimum AQF Level 5 in arboriculture,
- iv) no excavated material, building material storage, site facilities, nor landscape materials are to be placed within the canopy dripline of trees and other vegetation required to be retained,
- v) structures are to bridge tree roots at or >25mm (Ø) diameter unless directed by an Arborist with minimum AQF Level 5 in arboriculture on site,
- vi) excavation for stormwater lines and all other utility services is not permitted within the tree protection zone without consultation with an Arborist with minimum AQF Level 5 in arboriculture including advice on root protection measures,
- vii) should either or all of v), vi) and vii) occur during site establishment and construction works, an Arborist with minimum AQF Level 5 in arboriculture shall provide recommendations for tree protection measures. Details including photographic evidence of works undertaken shall be submitted by the Arborist to the Certifying Authority,
- viii) any temporary access to or location of scaffolding within the tree protection zone of a protected tree or any other tree to be retained during the construction works is to be undertaken using the protection measures specified in sections 4.5.3 and 4.5.6 of Australian Standard 4970-2009 Protection of Trees on Development Sites,
- ix) the activities listed in section 4.2 of Australian Standard 4970-2009 Protection of Trees on Development Sites shall not occur within the tree protection zone of any tree on the lot or any tree on an adjoining site,
- tree pruning from within the site to enable approved works shall not exceed 10% of any tree canopy and shall be in accordance with Australian Standard 4373-2007 Pruning of Amenity Trees,
- xi) the tree protection measures specified in this clause must: i) be in place before work commences on the site, and ii) be maintained in good condition during the construction period, and iii) remain in place for the duration of the construction works.

The Certifying Authority must ensure that:

- c) The activities listed in section 4.2 of Australian Standard 4970-2009 Protection of Trees on Development Sites do not occur within the tree protection zone of any tree and any temporary access to or location of scaffolding within the tree protection zone of a protected tree or any other tree to be retained on the site during the construction is undertaken using the protection measures specified in sections 4.5.3 and 4.5.6 of that standard.
- Note: All street trees within the road verge and trees within private property are protected under Northern Beaches Council development control plans except where Council's written consent for removal has been obtained. The felling, lopping, topping, ringbarking or removal of any tree(s) is prohibited.

Reason: Tree and vegetation protection.



#### 20. Road Reserve

The applicant shall ensure the public footways and roadways adjacent to the site are maintained in a safe condition at all times during the course of the work.

Reason: Public safety.

## 21. Removing, Handling and Disposing of Asbestos

Any asbestos material arising from the demolition process shall be removed and disposed of in accordance with the following requirements:

- Work Health and Safety Act;
- Work Health and Safety Regulation;
- Code of Practice for the Safe Removal of Asbestos [NOHSC:2002 (1998)];
- Guide to the Control of Asbestos Hazards in Buildings and Structures [NOHSC: 3002 (1998);
- Clause 42 of the Protection of the Environment Operations (Waste) Regulation 2005; and
- The demolition must be undertaken in accordance with Australian Standard AS2601 The Demolition of Structures.

Reason: For the protection of the environment and human health.

#### 22. Demolition Works - Asbestos

Demolition works must be carried out in compliance with WorkCover Short Guide to Working with Asbestos Cement and Australian Standard AS 2601 2001 The Demolition of Structures.

The site must be provided with a sign containing the words DANGER ASBESTOS REMOVAL IN PROGRESS measuring not less than 400 mm x 300 mm and be erected in a prominent visible position on the site. The sign is to be erected prior to demolition work commencing and is to remain in place until such time as all asbestos cement has been removed from the site and disposed to a lawful waste disposal facility.

All asbestos laden waste, including flat, corrugated or profiled asbestos cement sheets must be disposed of at a lawful waste disposal facility. Upon completion of tipping operations the applicant must lodge to the Principal Certifying Authority, all receipts issued by the receiving tip as evidence of proper disposal.

Adjoining property owners are to be given at least seven (7) days' notice in writing of the intention to disturb and remove asbestos from the development site.

Reason: To ensure the long term health of workers on site and occupants of the building is not put at risk unnecessarily.

## 23. Survey Certificate

A survey certificate prepared by a Registered Surveyor is to be provided demonstrating all perimeter walls columns and or other structural elements, floor levels and the finished roof/ridge height are in accordance with the approved plans.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority.



Reason: To demonstrate the proposal complies with the approved plans.

## 24. Installation and Maintenance of Sediment Control

Prior to any works commencing on site, including demolition, sediment and erosion controls must be installed in accordance with Landcom's 'Managing Urban Stormwater: Soils and Construction' (2004). Techniques used for erosion and sediment control on site are to be adequately maintained and monitored at all times, particularly after periods of rain, and shall remain in proper operation until all development activities have been completed and the site is sufficiently stabilised with vegetation.

Reason: To protect the surrounding environment from the effects of sedimentation and erosion from the site.

## 25. Vehicle Crossings

The Applicant is to construct one vehicle crossing 3.0 metres wide in accordance with Northern Beaches Council Drawing No A4-3330/3 NL and the driveway levels application approval. An Authorised Vehicle Crossing Contractor shall construct the vehicle crossing and associated works within the road reserve in plain concrete. All redundant laybacks and crossings are to be restored to footpath/grass. Prior to the pouring of concrete, the vehicle crossing is to be inspected by Council and a satisfactory "Vehicle Crossing Inspection" card issued.

A copy of the vehicle crossing inspection form is to be submitted to the Principal Certifying Authority.

Reason: To facilitate suitable vehicular access to private property.

#### 26. Waste Management During Development

The reuse, recycling or disposal of waste during works must be done generally in accordance with the Waste Management Plan for this development.

Details demonstrating compliance must be submitted to the Principal Certifying Authority.

Reason: To ensure demolition and construction waste is recycled or reused and to limit landfill.

## CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO THE ISSUE OF THE OCCUPATION CERTIFICATE

## 27. Required Tree Planting

a) Trees shall be planted in accordance with the following:

i) Minimum 2 trees capable of attaining a minimum height of 5m at maturity; 1 x front yard and 1 x rear yard; minimum pot size 200mm

b) Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any Occupation Certificate.

Reason: To maintain environmental amenity.

(Note: Native tree planting species may be selected from Council's list: www.northernbeaches.nsw.gov.au/environment/native-plants/native-plant-species-guide).

#### 28. **Reinstatement of Kerb**

The Applicant shall reinstate all redundant laybacks and vehicular crossings to conventional



kerb and gutter, footpath or grassed verge as appropriate with all costs borne by the applicant.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of the final Occupation Certificate.

Reason: To facilitate the preservation of on street parking spaces.

29. **Positive Covenant and Restriction as to User for On-site Stormwater Disposal Structures** The Applicant shall lodge the Legal Documents Authorisation Application with the original completed request forms (NSW Land Registry standard forms 13PC and/or 13RPA) to Council and a copy of the Works-as-Executed plan (details overdrawn on a copy of the approved drainage plan), hydraulic engineers' certification.

The Applicant shall create on the Title a restriction on the use of land and a positive covenant in respect to the ongoing maintenance and restriction of the on-site stormwater disposal structures within this development consent. The terms of the positive covenant and restriction are to be prepared to Council's standard requirements at the applicant's expense and endorsed by Northern Beaches Council's delegate prior to lodgement with the NSW Land Registry Services. Northern Beaches Council shall be nominated as the party to release, vary or modify such covenant.

A copy of the certificate of title demonstrating the creation of the positive covenant and restriction for on-site storm water detention as to user is to be submitted.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of final Occupation Certificate.

Reason: To ensure the on-site stormwater disposal system is maintained to an appropriate operational standard.

#### 30. **Removal of All Temporary Structures/Material and Construction Rubbish**

Once construction has been completed all silt and sediment fences, silt, rubbish, building debris, straw bales and temporary fences are to be removed from the site.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To ensure bushland management. (DACPLF01)

#### 31. House / Building Number

House/building number is to be affixed to the building to be readily visible from the public domain.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: Proper identification of buildings.

#### 32. Waste Management Confirmation

Prior to the issue of a Final Occupation Certificate, evidence / documentation must be submitted to the Principal Certifying Authority that all waste material from the development site arising from demolition and/or construction works has been appropriately recycled, reused or disposed of generally in accordance with the approved Waste Management Plan.



Reason: To ensure demolition and construction waste is recycled or reused and to limit landfill.

In signing this report, I declare that I do not have a Conflict of Interest.

## Signed

G. Pour

Gareth David, Planner

The application is determined on 18/07/2022, under the delegated authority of:

Baching

## Steven Findlay, Manager Development Assessments