





- INUTES:

 All structures including stormwater & drainage to engineer's details.

 Do not obtain dimensions by scaling drawings.

 All dimensions are to be checked on site prior to starting work.

 These drawings are to be read in conjunction with all other specifications.

- including amendments of the relevant SAA Codes of Practice, the Building Code of Australia and local council requirements.

 New materials are to be used throughout unless otherwise noted.

 Concrete footings, slab, structural beams or any other structural members are to be designed by

JJ Drafting

174 Garden St, North Narrabeen, NSW, 210 PO Box 687, Dee Why, NSW, 2099 Mob. 0414 717 541 Email. jjdraft@tpg.com.au www.jjdrafting.com.au


| 101 | | | |
|-----|---|--|----|
| | | | DR |
| | | | |
| | П | | |

DESCRIPTION:

| PROJECT DETAILS: | PROPOSED ALTERATIONS AND ADDITIONS TO A NEW SECONDARY DWELLING CONVERSION 16 Powderworks road - North Narrabeen | DATE |
|------------------|---|-------|
| DRAWING TITLE: | SITE ANALYSIS PLAN | JOB I |

| DATE: | DRAWN BY: | SCALE: |
|-------------|-------------|-------------|
| AUGUST/2019 | LB | 1:200 @ A3 |
| JOB No: | CHECKED BY: | DRAWING No: |
| 727/19 | JJ J | DA.01 |

DA.01



ROOF PLAN AND STORMWATER CONCEPT PLAN

TRUE NORTH:

- NOTES:

 All structures including stormwater & drainage to engineer's details.

 Do not obtain dimensions by scaling drawings.

 All dimensions are to be checked on site prior to starting work.

 These drawings are to be read in conjunction with all other consultant's drawings and specifications.

 All workmanship & materials shall be in accordance with the requirements of current editions including amendments of the relevant SAA Codes of Practice. The Building Code of Australia and

- All workmanship & materials shall be in accordance with the requirements of current editions including amendments of the relevant SAA Codes of Practice, the Building Code of Australia and local council requirements.
 New materials are to be used throughout unless otherwise noted.
 Concrete footings, slab, structural beams or any other structural members are to be designed by a practicing engineer.

JJ Drafting


174 Garden St, North Narrabeen, NSW, 2 PO Box 687, Dee Why, NSW, 2099 Mob. 0414 717 541 Email. jjdraft@tpg.com.au www.jjdrafting.com.au

| | REV: | DATE: | DESCRIPTION: | F |
|--------|------|-------|--------------|----|
| 9 | | | | |
| ا میرا | | | | |
| 2101 | | | | F |
| | | | | Ι. |
| | | | | 1 |


| PROJECT DETAILS: | PROPOSED ALTERATIONS AND ADDITIONS TO A NEW SECONDARY DWELLING CONVERSION 16 Powderworks road - North Narrabeen | DA |
|------------------|---|----|
| DRAWING TITLE: | ROOF PLAN & STORMWATER CONCEPT | JC |

| DATE: | DRAWN BY: | : |
|-------------|-------------|---|
| AUGUST/2019 | LB | |
| JOB No: | CHECKED BY: | |
| 727/19 | JJ | |


SCALE: 1:100 @ A3 DRAWING No: **DA.03**




NORTH ELEVATION




NOTES: • All structures including stormwater & drainage to engineer's details. • Do not obtain dimensions by scaling drawings. • All dimensions are to be checked on site prior to starting work. • These drawings are to be read in conjunction with all other consultant's drawings and PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS TO A REV: DATE: DESCRIPTION: TRUE NORTH: DATE: DRAWN BY: SCALE: JJ Drafting NEW SECONDARY DWELLING CONVERSION AUGUST/2019 LB 1:100 @ A3 16 Powderworks road - North Narrabeen PO Box 687, Dee Why, NSW, 2099 DRAWING TITLE: CHECKED BY: including amendments of the relevant SAA Codes of Practice, the Building Code of Australia and local council requirements. New materials are to be used throughout unless otherwise noted. Concrete footings, slab, structural beams or any other structural members are to be designed by DRAWING No: JOB No: Mob. 0414 717 541 NORTH & SOUTH ELEVATION 727/19 Email. jjdraft@tpg.com.au DA.04 www.jjdrafting.com.au



EAST ELEVATION



| TRUE NORTH: | NOTES: • All structures including stormwater & drainage to engineer's details. • Do not obtain dimensions by scaling drawings. • All dimensions are to be checked on site prior to starting work. • These drawings are to be read in conjunction with all other consultant's drawings and specifications. | JJ Drafting 174 Garden St, North Narrabeen, NSW, 2101 | DESCRIPTION: | PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS TO A NEW SECONDARY DWELLING CONVERSION 16 Powderworks road - North Narrabeen | DATE: AUGUST/2019 | DRAWN BY: | SCALE: 1:100 @ A3 |
|-------------|---|---|--------------|--|----------------------|-------------|----------------------|
| | All workmanship & materials shall be in accordance with the requirements of current editions including amendments of the relevant SAA Codes of Practice, the Building Code of Australia and local council requirements. New materials are to be used throughout unless otherwise noted. Concrete footings, slab, structural beams or any other structural members are to be designed by | PO Box 687, Dee Why, NSW, 2099 Mob. 0414 717 541 Fmail iidraft@ton com au | | DRAWING TITLE: EAST & WEST ELEVATION | JOB No: 727/19 | CHECKED BY: | DRAWING No: DA.05 |



LANDSCAPE CONCEPT PLAN

| CALCULATIONS | | |
|---|----------|-----------------------|
| SITE AREA | | 970.7 m ² |
| LANDSCAPE CONTROL | MIN. 60% | 582.4 m ² |
| EXISTING LANDSCAPE AREA | 74 % | 720.0 m ² |
| TOTAL NEW LANDSCAPE AREA (INCLUDES 6% OF SITE AREA TO OUTDOOR RECREATIONAL USE) | 71.5 % | 694.5 m ² |
| LANDSCAPE AREA - NOT COUNTED | | |
| EXISTING HARD SURFACE AREA | | 236.5 m ² |
| NEW HARD SURFACE AREA | | 25.45 m ² |
| HARD SURFACE TO REMAIN | | 261.95 m ² |





- NOTES:

 All structures including stormwater & drainage to engineer's details.

 Do not obtain dimensions by scaling drawings.

 All dimensions are to be checked on site prior to starting work.

 These drawings are to be read in conjunction with all other consultant's drawings and specifications.

 All workmanship & materials shall be in accordance with the requirements of current editions including manendments of the relevant SAA Codes of Practice. The Building Code of Australia and

- All workmanship & materials shall be in accordance with the requirements of current editions including amendments of the relevant SAA Codes of Practice, the Building Code of Australia and local council requirements.
 New materials are to be used throughout unless otherwise noted.
 Concrete footings, slab, structural beams or any other structural members are to be designed by a practicing engineer.

JJ Drafting


174 Garden St, North Narrabeen, NSW, 210 PO Box 687, Dee Why, NSW, 2099 Mob. 0414 717 541 Email. jjdraft@tpg.com.au www.jjdrafting.com.au

| | REV: | DATE: | DESCRIPTION: | PF |
|-----|------|-------|--------------|----|
| 7 | | | | |
| 101 | | | | |
| | | | | DF |
| | | | | |
| - 1 | - | | | 1 |

| PROJECT DETAILS: | PROPOSED ALTERATIONS AND ADDITIONS TO A NEW SECONDARY DWELLING CONVERSION 16 Powderworks road - North Narrabeen | |
|------------------|---|--|
| DRAWING TITLE: | LANDSCAPE OPEN SPACE CALCULATION PLAN | |

| DATE: | DRAWN BY: |
|-------------|-------------|
| AUGUST/2019 | LB |
| JOB No: | CHECKED BY: |
| 727/19 | JJ |

SCALE: 1:200 @ A3 DRAWING No: DA.07



EROSION AND SEDIMENT CONTROL / WASTE MANAGEMENT PLAN

Designated Site Manager/Builder

PRIOR TO COMMENCEMENT OF WORK A SITE MANAGER OR BUILDER MUST BE NOMINATED. THE SITE MANAGER OR BUILDER WILL BE RESPONSIBLE AND LIABLE FOR ALL WORKS CARRIED OUT ON THE SITE. THIS ASSUMES THE RESONSIBILITY FOR THE ACTIONS OF ALL SUBCONTRACTED PARTIES AS WELL AS ADVISING THEM OF COUNCIL'S REQUIREMENTS WHEN CARRYING OUT WORKS

Topsoil Management

PRIOR TO THE STRIPPING OF TOPSOIL, THE VEGETATIVE COVER MUST BE REDUECED BY EITHER SLASHING OR MOWING. ALL TOPSOIL IS TO BE RETAINED AND PROTECTED FOR REUSE ON SITE. SOIL STOCKPILES MUST NOT BE LOCATED ON NATURE STRIPS, FOOTPATHS, ROADWAYS, KERBS, ACCESSWAYS, WITHIN DRAINAGE LINES/FLOWS/PATHS

OR AROUND OR AGAINST TREE SHRUBS. SEDIMENT CONTROL MEASURES MUST BE INCORPORATED WITH ANY RESULTING STOCKPILE. THE STOCKPILE CAN BE PROTECTED FROM EROSION BY COVERING IT WITH AN IMPERVIOUS MATERIAL, IN CONJUNCTION WITH THE INSTALLATION OF A SEDIMENT FENCE AROUND IT. IF STOCKPILES ARE TO REMAIN FOR MORE THAN ONE MONTH THEY ARE TO BE GRASSED IMMEDIATELY AND STABILISED WITHIN FOURTEEN DAYS. SURPLUS TOPSOIL MUST BE REASONABLY REMOVED FROM SITE.

Builidng Material Stockpiling

SUFFICIENT AREA MUST BE ALLOCATED WITHIN THE SITE FOR SUCH STORAGE OF BUILDING MATERIALS, DEMOLITION WASTE, WASTE CONTAINERS, ETC. AS WILL BE REQUIRED.

Sediment Fences

A SEDIMENT FENCE SHOULD BE LOCATED ALONG THE DOWNSLOPE BOUNDARY(S)OF THE SITE, ON THE CONSTRUCTION SIDE OF THE TURF FILTER STRIP OR NATIVE VEGETATION. AND AROUND ALL STOCKPILES OF MATERIAL ON THE SITE.

Dust Control

ALL TRUCKS/UTES MUST COVER THEIR LOADS AT ALL TIMES. APPROPRIATE METHODS ARE TO BE EMPLOYED TO PREVENT BLOWING DUST CREATING AN UNACCEPTABLE HAZARD OR NUISANCE ON THE SITE OR DOWN WIND, PRODUCTION OF DUST CAN BE MINIMISED BY LIMITING AREA OF

EARTHWORKS, WATERING AND PROGRESSIVE VEGETATION. WHERE DUST IS CREATED AS A RESULT WORKS AND/OR SOIL EXPOSURE, THE BARE SOIL AREAS MUST BE WATERED, DURING AND/OR AT THE END OF EACH DAY TO LAY THE DUST. EARTH MOVONG ACTIVITIES SHOULD BE VOIDED WHERE WINDS ARE SUFFICIENTLY STRONG ENOUGH TO RAISE VISIBLE DUST.

Erosion & Sediment Controls

APPROPRIATE EROSION AND SEDIMENT CONTROLS MUST BE IMPLEMENTED ON ALL SITES THAT INVOLVE SOIL DISTURBANCE. THE MEASURES MUST BE IN PLACE PRIOR TO THE COMMENCEMENT OF WORK. THOSE CONTROLS ARE TO BE MONITORED AND MAINTAINED IN ORDER TO SERVE THEIR INTENDED FUNCTION FOR THE DURATION OF THW WORKS OR UNTIL SUCH TIME AS THE SITE IS FULLY STABILISED, IF ANY CONTROLS ARE DAMAGED OR BECOME INEFFECTIVE DURING THE COURSE OF THE WORKS. THEY ARE TO BE REINSTATED OR REPLACED IMMEDIATELY. SUFFICIENT ACCESS TO THESE CONTROLS MUST BE PROVIDED IN CASE OF THE NEED TO REPAIR

Sediment Traps

WHERE A SEDIMENT FENCE IS NOT USED APPROPRIATE SEDIMENT TRAPS SHOULD BE LOCATED AT ALL POINTS WHERE STORMWATER LEAVES THE CONSTRUCTION SITE OR LEAVES THE GUTTER AND ENTERS THE DRAINAGE SYSTEM. A COMMON TECHNIQUE IS THE GRAVEL SAUSAGE.

Diversion Channels

A DIVERSION CHANNEL IS AN EXCAVATED EARTH DITCH OR PATH. THESE STRUCTURES AREE USED TO INTERCEPT AND DIRECT RUN-OFF TO A DESIRED LOCATION WHERE POSSIBLE, ALL STORMWATER RUN-OFF FLOWING ONTO DISTURBED AREAS, INCLUDING STOCKPILES, MUST BE INTERCEPTED, DIVERTED AND/OR SAFELY DISPOSED OF, THIS CAN BE ACHIVED BY CONSTRUCTING A TEMPORARY EARTH BANK AROUND THE UPSLOPE EXTENT OF THE CONSTRUCTION SITE WHERE THE DIVERSION DOES NOT AFFECT THE NEIGHBOURING PROPERTIES

Vehicle Movements


TO LIMIT DISTURBANCE TO THE SITE AND TRACKING OF MATERIAL ONTO THE STREET ALL VEHICLES AND PLANT EQUIPMENT ARE TO USE A SINGLE ENTRY/EXIT POINT UNLESS COUMCIL HAS APPROVED ALTERNATIVE ARRANGEMENTS.

ACCESS POINTS AND APRKING AREAS ARE TO BE STABILISED WITH COMPACTED SUB-GRADE AS SOON AS POSSIBLE AFTER THEIR FORMATION. WHERE SPILLAGE DOES OCCUR IT IS TO BE CONTAINED IMMEDIATELY AND CAREFULLY REMOVED. THE AREA AFFECTED IS TO BE RESTORED TO A STANDARD EQUAL TO OR BETTER THAN ITS PREVIOUS CONDITION.

ALL VEHICLES ARE TO BE WASHED PRIOR TO EXISTING THE SITE. THIS SERVES THE PURPOSE OF REMOVING SITE MATERIAL ON THE VEHICLE AND PREVENTS IT FROM BEING DEPOSITED ON THE ROAD NETWORK ADJACENT TO THE SITE AND THUS, THE STORWATER SYSTEM, ALL POLLUTED WATER MUST BE RETAINED ON SITE FOR TREATMENT BEFORE IT IS DISCHARGED INTO THE STORMWATER SYSTEM.

NO VEHICLE ASSOCIATED WITH THE WORK IS TO BE PARKED ON A FOOTPATH OR PUBLIC RESERVE.

ALL VEHILCES VISITNG THE SITE DURING DEMOLITION, EXCAVATION AND/OR CONSTRUCTION WORKS, ARE TO COMPLY WITH THE PARKING REQUIREMENTS IN THAT AREA



TYPICAL SEDIMENT FENCE

MANAGEMENT PLAN

TYPICAL DIVERSION CHANNEL

TRUE NORTH:



NOTES:

All structures including stormwater & drainage to engineer's details

- An structures influencing starting and calling to engineer's details.

 Do not obtain dimensions by scaling drawings.

 All dimensions are to be checked on site prior to starting work.

 These drawings are to be read in conjunction with all other consultant's drawings and
- All workmanship & materials shall be in accordance with the requirements of current editions ncluding amendments of the relevant SAA Codes of Practice, the Building Code of Australia and
- ornatine to be used throughout unless otherwise noted.

 crete footings, slab, structural beams or any other structural members are to be designed by a practicing engineer

JJ Drafting

174 Garden St, North Narrabeen, NSW, 2101 PO Box 687. Dee Why. NSW. 2099 Mob. 0414 717 541 Email. jjdraft@tpg.com.au www.jjdrafting.com.au


| | 2200.111 | · · · - · | |
|---|----------|-----------|--|
| | | | |
| | | | |
| D | | | |
| | | | |
| | | | |

||REV-| DATE-


DESCRIPTION:

| PROJECT DETAILS: | PROPOSED ALTERATIONS AND ADDITIONS TO A NEW SECONDARY DWELLING CONVERSION 16 Powderworks road - North Narrabeen | DAT |
|------------------|---|-----|
| DRAWING TITLE: | EROSION & SEDIMENT CONTROL / WASTE | JOB |

| DATE: | DRAWN BY: | SCALE: | |
|-------------|-------------|-------------|--|
| AUGUST/2019 | LB | 1:200 @ A3 | |
| JOB No: | CHECKED BY: | DRAWING No: | |
| 727/19 | JJ | DA.08 | |



21 JUNE SHADOW DIAGRAM - 9am



TRUE NORTH:

NOTES:

- NUTES:
 All structures including stormwater & drainage to engineer's details.
 Do not obtain dimensions by scaling drawings.
 All dimensions are to be checked on site prior to starting work.
 These drawings are to be read in conjunction with all other consultant's drawings and specifications.

- All workmanship & materials shall be in accordance with the requirements of current editions including amendments of the relevant SAA Codes of Practice, the Building Code of Australia and local council requirements.
 New materials are to be used throughout unless otherwise noted.
 Concrete footings, slab, structural beams or any other structural members are to be designed by a practicing engineer.

JJ Drafting


174 Garden St, North Narrabeen, NSW, 21 PO Box 687, Dee Why, NSW, 2099 Mob. 0414 717 541 Email. jjdraft@tpg.com.au www.jjdrafting.com.au

| | REV: | DATE: | DESCRIPTION: |
|----------|------|-------|--------------|
| 7 | | | |
| <i>'</i> | _ | | |
| 101 | | | |
| | | | |
| | | | |
| | | | |


| PROJECT DETAILS: | PROPOSED ALTERATIONS AND ADDITIONS TO A NEW SECONDARY DWELLING CONVERSION 16 Powderworks road - North Narrabeen | DATE |
|------------------|---|------|
| DRAWING TITLE: | JUNE 21 9am | JOB |

| JOB No: 727/19 | CHECKED BY: | DRAWING No: |
|----------------|-------------|-------------|
| AUGUST/2019 | LB | 1:200 @ A |
| DATE: | DRAWN BY: | SCALE: |

1:200 @ A3



21 JUNE SHADOW DIAGRAM - 12pm



TRUE NORTH:

NOTES:


- NOTES:
 All structures including stormwater & drainage to engineer's details.
 Do not obtain dimensions by scaling drawings.
 All dimensions are to be checked on site prior to starting work.
 These drawings are to be read in conjunction with all other consultant's drawings and specifications.

- All workmanship & materials shall be in accordance with the requirements of current editions including amendments of the relevant SAA Codes of Practice, the Building Code of Australia and local council requirements.
 New materials are to be used throughout unless otherwise noted.
 Concrete footings, slab, structural beams or any other structural members are to be designed by a practicing engineer.


JJ Drafting

| 2 | |
|--|----|
| 74 Garden St, North Narrabeen, NSW, 21 | 01 |
| PO Box 687, Dee Why, NSW, 2099 | |
| Mob. 0414 717 541 | |
| Email. jjdraft@tpg.com.au | |
| | |

| REV: | DATE: | DESCRIPTION: | PROJECT DETAILS: | PROPOSED ALTERATIONS AND ADDITIONS TO A NEW SECONDARY DWELLING CONVERSION 16 Powderworks road - North Narrabeen | DATE: AUGUST/2019 | DRAWN BY: | SCALE: 1:200 @ A3 |
|------|-------|--------------|------------------|---|----------------------|-------------|----------------------|
| | | | DRAWING TITLE: | JUNE 21 12pm | JOB No: 727/19 | CHECKED BY: | DRAWING No: DA.10 |



21 JUNE SHADOW DIAGRAM - 3pm



TRUE NORTH:

NOTES:

- NUTES:
 All structures including stormwater & drainage to engineer's details.
 Do not obtain dimensions by scaling drawings.
 All dimensions are to be checked on site prior to starting work.
 These drawings are to be read in conjunction with all other consultant's drawings and specifications.

- All workmanship & materials shall be in accordance with the requirements of current editions including amendments of the relevant SAA Codes of Practice, the Building Code of Australia and local council requirements.
 New materials are to be used throughout unless otherwise noted.
 Concrete footings, slab, structural beams or any other structural members are to be designed by a practicing engineer.

JJ Drafting

| 74 Garden St, North Narrabeen, NSW, 2101 |
|--|
| PO Box 687, Dee Why, NSW, 2099 |
| Mob. 0414 717 541 |
| Email. jjdraft@tpg.com.au |
| www.jjdrafting.com.au |

| REV: | DATE: | DESCRIPTION: | PROJECT DETAILS: | PROPOSED ALTERATIONS AND ADDITIONS TO A NEW SECONDARY DWELLING CONVERSION 16 Powderworks road - North Narrabeen | DATE: AUGUST/2019 | DRAWN BY: | SCALE: 1:200 @ A3 |
|------|-------|--------------|------------------|---|----------------------|-------------|----------------------|
| | | | DRAWING TITLE: | JUNE 21 3pm | JOB No: 727/19 | CHECKED BY: | DRAWING No: DA.11 |