

PITTWATER ROAD

DOWNPIPES CONNECTED TO RAINWATER TANK
1500L IN-GROUND RAINWATER TANK

RAINWATER TANK OVERFLOWS TO STORMWATER PIT

EXISTING 600X900 STORMWATER PIT WITH CLASS 'B' HEEL PROOF 316L SS GRATE & FRAME RL 6.40

EXISTING SW CONNECTION TO COUNCIL INFRASTRUCTURE

LINE OF EASEMENT

FREE DRAINING SANDY SOIL

CONCRETE

PAVING

PAVING

NO. 1158


Complete Thought Studio

ARCHITECT Complete Thought Studio PTY LTD
 A 5/59 Upper Pitt St, Kirribilli
 T +612 8040 4282
 E info@completethought.studio
 ABN 176 515 561 42
 NOM Stephen Clement NSW Reg 10281

No.	Description	Date
A	Development Application	24.06.2022
B	Development Application Amended	06.04.2023

This drawing should be read in conjunction with all relevant contracts, specifications, reports, schedules and drawings. The contractor shall verify all dimensions and levels on site. Written dimensions only should be taken from drawings. Do Not Scale. Design and documents remain copyright of Complete Thought PTY LTD and cannot be reproduced without consent.

→ Stormwater Flow
 Note - All drainage works are to be in accordance with as/nzs 3500 - stormwater drainage, warringah council development control plan for on-site stormwater management and the latest basix certificate



PROJECT
 1162 Pittwater Road, Collaroy
 LOT B, DP302895

PROJECT NO.
 001_1162PR
DRAWING NAME.
 Stormwater Plan
DRAWING NO.
 DA-003

REV	SCALE	DATE	STATUS	DRAWN
B	1 : 200 @ A3	06.04.2023	DA	SC