

Building Sustainability Index www.basix.nsw.gov.au

Single Dwelling

Certificate number: 1264370S

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at www.basix.nsw.gov.au

Secretary

BASIX

Date of issue: Wednesday, 01 December 2021

To be valid, this certificate must be lodged within 3 months of the date of issue.



Project summary	
Project name	LOT -5A @10 FERNCREEK ROAD WARRIEWOOD
Street address	10 FERN CREEK Road WARRIEWOOD 2102
Local Government Area	Northern Beaches Council
Plan type and plan number	deposited 0000000
Lot no.	5A
Section no.	-
Project type	attached dwelling house
No. of bedrooms	4
Project score	
Water	✓ 41 Target 40
Thermal Comfort	✓ Pass Target Pass
Energy	✓ 54 Target 50

Certificate	Prepared	by
-------------	----------	----

Name / Company Name: Outsource Ideas (ss)

ABN (if applicable): 12130092661

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1264370S Wednesday, 01 December 2021 page 1/9

Description of project

BASIX

Project address			
Project name	LOT -5A @10 FERNCREEK ROAD WARRIEWOOD		
Street address	10 FERN CREEK Road WARRIEWOOD 2102		
Local Government Area	Northern Beaches Council		
Plan type and plan number	Deposited Plan 0000000		
Lot no.	5A		
Section no.	-		
Project type			
Project type	attached dwelling house		
No. of bedrooms	4		
Site details			
Site area (m²)	455		
Roof area (m²)	163		
Conditioned floor area (m2)	166.0		
Unconditioned floor area (m2)	8.0		
Total area of garden and lawn (m2)	70		

Assessor details and thermal le	pads
Assessor number	n/a
Certificate number	n/a
Climate zone	n/a
Area adjusted cooling load (MJ/m².year)	n/a
Area adjusted heating load (MJ/m².year)	n/a
Ceiling fan in at least one bedroom	n/a
Ceiling fan in at least one living room or other conditioned area	n/a
Project score	
Water	✓ 41 Target 40
Thermal Comfort	✓ Pass Target Pass
Energy	✓ 54 Target 50

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Wednesday, 01 December 2021 page 2/9 Certificate No.: 1264370S

Schedule of BASIX commitments

BASIX

The commitments set out below regulate how the proposed development is to be carried out. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

Water Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Fixtures			
The applicant must install showerheads with a minimum rating of 3 star (> 4.5 but <= 6 L/min) in all showers in the development.		→	V
The applicant must install a toilet flushing system with a minimum rating of 4 star in each toilet in the development.		~	V
The applicant must install taps with a minimum rating of 5 star in the kitchen in the development.		~	
The applicant must install basin taps with a minimum rating of 5 star in each bathroom in the development.		~	
Alternative water			
Rainwater tank			
The applicant must install a rainwater tank of at least 2000 litres on the site. This rainwater tank must meet, and be installed in accordance with, the requirements of all applicable regulatory authorities.	~	~	V
The applicant must configure the rainwater tank to collect rain runoff from at least 70 square metres of the roof area of the development (excluding the area of the roof which drains to any stormwater tank or private dam).		~	V
The applicant must connect the rainwater tank to:			
 at least one outdoor tap in the development (Note: NSW Health does not recommend that rainwater be used for human consumption in areas with potable water supply.) 		✓	V

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1264370S Wednesday, 01 December 2021 page 3/9

Thermal Comfort Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
General features			
The dwelling must not have more than 2 storeys.	V	~	-
The conditioned floor area of the dwelling must not exceed 300 square metres.	V	~	V
The dwelling must not contain open mezzanine area exceeding 25 square metres.	V	V	V
The dwelling must not contain third level habitable attic room.	~	V	V
Floor, walls and ceiling/roof			
The applicant must construct the floor(s), walls, and ceiling/roof of the dwelling in accordance with the specifications listed in the table below.	-	~	V

Construction	Additional insulation required (R-Value)	Other specifications
floor - concrete slab on ground	nil	
floor - suspended floor above garage, framed	nil	
external wall - brick veneer	2.86 (or 3.40 including construction)	
internal wall shared with garage - plasterboard	nil	
ceiling and roof - flat ceiling / pitched roof	ceiling: 4.5 (up), roof: foil/sarking	unventilated; medium (solar absorptance 0.475-0.70)

Note	Insulation specified in this Certificate must be installed in accordance with Part 3.12.1.1 of the Building Code of Australia.
Note	In some climate zones, insulation should be installed with due consideration of condensation and associated interaction with adjoining building materials.

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1264370S Wednesday, 01 December 2021 page 4/9

BASIX

Thermal Comfort Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check		
Windows, glazed doors and skylights					
The applicant must install the windows, glazed doors and shading devices described in the table below, in accordance with the specifications listed in the table. Relevant overshadowing specifications must be satisfied for each window and glazed door.	V	~	~		
The dwelling may have 1 skylight (<0.7 square metres) which is not listed in the table.	V	~	~		
The following requirements must also be satisfied in relation to each window and glazed door:	V	~	~		
• For the following glass and frame types, the certifier check can be performed by visual inspection.			V		
- Aluminium single clear					
- Aluminium double (air) clear					
- Timber/uPVC/fibreglass single clear					
- Timber/uPVC/fibreglass double (air) clear					
• Pergolas with polycarbonate roof or similar translucent material must have a shading coefficient of less than 0.35.		✓	V		
 Unless they have adjustable shading, pergolas must have fixed battens parallel to the window or glazed door above which they are situated, unless the pergola also shades a perpendicular window. The spacing between battens must not exceed the height of the battens. 		~	~		

Window/glazed door no.	Maximum height (mm)	Maximum width (mm)	Туре	Shading Device (Dimension within 10%)	Overshadowing
North facing					
W05	2700	3000	aluminium, single, clear	solid overhang 1520 mm, 340 mm above head of window or glazed door	not overshadowed
W06	2700	3000	aluminium, single, clear	solid overhang 1520 mm, 340 mm above head of window or glazed door	not overshadowed
W16	2700	3710	aluminium, single, clear	none	not overshadowed
East facing		'			

BASIX

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1264370S Wednesday, 01 December 2021 page 5/9

Window/glazed door no.	Maximum height (mm)	Maximum width (mm)	Туре	Shading Device (Dimension within 10%)	Overshadowing
W08	1200	2000	aluminium, single, clear	eave 600 mm, 0 mm above head of window or glazed door	not overshadowed
W09	1200	2000	aluminium, single, clear	eave 600 mm, 0 mm above head of window or glazed door	not overshadowed
W10	1200	2530	aluminium, single, clear	eave 600 mm, 0 mm above head of window or glazed door	not overshadowed
W18	900	1800	aluminium, single, clear	eave 600 mm, 260 mm above head of window or glazed door	not overshadowed
W19	2700	2986	aluminium, single, clear	pergola (fixed battens) 3850 mm, 0 mm above head of window or glazed door	not overshadowed
South facing		·			
W13	1200	2000	aluminium, single, clear	eave 600 mm, 340 mm above head of window or glazed door	not overshadowed
W14	1200	999	aluminium, single, clear	eave 600 mm, 340 mm above head of window or glazed door	not overshadowed
W20	900	3000	aluminium, single, clear	none	not overshadowed

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1264370S Wednesday, 01 December 2021 page 6/9

BASIX

Energy Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Hot water			
The applicant must install the following hot water system in the development, or a system with a higher energy rating: gas instantaneous with a performance of 5 stars.	~	✓	~
Cooling system			
The applicant must install the following cooling system, or a system with a higher energy rating, in at least 1 living area: 1-phase airconditioning; Energy rating: 2.5 star (average zone)		~	~
The applicant must install the following cooling system, or a system with a higher energy rating, in at least 1 bedroom: 1-phase airconditioning; Energy rating: 2.5 star (average zone)		~	V
The cooling system must provide for day/night zoning between living areas and bedrooms.		~	V
Heating system			
The applicant must install the following heating system, or a system with a higher energy rating, in at least 1 living area: 1-phase airconditioning; Energy rating: 2.5 star (average zone)		→	~
The applicant must install the following heating system, or a system with a higher energy rating, in at least 1 bedroom: 1-phase airconditioning; Energy rating: 2.5 star (average zone)		~	V
The heating system must provide for day/night zoning between living areas and bedrooms.		~	V
Ventilation			
The applicant must install the following exhaust systems in the development:			
At least 1 Bathroom: individual fan, ducted to façade or roof; Operation control: manual switch on/off		✓	•
Kitchen: individual fan, ducted to façade or roof; Operation control: manual switch on/off		✓	~
Laundry: individual fan, ducted to façade or roof; Operation control: manual switch on/off		~	V
Artificial lighting			
The applicant must ensure that the "primary type of artificial lighting" is fluorescent or light emitting diode (LED) lighting in each of the following rooms, and where the word "dedicated" appears, the fittings for those lights must only be capable of accepting fluorescent or light emitting diode (LED) lamps:			
at least 4 of the bedrooms / study; dedicated			

BASIX Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1264370S Wednesday, 01 December 2021 page 7/9

Energy Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
at least 3 of the living / dining rooms; dedicated		~	~
the kitchen; dedicated		~	V
all bathrooms/toilets; dedicated		~	~
the laundry; dedicated		✓	~
all hallways; dedicated		V	~
Natural lighting			
The applicant must install a window and/or skylight in 1 bathroom(s)/toilet(s) in the development for natural lighting.	V	~	V
Other			
The applicant must install a gas cooktop & electric oven in the kitchen of the dwelling.		~	
The applicant must install a fixed outdoor clothes drying line as part of the development.		•	

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1264370S Wednesday, 01 December 2021 page 8/9

BASIX

Legend

BASIX

In these commitments, "applicant" means the person carrying out the development.

Commitments identified with a in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).

Commitments identified with a in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.

Commitments identified with a in the "Certifier check" column must be certified by a certifying authority as having been fulfilled, before a final occupation certificate(either interim or final) for the development may be issued.

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1264370S Wednesday, 01 December 2021 page 9/9