## page 1/4

## **BASIX** Certificate

Building Sustainability Index www.basix.nsw.gov.au

## Alterations and Additions

Certificate number: A351939

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Alterations and Additions Definitions" dated 06/10/2017 published by the Department. This document is available at www.basix.nsw.gov.au

Secretarv Date of issue: Wednesday, 31, July 2019 To be valid, this certificate must be lodged within 3 months of the date of issue.



Project address	
Project name	Meehan Pool
Street address	20 Palm beach Road palm beach 2108
Local Government Area	Northern Beaches Council
Plan type and number	Deposited Plan 342891
Lot number	A
Section number	
Project type	
Dwelling type	Separate dwelling house
Type of alteration and addition	My renovation work is valued at \$50,000 or mo and includes a pool (and/or spa).

Certificate Prepared by (please complete before submitting to Council or PCA)

Name / Company Name: michael robilliard and associatespty Itd

ABN (if applicable): 82726599440

Š

Pool and Spa	Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Rainwater tank		1	
The applicant must install a rainwater tank of at least 3850 litres on the site. This rainwater tank must meet, and be installed in accordance with, the requirements of all applicable regulatory authorities.	~	~	~
The applicant must configure the rainwater tank to collect rainwater runoff from at least 41 square metres of roof area.		$\checkmark$	$\checkmark$
The applicant must connect the rainwater tank to a tap located within 10 metres of the edge of the pool and outdoor spa.		<ul> <li></li> </ul>	$\checkmark$
Outdoor swimming pool		1	
The swimming pool must be outdoors.	$\checkmark$	~	$\checkmark$
The swimming pool must not have a capacity greater than 43.5 kilolitres.	$\checkmark$	~	$\checkmark$
The swimming pool must have a pool cover.		<ul> <li></li> </ul>	$\checkmark$
The applicant must install a pool pump timer for the swimming pool.		~	$\checkmark$
The applicant must install the following heating system for the swimming pool that is part of this development: solar (gas boosted).		~	$\checkmark$
Outdoor spa		1	
The spa must not have a capacity greater than 2.7 kilolitres.	$\checkmark$	~	$\checkmark$
The spa must have a spa cover.		~	$\checkmark$
The applicant must install a spa pump timer.		<ul> <li></li> </ul>	$\checkmark$
The applicant must install the following heating system for the outdoor spa that is part of this development: solar (gas boosted).		<ul> <li>Image: A set of the set of the</li></ul>	$\checkmark$

Glazing requ	irements						Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Windows and	l glazed do	ors							
The applicant must install the windows, glazed doors and shading devices, in accordance with the specifications listed in the table below. Relevant overshadowing specifications must be satisfied for each window and glazed door.						~	~	~	
The following requirements must also be satisfied in relation to each window and glazed door:							$\checkmark$	$\checkmark$	
Each window or glazed door with standard aluminium or timber frames and single clear or toned glass may either match the description, or, have a U-value and a Solar Heat Gain Coefficient (SHGC) no greater than that listed in the table below. Total system U-values and SHGCs must be calculated in accordance with National Fenestration Rating Council (NFRC) conditions.							~	~	
External louvres and blinds must fully shade the window or glazed door beside which they are situated when fully drawn or closed.							~	~	
Overshadowing buildings or vegetation must be of the height and distance from the centre and the base of the window and glazed door, as specified in the 'overshadowing' column in the table below.						$\checkmark$	$\checkmark$	~	
Windows and glazed doors glazing requirements									
Window / door no.	Orientation	Area of glass inc. frame (m2)	Oversha Height (m)	adowing Distance (m)	Shading device	Frame and glass type			
W1	E	10.2	0.1	20	external louvre/blind (adjustable)	standard aluminium, single clear, (or U-value: 7.63, SHGC: 0.75)			

## Legend

In these commitments, "applicant" means the person carrying out the development.

Commitments identified with a " / " in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).

Commitments identified with a " / " in the "Show on CC/CDC plans & specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.

Commitments identified with a " " in the "Certifier check" column must be certified by a certifying authority as having been fulfilled, before a final occupation certificate for the development may be issued.