


DATE:	DRAWN BY:	SCALE:
OCTOBER 2018	MRV	1:200 @ A3
JOB No:	CHECKED BY:	drawing no:
672/18	JJ	DA 01




	NOTES: • All structures including stormwater & drainage to engineer's details. • Do not obtain dimensions by scaling drawings. • All dimensions are to be checked on site prior to starting work. • These drawings are to be read in conjunction with all other consultant's drawings and specifications.	JJ Drafting 174 Garden St. North Narrabeen, NSW, 2101	REV:	DATE:	DESCRIPTION:	PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 20 CAPRI CLOSE - AVALON BEACH
	<ul> <li>All workmanship &amp; materials shall be in accordance with the requirements of current editions including amendments of the relevant SAA Codes of Practice, the Building Code of Australia and</li> </ul>	DO Day 607 Dea Why NOW 2000				DRAWING TITLE:
	local council requirements.	Mob. 0414 717 541				ROOF PLAN & STORMWATER CONCEPT PLAN
	<ul> <li>New materials are to be used throughout unless otherwise noted.</li> <li>Concrete footings, slab, structural beams or any other structural members are to be designed by</li> </ul>	Email. jjdraft@tpg.com.au				
	a practicing engineer.	www.jjdrafting.com.au				


DATE:	DRAWN BY:	SCALE:
OCTOBER 2018	MRV	1:200 @ A3
JOB No:	CHECKED BY:	DRAWING No:
672/18	JJ	DA 08



DATE:	DRAWN BY:	scale:
OCTOBER 2018	MRV	1:100 @ A3
JOB No:	CHECKED BY:	DRAWING No:
672/18	JJ	DA 09




DATE:	DRAWN BY:	SCALE:
OCTOBER 2018	MRV	1:100 @ A3
JOB No:	CHECKED BY:	drawing no:
672/18	JJ	DA 10



	DATE:	DRAWN BY:	SCALE:
	OCTOBER 2018	MRV	1:200 @ A3
REA	JOB No:	CHECKED BY:	DRAWING No:
	672/18	JJ	DA 12

PROPOSED LANDSCAPED CALCU		LIAMIN GARDEN	This part net tool: 45.45 This part net tool: 45.45 Ball Parts Ball Parts
CALCULATIONS			CAPRI CLOSE
SITE AREA		803.4 m <sup>2</sup>	CAFRI CLOSE
LANDSCAPE CONTROL	MIN. 60%	482.04 m <sup>2</sup>	
EXISTING LANDSCAPE AREA (INCLUDES 6% OF SITE AREA TO OUTDOOR RECREATIONAL USE)	46.00%	369.59 m <sup>2</sup>	
NEW LANDSCAPE AREA (INCLUDES 6% OF SITE AREA TO OUTDOOR RECREATIONAL USE)	46.00%	369.59 m <sup>2</sup>	
EXISTING HARD SURFACE AREA		433.81 m <sup>2</sup>	
TOTAL HARD SURFACE TO REMAIN		433.81m <sup>2</sup>	
NOTES:           • All structures including stormwater & drainage to engineer's details.           • Do not obtain dimensions by scaling drawings.           • All dimensions are to be checked on site prior to starting work.           • These drawings are to be read in conjunction with all other consultant's specifications.           • All workmanship & materials shall be in accordance with the requirements of or including amendments of the relevant SAA Codes of Practice, the Building Code of Coal council requirements.           • New materials are to be used throughout unless otherwise noted.           • Concrete footings, slab, structural beams or any other structural members are to a practicing engineer.	drawings and current editions of Australia and Development of Australia and Moh. 02	Narrabeen, NSW, 2101 e Why, NSW, 2099 414 717 541 ft@tpg.com.au fting.com.au	DATE: DESCRIPTION: PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 20 CAPRI CLOSE - AVALON BEACH DRAWING TITLE: NEW LANDSCAPE CALCULATION PLAN AND HARD SURFACE AREA



DATE:	DRAWN BY:	SCALE:
OCTOBER 2018	MRV	1:200 @ A3
JOB No:	CHECKED BY:	DRAWING No:
672/18	JJ	DA 13



NOTES: • All structures including stormwater & drainage to engineer's details. • Do not obtain dimensions by scaling drawings. • All dimensions are to be checked on site prior to starting work. • These drawings are to be read in conjunction with all other consultant's drawings and specifications.	JJ Drafting 174 Garden St, North Narrabeen, NSW, 2101	REV:	DATE:	DESCRIPTION:	PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 20 CAPRI CLOSE - AVALON BEACH
<ul> <li>All workmarship &amp; materials shall be in accordance with the requirements of current editions including amendments of the relevant SAA Codes of Practice, the Building Code of Australia and local council requirements.</li> <li>New materials are to be used throughout unless otherwise noted.</li> <li>Concrete footings, slab, structural beams or any other structural members are to be designed by a practicing engineer.</li> </ul>	PO Box 687, Dee Why, NSW, 2099 Mob. 0414 717 541 Email iidraft@tion.com.au				DRAWING TITLE: JUNE 21_9AM

DATE:	DRAWN BY:	SCALE:
OCTOBER 2018	MRV	1:200 @ A3
JOB No:	CHECKED BY:	DRAWING No:
672/18	JJ	DA 14



NOTES: • All structures including stormwater & drainage to engineer's details.		REV:	DATE:	DESCRIPTION:	PROJECT DETAILS:
<ul> <li>An structures including stormwater &amp; drainage to engineers details.</li> <li>Do not obtain dimensions by scaling drawings.</li> <li>All dimensions are to be checked on site prior to starting work.</li> <li>These drawings are to be read in conjunction with all other consultant's drawings and specifications.</li> </ul>	JJ Drafting 174 Garden St, North Narrabeen, NSW, 2101				PROPOSED ALTERATIONS AND ADDITIONS 20 CAPRI CLOSE - AVALON BEACH
<ul> <li>All workmanship &amp; materials shall be in accordance with the requirements of current editions including amendments of the relevant SAA Codes of Practice, the Building Code of Australia and</li> </ul>	PO Box 687, Dee Why, NSW, 2099				DRAWING TITLE:
local council requirements.	Mob. 0414 717 541				JUNE 21 12NOON
<ul> <li>New materials are to be used throughout unless otherwise noted.</li> <li>Concrete footings, slab, structural beams or any other structural members are to be designed by</li> </ul>	Email. jjdraft@tpg.com.au				
a practicing engineer.	www.jjdrafting.com.au				

DATE:	DRAWN BY:	SCALE:
OCTOBER 2018	MRV	1:200 @ A3
JOB No:	CHECKED BY:	DRAWING No:
672/18	JJ	DA 15



	NOTES:		REV:	DATE:	DESCRIPTION:	PROJECT DETAILS:
	<ul> <li>All structures including stormwater &amp; drainage to engineer's details.</li> <li>Do not obtain dimensions by scaling drawings.</li> <li>All dimensions are to be checked on site prior to starting work.</li> <li>These drawings are to be read in conjunction with all other consultant's drawings and sneedifications.</li> </ul>	JJ Drafting 174 Garden St, North Narrabeen, NSW, 2101				PROPOSED ALTERATIONS AND ADDITIONS 20 CAPRI CLOSE - AVALON BEACH
	<ul> <li>All workmanship &amp; materials shall be in accordance with the requirements of current editions including amendments of the relevant SAA Codes of Practice, the Building Code of Australia and</li> </ul>	DO Day 607 Dea Why NOW 2000				DRAWING TITLE:
	<ul> <li>Iocal council requirements.</li> <li>New materials are to be used throughout unless otherwise noted.</li> </ul>	Mob. 0414 717 541 Email. jjdraft@tpg.com.au				JUNE 21_3PM
_	<ul> <li>Concrete footings, slab, structural beams or any other structural members are to be designed by a practicing engineer.</li> </ul>	www.jjdrafting.com.au				

CON

DATE:	DRAWN BY:	SCALE:
OCTOBER 2018	MRV	1:200 @ A3
JOB No:	CHECKED BY:	DRAWING No:
672/18	JJ	DA 16

# Designated Site Manager/Builder

PRIOR TO COMMENCEMENT OF WORK A SITE MANAGER OR BUILDER MUST BE NOMINATED. THE SITE MANAGER OR BUILDER WILL BE RESPONSIBLE AND LIABLE FOR ALL WORKS CARRIED OUT ON THE SITE. THIS ASSUMES THE RESONSIBILITY FOR THE ACTIONS OF ALL SUBCONTRACTED PARTIES AS WELL AS ADVISING THEM OF COUNCIL'S REQUIREMENTS WHEN CARRYING OUT WORKS.

# Topsoil Management

PRIOR TO THE STRIPPING OF TOPSOIL, THE VEGETATIVE COVER MUST BE REDUECED BY EITHER SLASHING OR MOWING. ALL TOPSOIL IS TO BE RETAINED AND PROTECTED FOR REUSE ON SITE. SOIL STOCKPILES MUST NOT BE LOCATED ON NATURE STRIPS, FOOTPATHS, ROADWAYS, KERBS, ACCESSWAYS, WITHIN DRAINAGE LINES/FLOWS/PATHS OR AROUND OR AGAINST TREE SHRUBS.

SEDIMENT CONTROL MEASURES MUST BE INCORPORATED WITH ANY RESULTING STOCKPILE. THE STOCKPILE CAN BE PROTECTED FROM EROSION BY COVERING IT WITH AN IMPERVIOUS MATERIAL. IN CONJUNCTION WITH THE INSTALLATION OF A SEDIMENT FENCE AROUND IT.

IF STOCKPILES ARE TO REMAIN FOR MORE THAN ONE MONTH THEY ARE TO BE GRASSED IMMEDIATELY AND STABILISED WITHIN FOURTEEN DAYS. SURPLUS TOPSOIL MUST BE REASONABLY REMOVED FROM SITE.

## **Builidng Material Stockpiling**

SUFFICIENT AREA MUST BE ALLOCATED WITHIN THE SITE FOR SUCH STORAGE OF BUILDING MATERIALS, DEMOLITION WASTE, WASTE CONTAINERS, ETC. AS WILL BE REQUIRED

## Sediment Fences

A SEDIMENT FENCE SHOULD BE LOCATED ALONG THE DOWNSLOPE BOUNDARY(S) OF THE SITE. ON THE CONSTRUCTION SIDE OF THE TURF FILTER STRIP OR NATIVE VEGETATION, AND AROUND ALL STOCKPILES OF MATERIAL ON THE SITE

### Dust Control

ALL TRUCKS/UTES MUST COVER THEIR LOADS AT ALL TIMES. APPROPRIATE METHODS ARE TO BE EMPLOYED TO PREVENT BLOWING DUST CREATING AN UNACCEPTABLE HAZARD OR NUISANCE ON THE SITE OR DOWN WIND. PRODUCTION OF DUST CAN BE MINIMISED BY LIMITING AREA OF EARTHWORKS, WATERING AND PROGRESSIVE VEGETATION. WHERE DUST IS CREATED AS A RESULT WORKS AND/OR SOIL EXPOSURE, THE BARE SOIL AREAS MUST BE WATERED. DURING AND/OR AT THE END OF FACH DAY TO LAY THE DUST

EARTH MOVONG ACTIVITIES SHOULD BE AVOIDED WHERE WINDS ARE SUFFICIENTLY STRONG ENOUGH TO RAISE VISIBLE DUST.

# **Erosion & Sediment Controls**

APPROPRIATE EROSION AND SEDIMENT CONTROLS MUST BE IMPLEMENTED ON ALL SITES THAT INVOLVE SOIL DISTURBANCE. THE MEASURES MUST BE IN PLACE PRIOR TO THE COMMENCEMENT OF WORK

THOSE CONTROLS ARE TO BE MONITORED AND MAINTAINED IN ORDER TO SERVE THEIR INTENDED FUNCTION FOR THE DURATION OF THW WORKS OR UNTIL SUCH TIME AS THE SITE IS FULLY STABILISED. IF ANY CONTROLS ARE DAMAGED OR BECOME INEFFECTIVE DURING THE COURSE OF THE WORKS THEY ARE TO BE REINSTATED OR REPLACED IMMEDIATELY. SUFFICIENT ACCESS TO THESE CONTROLS MUST BE PROVIDED IN CASE OF THE NEED TO REPAIR


#### Sediment Traps

WHERE A SEDIMENT FENCE IS NOT USED APPROPRIATE SEDIMENT TRAPS SHOULD BE LOCATED AT ALL POINTS WHERE STORMWATER LEAVES THE CONSTRUCTION SITE OR LEAVES THE GUTTER AND ENTERS THE DRAINAGE SYSTEM. A COMMON TECHNIQUE IS THE GRAVEL SAUSAGE.


## **Diversion Channels**

A DIVERSION CHANNEL IS AN EXCAVATED EARTH DITCH OR PATH. THESE STRUCTURES AREE USED TO INTERCEPT AND DIRECT RUN-OFF TO A DESIRED LOCATION WHERE POSSIBLE.

ALL STORMWATER RUN-OFF FLOWING ONTO DISTURBED AREAS, INCLUDING STOCKPILES, MUST BE INTERCEPTED, DIVERTED AND/OR SAFELY DISPOSED OF. THIS CAN BE ACHIVED BY CONSTRUCTING A TEMPORARY EARTH BANK AROUND THE UPSLOPE EXTENT OF THE CONSTRUCTION SITE WHERE THE DIVERSION DOES NOT AFFECT THE NEIGHBOURING PROPERTIES.



# **EROSION AND SEDIMENT CONTROL & WASTE MANAGEMENT PLAN**



#### TYPICAL SEDIMENT FENCE SCALE NTS

SCALE NTS

RUE NORTH.	NOTES: • All structures including stormwater & drainage to engineer's details. • Do not obtain dimensions by scaling drawings. • All dimensions are to be checked on site prior to starting work. • These drawings are to be read in conjunction with all other consultant's drawings and specifications.	JJ Drafting	DATE:	DESCRIPTION:	PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 20 CAPRI CLOSE - AVALON BEACH
	<ul> <li>All workmanship &amp; materials shall be in accordance with the requirements of current editions including amendments of the relevant SAA Codes of Practice, the Building Code of Australia and local council requirements.</li> <li>New materials are to be used throughout unless otherwise noted.</li> <li>Concrete footings, slab, structural beams or any other structural members are to be designed by a practicing engineer.</li> </ul>	PO Box 687, Dee Why, NSW, 2099 Mob. 0414 717 541 Email idraft@tros.com au			DRAWING TITLE: EROSION & SEDIMENT CONTROL / WASTE MANAGEMENT PLAN



# Vehicle Movements

TO LIMIT DISTURBANCE TO THE SITE AND TRACKING OF MATERIAL ONTO THE STREET ALL VEHICLES AND PLANT EQUIPMENT ARE TO USE A SINGLE ENTRY/EXIT POINT UNLESS COUMCIL HAS APPROVED ALTERNATIVE ARRANGEMENTS.

ACCESS POINTS AND APRKING AREAS ARE TO BE STABILISED WITH COMPACTED SUB-GRADE AS SOON AS POSSIBLE AFTER THEIR FORMATION. WHERE SPILLAGE DOES OCCUR IT IS TO BE CONTAINED IMMEDIATELY AND CAREFULLY REMOVED. THE AREA AFFECTED IS TO BE RESTORED TO A STANDARD EQUAL TO OR BETTER THAN ITS PREVIOUS CONDITION. ALL VEHICLES ARE TO BE WASHED PRIOR TO EXISTING THE SITE. THIS SERVES THE PURPOSE OF REMOVING SITE MATERIAL ON THE VEHICLE AND PREVENTS IT FROM BEING DEPOSITED ON THE ROAD NETWORK ADJACENT TO THE SITE AND THUS, THE STORWATER SYSTEM. ALL POLLUTED WATER MUST BE RETAINED ON SITE FOR TREATMENT BEFORE IT IS DISCHARGED INTO THE STORMWATER SYSTEM. NO VEHICLE ASSOCIATED WITH THE WORK IS TO BE PARKED ON A FOOTPATH

OR PUBLIC RESERVE

ALL VEHILCES VISITING THE SITE DURING DEMOLITION, EXCAVATION AND/OR CONSTRUCTION WORKS, ARE TO COMPLY WITH THE PARKING REQUIREMENTS IN THAT AREA

DATE:	DRAWN BY:	SCALE:
OCTOBER 2018	MRV	1:200 @ A3
JOB No:	CHECKED BY:	DRAWING No:
672/18	JJ	DA 17