



NOTICE OF DETERMINATION OF DEVELOPMENT APPLICATION

Development Application No: DA 2004/422

DEVELOPMENT APPLICATION DETAILS

Applicant Name: Mr & Mrs Smith

Applicant Address: 20 Marmora Street Harbord NSW 2096

Land to be developed (Address): Lot 10, DP 10321, 20 Marmora Street Harbord

Proposed Development: First floor addition, new front verandah, internal works and a new carport

DETERMINATION

Made on (Date): 22 March 2006

Consent to operate from (Date): 22 March 2006

Consent to lapse on (Date): 22 March 2011

Details of Conditions – (including Section 94 conditions)

The conditions, which have been applied to the consent, aim to ensure that the Environmental Impacts of Development are minimised and the Health and Safety of the community is maintained in accordance with the relevant standards and the Building Code of Australia.

NOTE:

If the works are to be certified by a Private Certifying Authority, then it is the certifier's responsibility to ensure all outstanding fees and bonds have been paid to Council prior to the issue of the Construction Certificate or as otherwise specified by Consent conditions.

GENERAL CONDITIONS

CONDITIONS THAT IDENTIFY APPROVED PLANS

1. Approved Plans And Supporting Documentation

The development is to be carried out in compliance with the following plans and documentation listed below and endorsed with Council's stamp, except where amended by other conditions of consent:

Drawing Number	Dated
A1-01 project number 1/2004 Issue E	18 February 2006

No construction works (including excavation) shall be undertaken prior to the release of the Construction Certificate.

Note: Further information on Construction Certificates can be obtained by contacting Council's Call Centre on 9942 2111, Council's website or at the Planning and Assessment Counter.

Reason: *To ensure the work is carried out in accordance with the determination of Council and approved plans. [A1 (1)]*

2. Plans on Site

A copy of all stamped approved plans, specifications and documents (including the Construction Certificate if required for the work incorporating certification of conditions of approval) shall be kept on site at all times so as to be readily available for perusal by any officer of Council or the Principal Certifying Authority.

Reason: *To ensure that the form of the development undertaken is in accordance with the determination of Council, Public Information and to ensure ongoing compliance. [A2]*

3. Demolition of Extra Fabric

Alterations to, and demolition of the existing building shall be limited to that shown on the approved plans (by way of notation). No approval is given or implied for removal and/or rebuilding of any portion of the existing building which is shown to be retained.

Reason: *To ensure compliance with the approved development. [A3]*



4. Compliance with notations in red on the plan

Compliance with the notations made in red on the face of the plans.

***Reason:** To ensure compliance with the conditions of this consent.*

CONDITIONS THAT REQUIRE SUBSIDIARY MATTERS TO BE COMPLETED PRIOR TO ISSUE OF A CONSTRUCTION CERTIFICATE

5. Stormwater Disposal

Stormwater from the roof catchment areas shall be gravity fed to Council's nearest stormwater drainage system being the kerb in Marmora Street in accordance with the provisions of AS3500.3.2. Details demonstrating compliance with this requirement are to be submitted with the Construction Certificate.

***Reason:** To ensure appropriate drainage and stormwater management on site to protect amenity of residents. [C11]*

6. Kerb Security Bond

A bond of \$825.00 shall be deposited with Council and inspection fees paid, prior to the issue of any construction certificate, against the potential for damage to Council's footpath and road reserve infrastructure during the construction process. (See Schedule)

***Reason:** To ensure appropriate security is in place for the protection or repair of Public Infrastructure. [C16]*

7. Vehicle Crossings

Provision of 1 vehicle crossing(s) 4 metres at the kerb and 5 metres wide at the boundary in accordance with Warringah Council Drawing No A4-3330 3 narrow low and specifications. All redundant laybacks and crossings are to be restored to footpath/grass.

The construction of all vehicular crossings and associated works on Council's road reserve must be completed by a Council approved concrete contractors, for details see Warringah Council's website www.warringah.nsw.gov.au <<http://www.warringah.nsw.gov.au>>, or phone (02) 9942 2111.

Prior to pouring of concrete the crossings are to inspected by Council or an Accredited Certifier (Civil Works) and certification issued to the PCA stating the crossing levels and reinforcement is in accordance with the issued levels and specifications.

If Council is to undertake the inspection, the inspection fee is to be paid 48 hours prior to pouring of concrete. (See Council's standard fees and charges)



Reason: *To facilitate suitable vehicular access to private property. [C32]*

8. Structural Adequacy of Existing Building

A certificate prepared by an appropriately qualified and practising Structural Engineer, certifying the structural adequacy of the property and its ability to withstand the proposed additional, or altered structural loads shall be submitted with the Construction Certificate application.

Reason: *To ensure the structural integrity of the building is maintained. [C50]*

9. Asbestos & Hazardous Material

A person taking down, demolishing or causing to be taken down or demolished any building or part thereof shall, upon identifying or suspecting that asbestos is present in the building, immediately notify the Work Cover Authority. The Authority is the controlling body for the safe removal, handling and disposal of asbestos. The Authority supervises and monitors contractors engaged in asbestos removal. The requirements and standards imposed by the Authority, its consultants or contractors shall be complied with.

Reason: *To ensure the long term health of workers on site and occupants of the building is not put at risk unnecessarily. [C53 (2)]*

10. Roofing Materials - Reflectivity

The external finish to the roof shall have a medium to dark range in order to minimise solar reflections to neighbouring properties. The metal roof shall not be of light colours such as off white, cream, silver or light grey colours. Details being submitted with the Construction Certificate.

Reason: *To ensure that excessive glare or reflectivity nuisance from roofing materials does not occur as a result of the development. [C55]*

11. Security Bond Schedule

All fees and security bonds in accordance with the schedule below must be paid or in place prior to the issue of the required Construction Certificate:

SECURITY BOND & FEE SCHEDULE	
20 Marmora Street, Harbord (Property address)	
DEVELOPMENT APPLICATION NUMBER 2004/0422	
SECURITY BONDS	AMOUNT (\$)
Builders Road/Kerb Security Bond	\$825.00
TOTAL BONDS	\$825.00



FEES	
Long Service Levy	\$472.50
Council's inspection fee if Council is the PCA	\$1500.00
TOTAL FEES	\$1972.50

Reason: *Compliance with the development consent. [C71]*

12. Revised Architectural Plans

Three copies of revised architectural plans are to be submitted to and approved by the Principal Certifying Authority prior to the release of the construction certificate reflecting the changes made in red on the approved development application plans. In this regard the following changes are to be made,

- That part of the deck proposed along the western elevation that extends past the support post of the roof is deleted and the stairs are to be constructed as show on the plans.
- The width of the carport slab is to be reduced to 5.4m as indicated on the plans
- The whole carport is to roofed in the same material as the dwelling and all stormwater is to be directed to the street.
- The proposed battens to the western elevation of the proposed carport are to be deleted.

Reason: *To ensure compliance with the consent, provide more opportunities for planting, ensure stormwater is distributed to the street and reduce the visual impact of the development.*

CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

13. Silt & Sediment Control

Provision shall be made throughout the period of demolition / Excavation & Construction to prevent transmission of soil to the public road and drainage system by vehicles leaving the site.

Reason: *To avoid siltation to adjoining properties and waterways. [D1]*

14. Construction Certificate

A Construction Certificate is required to be approved and issued by either Council or an Accredited Certifier, prior to the commencement of any works on the site.

Reason: *Legislative requirements. [D3]*

15. Notice of Commencement

At least 2 days prior to work commencing on site Council must be informed, by the submission of a Notice of Commencement in Accordance with section 81A of EP & A Act 1979 of the name and details of the Principal Certifying Authority and the date construction work is proposed to commence.

Reason: Legislative requirement for the naming of the PCA. [D4]

16. WorkCover

Your attention is directed to the need to seek advice of your obligations from the WorkCover Authority prior to the commencement of any works on the site.

Reason: Statutory requirement. [D5]

17. Road opening permit

The developer/applicant is to obtain a “Road Opening Permit” from Council and pay all appropriate charges prior to commencement of any work on Council property. The developer/applicant shall be responsible for all public utilities and services in the area of the work, and as such shall notify all relevant Authorities, and bear all costs associated with any repairs and/or adjustments as those Authorities may deem necessary.

Reason: Statutory requirement (Roads Act 1993) [D6]

18. Excavation/Building Works

No excavation or building works shall be carried out until a Construction Certificate has been issued.

Reason: To ensure compliance with statutory provisions. [D13]

19. Inspection Fees

Where Council is acting as the Principal Certifying Authority and where an inspection of building, civil or landscape work is required by these conditions, inspection fees and component certification fees must be paid to Council before Council will undertake any inspections. These fees may be paid at the time of submission of the required Notice of Commencement of works. This condition applies regardless of whether a Certification fee is also payable.

Note: The submission of a Notice of Commencement of works form to Council at least two (2) days prior commencing works is a statutory requirement.

Reason: Statutory requirement and information. [D14]

20. Public Liability Insurance - Works on Public Land

Any person or contractor undertaking works on public land must take out Public Risk Insurance with a minimum cover of \$10 million in relation to the occupation of, and approved works within Council's road reserve or public land, as approved in this consent. The Policy is to note, and provide protection for Warringah Council, as an interested party and a copy of the Policy must be submitted to Council prior to commencement of the works. The Policy must be valid for the entire period that the works are being undertaken on public land.

(Note: Applications for hoarding permits, vehicular crossings etc will require evidence of insurance upon lodgement of the application.)

Reason: *To ensure the community is protected from the cost of any claim for damages arising from works on public land. [D17]*

CONDITIONS THAT MUST BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK

21. Road Reserve works

Lighting, fencing, traffic control and advanced warning signs shall be provided for the protection of the works and for the safety and convenience of the public and others, to the satisfaction of the Principal Certifying Authority, and in accordance with Council's standard specifications for engineering works. Traffic movement in both directions on public roads, and vehicular access to private properties is to be maintained at all times during the works. This Condition must be complied with during demolition and building work.

Reason: *Public Safety. [E4]*

22. No Changes To Openings

The windows / doors / fenestration shall not be enlarged or relocated on any elevation of the development. The use of rooms served by windows shall not be altered from that detailed on the approved plans.

Reason: *To ensure compliance with the terms of this development consent. [E5]*

23. Progress Inspections (Class 1 and 10 Buildings)

The Principal Certifying Authority (PCA) SHALL BE given a minimum of forty-eight (48) hours notice for mandatory inspection of the following,

- (a) At the commencement of the work, and after excavation for, and prior to the placement of any footings, and



- (c) Prior to pouring any in-situ reinforced concrete building element, and
- (d) Prior to covering of the framework for any floor, wall roof or other building element, and
- (e) Prior to covering over waterproofing in any wet areas, and
- (f) Prior to covering over stormwater drainage connections, absorption pits and other drainage works, and
- (g) After the building work has been completed and prior to any Occupation Certificate being issued in relation to the building.

The appointed Principal Certifying Authority MUST do the first inspection at the commencement of building work, and at completion of building work.

Notes:

- (1) The appointed Principal Certifying Authority has a discretion to determine additional inspections, or nominate other Accredited Certifiers to undertake inspections other than the first and last inspections, which are required to ensure compliance or otherwise with relevant codes and standards. In any event, the Principal Certifying Authority MUST be advised at all of the stages of construction identified above.
- (2) The PCA must advise the person with the benefit of the consent of the mandatory critical stage inspections referred to in the EP & A Regulations.
- (3) Where Warringah Council is acting as the Principal Certifying Authority for the project, notice is to be given by telephone to Council on 9942 2111 and requesting an relevant inspection. Failure to advise Council at the stages of construction identified above may result in fines being imposed.
- (4) Failure to advise the Principal Certifying Authority of the need for MANDATORY INSPECTIONS at the critical stages of construction detailed above may result in fines being imposed, works being required to be demolished, or delays experienced in obtaining final certification and occupation of the development in order to resolve issues.

Reason: Prescribed mandatory inspections under legislation. [E7]

24. Replacement of Principal Certifying Authority

If the person exercising the benefits of a development consent changes or replaces the Principal Certifying Authority (PCA) during works on the site, the replacement PCA must notify Warringah Council within two (2) days of appointment. If the original PCA was Warringah Council, written approval from Council must be obtained for any



change to the PCA role.

(Note: Special legislative provisions in the Environmental Planning and Assessment Act 1979 apply to the procedure for replacing a PCA)

Reason: Statutory requirement. [E11]

25. Replacement of Builder- (Class 1, 2, 3 and 4 buildings)

If the builder is replaced while residential building work is being carried out, the Principal Certifying Authority (PCA) must give Warringah Council written notice of the name, licence number, and insurer of head contractor (or name and permit number of the owner-builder) within two (2) days of their appointment/replacement.

Reason: Statutory requirement. [E12]

26. Progress Survey - Minor Development

In order to ensure compliance with approved plans, a Survey Certificate, to Australian Height Datum, shall be prepared by a Registered Surveyor as follows:

- at the completion of the basement floor, ground floor and first structural floor level indicating the level of that floor and the relationship of the building to the boundaries;
- at the completed height of the building, prior to the placement of concrete form work, or the laying of roofing materials;
- at completion, the relationship of the building, and any projections thereto, to the boundaries.

Progress certifications in response to points (a) through (c) shall be provided to the Principal Certifying Authority at the time of carrying out relevant progress inspections. Under no circumstances will work be allowed to proceed should such survey information be unavailable or reveal discrepancies between the approved plans and the proposed works.

Reason: To ensure compliance with approved plans. [E14]

27. Noise and Vibration

Noise emissions and vibration must be minimised where possible and work is to be carried out in accordance with Environment Protection Authority guidelines for noise emissions from construction/demolition works and must also comply with the provisions of the Protection of the Environment Operations Act 1997. This Condition must be complied with during demolition and building work.

Reason: To ensure residential amenity is maintained in the immediate vicinity. [E17]

28. Dust Emission and Air Quality

Materials must not be burnt on the site.

Vehicles entering and leaving the site with soil or fill material must be covered.

Dust suppression measures must be carried out to minimise wind-borne emissions in accordance with the NSW Department of Housing's 1998 guidelines - Managing Urban Stormwater: Soils and Construction. Odour suppression measures must be carried out so as to prevent nuisance occurring at adjoining properties. This Condition must be complied with during demolition and building work.

***Reason:** To ensure residential amenity is maintained in the immediate vicinity. [E18]*

29. Construction Hours

Building construction shall be restricted to within the hours of 7.00 am to 5.00 pm Monday to Friday and on Saturday to within the hours of 8.00 am to 1.00 pm inclusive, with no work on Sundays and Public Holidays.

Demolition and excavation works shall be restricted to within the hours of 8.00 am to 5.00 pm Monday to Friday only. (Excavation work includes the use of any excavation machinery and the use of jackhammers, rock breakers, excavators, loaders and the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site).

The builder and excavator shall display, on-site, their twenty-four (24) hour contact telephone number, which is to be clearly visible and legible from any public place adjoining the site.

***Reason:** To ensure that works do not interfere with reasonable amenity expectations of residents and the community. [E26]*

30. Installation and Maintenance of Sediment Control

Techniques used for erosion and sediment control on building sites are to be adequately installed and maintained at all times and must be installed in accordance with Warringah Council guidelines. All techniques shall remain in proper operation until all development activities have been completed and the site fully stabilised. This Condition must be complied with during demolition and building work.

***Reason:** To protect the environment from the effects of sedimentation and erosion from development sites. [E28]*

31. Prohibition on Use of Pavements

Building materials shall not be placed on Council's footpaths, roadways, parks or grass



verges and a suitable sign to this effect shall be erected adjacent to the street alignment.

Reason: *To ensure public safety and amenity on public land. [E35]*

32. Plant & Equipment Kept Within Site

All plant and equipment used in the erection of the building, including concrete pumps, wagons, lifts, mobile cranes, etc, shall be situated within the boundaries of the site and so placed that all concrete slurry, water, debris and the like shall be discharged onto the building site, and is to be contained within the site boundaries. This condition shall be complied with during demolition and building work.

Reason: *To ensure public safety and amenity on public land. [E36]*

33. Applicant's Cost of Work on Council Property

The applicant shall bear the cost of all works associated with the development that occurs on Council's property.

Reason: *To ensure the proper management of public land and funds. [E38]*

34. Maintenance of Road Reserve

The public footways and roadways adjacent to the site shall be maintained at all times during the course of the work in a safe condition.

Reason: *Public Safety [E39]*

OPERATIONAL CONDITIONS IMPOSED UNDER EP&A ACT AND REGULATIONS AND OTHER RELEVANT LEGISLATION

35. Building Code of Australia

All building work must be carried out in accordance with the provisions of the Building Code of Australia.

Reason: *Prescribed - Statutory. [F1]*

36. Home Building Act

(1) Building work that involves residential building work (within the meaning and exemptions provided in the Home Building Act) must not be carried out unless the Principal Certifying Authority for the development to which the work relates:

- (a) in the case of work to be done by a licensee under that Act:
 - (i) has been informed in writing of the licensee's name and contractor



- licence number, and
- (ii) is satisfied that the licensee has complied with the requirements of the Home Building Act, or
- (b) in the case of work to be done by any other person:
 - (i) has been informed in writing of the person's name and owner-builder permit number, or
 - (ii) has been given a declaration, signed by the owner of the land, that states that the reasonable market cost of the labour and materials involved in the work is less than the amount prescribed for the purposes of the definition of owner-builder work in section 29 of that Act, and is given appropriate information and declarations under paragraphs (a) and (b) whenever arrangements for the doing of the work are changed in such a manner as to render out of date any information or declaration previously given under either of those paragraphs.

Note: The amount referred to in paragraph (b)(ii) is prescribed by regulations under the Home Building Act 1989. As at the date on which this Regulation was gazetted, that amount was \$3,000. As those regulations are amended from time to time, that amount may vary.

- (2) A certificate purporting to be issued by an approved insurer under Part 6 of the Home Building Act 1989 that states that a person is the holder of an insurance policy issued for the purposes of that Part is, for the purposes of this clause, sufficient evidence that the person has complied with the requirements of that Part.
- (3) If arrangements for doing residential building work are changed while the work is in progress so that the information submitted to Council is out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council), has given the Council written notice of the updated information.

Reason: Prescribed - Statutory. [F2]

Note: Evidence of insurance required PRIOR to commencement of work.

37. Lead

For the protection of the health and safety of workers, adjoining property owners, the public and the environment, any person renovating or demolishing any building built before the 1970's should be aware that any surfaces may be coated with lead based paint. Lead dust is a hazardous substance. The requirements of the Environmental Protection Authority are to be followed in this regard.

Reason: Safety. [F4]

38. Excavation / Backfilling

- (1) All excavations and backfilling associated with the erection or demolition of a building must be executed safely and in accordance with appropriate professional standards.
- (2) All excavations associated with the erection or demolition of a building must be properly guarded and protected to prevent them from being dangerous to life or property.

Reason: *To ensure that work is undertaken in a professional and responsible manner and protect adjoining property and persons from potential damage. [F5]*

39. Demolition

Demolition work must be undertaken in accordance with the provisions of AS2601-Demolition of Structures.

Reason: *To ensure that work is undertaken in a professional and responsible manner and protect adjoining property and persons from potential damage. [F6]*

40. Support for Neighbouring Buildings

- (1) If an excavation associated with the erection or demolition of a building extends below the level of the base of the footings of a building on an adjoining allotment of land, the person causing the excavation to be made:
 - (a) must preserve and protect the building from damage;
 - (b) if necessary, must underpin and support the adjoining building in an approved manner Subject to adjoining owner's consent; and
 - (c) must, at least 7 days before excavating below the level of the base of the footings of a building on an adjoining allotment of land, give notice of intention to do so to the owner of the adjoining allotment of land and furnish particulars of the excavation to the owner of the building being erected or demolished.
- (2) The owner of the adjoining allotment of land is not liable for any part of the cost of work carried out for the purposes of this clause, whether carried out on the allotment of land being excavated or on the adjoining allotment of land.
- (3) In this clause, allotment of land includes a public road and any other public place.

Reason: *To ensure adjoining owner's property rights are protected and protect adjoining properties from potential damage. [F7]*

41. Protection of Public Places

- (1) If the work involved in the erection or demolition of a building:
 - (a) is likely to cause pedestrian or vehicular traffic in a public place to be obstructed or rendered inconvenient; or
 - (b) building involves the enclosure of a public place,

a hoarding and site fencing must be erected between the work site and the public place.
- (2) If necessary, an awning is to be erected, sufficient to prevent any substance from, or in connection with, the work falling into the public place.
- (3) The work site must be kept lit between sunset and sunrise if it is likely to be hazardous to persons in the public place.
- (4) Any such hoarding, fence or awning is to be removed when the work has been completed.
- (5) No access across public reserves or parks is permitted.

Note: Prior to the erection of any temporary fence or hoarding over property owned or managed by Council, written approval must be obtained. Any application needs to be accompanied by plans indicating the type of hoarding and its layout.

Fees are assessed and will form part of any approval given. These fees must be paid prior to the approval being given.

Approval for hoardings will generally only be given in association with approved building works, maintenance or to ensure protection of the public. An application form for a Hoarding Permit can be downloaded from Council's website.

Reason: To ensure public safety and the proper management of public land. **[F8]**

42. Site Sign

- (1) A sign must be erected in a prominent position on any work site on which work involved in the erection or demolition of a building is being carried out:
 - (a) stating that unauthorised entry to the work site is prohibited;
 - (b) showing the name of the principal contractor (or person in charge of the work site), and a telephone number at which that person may be contacted at any time for business purposes and outside working hours; and
 - (c) showing the name, address and telephone number of the Principal Certifying



Authority for the work.

- (2) Any such sign must be maintained while to building work or demolition work is being carried out, but must be removed when the work has been completed.
- (3) This condition does not apply to building works being carried out inside an existing building.

Reason: Statutory requirement. [F9]

43. Toilets

- (1) Toilet facilities are to be provided, at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 persons or part of 20 persons employed at the site.
- (2) Each toilet provided:
 - (a) must be a standard flushing toilet, and
 - (b) must be connected:
 - (i) to a public sewer; or
 - (ii) if connection to a public sewer is not practicable, to an accredited sewage management facility approved by the Council, or
 - (iii) if connection to a public sewer or an accredited sewage management facility is not practicable, to some other sewage management facility approved by the Council.
- (3) The provision of toilet facilities in accordance with this clause must be completed before any other work is commenced.
- (4) In this clause:

accredited sewage management facility means a sewage management facility to which Part 2 Division 4 of the Local Government Regulation 2005 applies, being a sewage management facility that is installed or constructed to a design or plan the subject of a certificate of accreditation referred to in of the Regulation.

approved by the Council means the subject of an approval in force under the Local Government Regulation 2005.

public sewer has the same meaning as it has in the Local Government Regulation 2005.



sewage management facility has the same meaning as it has in the Local Government Regulation 2005.

Reason: *To ensure adequate facilities are provided for workers on the site. [F10]*

44. Long Service Levy

Payment of the Long Service Levy is required prior to the release of the Construction Certificate. This payment can be made at Council or to the Long Services Payments Corporation.

Advisory note: The rate of the Long Service Levy at the time of consent is 0.35% of the building construction works. At the time of consent, payment is not required where the value of the works is less than \$25,000. For works that are \$25,000 or over, a fee is required at the prescribed rate. The levy rate and level in which it applies is subject to legislative change. The applicable fee at the time of payment of the Long Service Levy will apply and is based on the building construction works identified in the Construction Certificate.

Reason: *Prescribed - Statutory. [F12]*

45. Retaining Walls & Drainage

If the soil conditions require it:

- (a) retaining walls associated with the erection or demolition of a building or other approved methods of preventing movement of the soil must be provided, and
- (b) adequate provision must be made for drainage in accordance with the provisions of AS3500.3.2.

Reason: *To ensure appropriate measures are in place to address site conditions and provide appropriate site drainage. [F13]*

CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO ISSUE OF OCCUPATION CERTIFICATE

46. Occupation Certificate Required

An Interim / Final Occupation Certificate shall be obtained in relation to the approved works prior to any use or occupation of those parts of the building.

Reason: *To ensure compliance with the provisions of the Environmental Planning and Assessment Act. [G1]*

47. Termite Control

- (1) Termite control measures being installed in accordance with AS 3660.1-2000 “Termite Management: New Building Work.”

Reason: Termite control. [G6 (1)]

- (2) A durable notice is to be permanently fixed to the building in a prominent location, such as the meter box or the like, indicating: The method of termite protection; date of installation; life expectancy of chemical barrier (if used); and installer’s or manufacturer’s recommendations for the scope and frequency of future inspections for termite activity.

Reason: Termite control. [G6 (2)]

48. Smoke Alarms

Prior to issuing the occupation certificate smoke alarms are to be installed in the dwelling in accordance with Part 3.7.2 Smoke Alarms of the Housing Provisions of the Building Code Australia.

Reason: Ensure the safety of the occupants.

ON-GOING CONDITIONS THAT MUST BE COMPLIED WITH AT ALL TIMES

49. Single Occupancy

- (a) Nothing in this consent shall authorise the use of the premises other than for a single occupancy.

Reason: To ensure compliance with the terms of this consent. [I5]



Right to Review by the Council

You may request the Council to review the determination of the application under Section 82A of the Environmental Planning & Assessment Act 1979. Any request to review the application must be within 12 months after the date of determination shown on this notice.

NOTE: A fee will apply for any request to review the determination.

Right of Appeal

If you are dissatisfied with this decision Section 97 of the Environmental Planning & Assessment Act 1979 may give you the right to appeal to the Land and Environment Court within 12 months after the date on which you receive this notice.

Signed on behalf of the consent authority

Signature _____
Name Keith Wright

Date 22 March 2006