

Natural Environment Referral Response - Biodiversity

Application Number:	DA2021/1005
Date:	26/07/2021
Responsible Officer	Thomas Prosser
Land to be developed (Address):	Lot 16 DP 244776 , 49 - 51 Annam Road BAYVIEW NSW 2104

Reasons for referral

This application seeks consent development on land, or within 40m of land, containing:

- All Development Applications on
- Actual or potential threatened species, populations, ecological communities, or their habitats;
- Wildlife corridors;
- Vegetation query stipulating that a Flora and Fauna Assessment is required;
- Vegetation query - X type located in both A & C Wards;

And as such, Council's Natural Environment Unit officers are required to consider the likely potential environmental impacts.

Officer comments

Council's Biodiversity referrals team have assessed the Development Application for compliance against the following applicable biodiversity related controls:

- Biodiversity Conservation Act 2016
- Biodiversity Conservation Regulation 2017
- Pittwater LEP cl. 7.6 Biodiversity Protection
- Pittwater 21 DCP cl. B4.4 Flora and Fauna Habitat Enhancement Category 2 and Wildlife Corridor
- Coastal Management SEPP 2018 cl. 11 Development on land in proximity to coastal wetlands or littoral rainforest

The Development Application seeks consent for the construction of a new dwelling house, driveway, associated landscaping and establishment of an Asset Protection Zone (APZ) within a heavily vegetated vacant block.

It is noted that the following biodiversity related reports/documentation have been submitted with the application and have been reviewed as part of this assessment:

- Statement of Environmental Effects (Strategic Approvals, June 2021)
- Flora and Fauna Assessment (Trevor J. Hawkeswood, November 2020)
- Arboricultural Impact Statement (Advanced Arborist Reporting, November 2020)
- Bushfire Assessment Report (Building Code and Bushfire Hazard Solutions, January 2021)
- Landscape Plan (Space Landscape Designs, March 2021)

The Statement of Environmental Effects (SEE) has addressed the provisions of the Warringah DCP,

which do not apply to the proposal. The SEE is to be amended to address the provisions of the Pittwater 21 DCP, including P21 DCP cl. B4.4.

There appears to be confusion regarding the proposed Asset Protection Zone (APZ) prescribed by the Bushfire Consultant. On page 6 of the Bushfire Assessment Report, the consultant has stated "*The existing allotment configuration of the subject site precludes the ability to provide larger Asset Protection Zones. The available Asset Protection Zone (APZ) was measured to be 11 metres to the northeast. The APZ consists of grounds entirely within the subject property*". However on page 11 this is followed by "*All grounds within the subject property are to be maintained in accordance with an Inner Protection Area (IPA) as detailed in the NSW Rural Fire Service's document 'Standards for Asset Protection Zones'*". The report is to be amended to provide clarity regarding the extent to which the APZ is to be established within the site. The size of the APZ will have implications to the biodiversity assessment and whether the proposal triggers the Biodiversity Offset Scheme (BOS).

The Flora and Fauna Assessment states that "this project does not require a BDAR report as the amount of bushland to be removed is less than 0.25 hectare". Vegetation clearing is to be calculated by assessing the area of impact for the whole development including any asset protection zones required by the Rural Fire Service. As the minimum lot size associated with the property is <1ha, the removal of >0.25ha of native vegetation will trigger entry into the BOS. Should the Bushfire Consultant confirm the whole site is to be maintained as an APZ, the BOS will be triggered and a Biodiversity Development Assessment Report (BDAR) will be required to be prepared by an accredited assessor. Council have referred the Bushfire Report onto the NSW RFS and are currently waiting comment and recommendations. Should the NSW RFS require that the entire site be maintained as an IPA, a BDAR will be required.

To avoid triggering the BOS and the requirement of a BDAR, the applicant would be required to ensure that the APZ (combined with the development footprint) is below the vegetation clearing threshold (<0.25ha). If this cannot be achieved, a BDAR will be required to be submitted.

The updated Flora and Fauna Assessment Report or BDAR is to include targeted surveys for the following threatened species that are known to occur within the broader locality:

- *Rhodamnia rubescens*

Council's Biodiversity referrals team request more information and justification for the removal of the following tree which appear to be outside of the development footprint. Tree 27, 28, 29, 37, 38, 39, 40, 49, 50, 51, 80, 81, 86, 87, 88, 109, 117, 130, 131, 134, 135, 141, 142, 144, 145, 148, 151, 158.

As recommended by the Flora and Fauna Assessment, a Vegetation Management Plan (VMP) is to be prepared by a suitably qualified person to guide the revegetation of the site. The VMP should outline the management of the site according to Management Zones, that are chosen based on management objectives and activities. Details including (but not limited to) replanting, removal of priority weeds, retention and protection of important habitat features, erosion and sediment control, fencing, and adherence to asset protection zones are to be included in the VMP. The VMP is required to consider the Landscape Plan and requirements of the IPA. It is recommended the consultant preparing the VMP discuss with the Bushfire Consultant, Landscape Architect and Ecologist to ensure achievable outcomes for the site.

The consultant is advised that all reports submitted as part of the application are to be finalised prior to submission. Draft reports will not be accepted. Upon receipt of the updated Arborist Report, updated Flora and Fauna Assessment or BDAR, and VMP, Council's Biodiversity referrals team will recommence assessment.

The proposal is therefore unsupported.

Note: Should you have any concerns with the referral comments above, please discuss these with the Responsible Officer.

Recommended Natural Environment Conditions:

Nil.