

Seniors SEPP Compliance Table

Seniors SEPP	Response	Compliance
Chapter 3 Development for seniors housing		
Pa rt 1 General		
14 Objective of Chapter	Noted – the development provides for	Complies
The objective of this Chapter is to create	housing that is well designed and	
opportunities for the development of housing	located for seniors.	
that is located and designed in a manner		
particularly suited to both those seniors who		
are independent, mobile and active as well as		
those who are frail, and other people with a		
disability regardless of their age.		
15 What Chapter does	Noted -development is on land	Complies
This Chapter allows the following development	primarily zoned for urban purposes.	
despite the provisions of any other		
environmental planning instrument if the		
development is carried out in accordance with		
this Policy:		
(a) development on land zoned primarily for		
urban purposes for the purpose of any form of		
seniors housing, and		
(b) development on land that adjoins land		
zoned primarily for urban purposes for the		
purpose of any form of seniors housing		
consisting of a hostel, a residential care facility		
or serviced self-care housing.		
16 Development consent required	A review of determination application	Complies
Development allowed by this Chapter may be	has been prepared and submitted to	Complics
carried out only with the consent of the	the Northern Beaches Council for its	
relevant consent authority unless another	assessment and for the Sydney North	
environmental planning instrument allows	Planning Panel's determination.	
that development without consent.	rianning raners determination.	
17 Development on land adjoining land	N/A - development is on land zoned	N/A
zoned primarily for urban purposes	primarily for urban purposes.	N/A
	primarily for urban purposes.	
(1) Subject to subclause (2), a consent		
authority must not consent to a development		
application made pursuant to this Chapter to		
carry out development on land that adjoins		
land zoned primarily for urban purposes		
unless the proposed development is for the		
purpose of any of the following:		
(a) a hostel,		
(b) a residential care facility,		
(c) serviced self-care housing.		
(2) A consent authority must not consent to a		
development application made pursuant to		
this Chapter to carry out development for the		
purposes of serviced self-care housing on land		
that adjoins land zoned primarily for urban		
purposes unless the consent authority is		
satisfied that the housing will be provided:		
(a) for people with a disability, or		
(b) in combination with a residential care		
facility, or		
(c) as a retirement village (within the meaning		



Seniors SEPP	Response	Compliance
(1) Development allowed by this Chapter may	The proposed units are intended for	Complies
be carried out for the accommodation of the	seniors, a restriction as to user in	Complice
following only:	accordance with the SEPP will be	
(a) seniors or people who have a disability,	registered.	
(b) people who live within the same household	B	
with seniors or people who have a disability,		
(c) staff employed to assist in the		
administration of and provision of services to		
housing provided under this Policy.		
(2) A consent authority must not consent to a		
development application made pursuant to		
this Chapter unless:		
(a) a condition is imposed by the consent		
authority to the effect that only the kinds of		
people referred to in subclause (1) may occupy		
any accommodation to which the application		
relates, and		
(b) the consent authority is satisfied that a		
restriction as to user will be registered against		
the title of the property on which development		
is to be carried out, in accordance with section		
88E of the Conveyancing Act 1919, limiting		
the use of any accommodation to which the		
application relates to the kinds of people		
referred to in subclause (1).		
(3) Subclause (2) does not limit the kinds of		
conditions that may be imposed on a		
development consent, or allow conditions to		
be imposed on a development consent		
otherwise than in accordance with the Act.		
19 Use of seniors housing in commercial		
zones	Th	0
Development allowed by this Chapter for the	The proposal comprises commercial	Complies
purposes of seniors housing does not include	uses on the ground floor of the building	
the use for residential purposes of any part of	fronting Frenchs Forest Road. There is	
the ground floor of a building that fronts a	no part of the seniors housing for	
street if the building is located on land that is	residential purposes located on the	
zoned primarily for commercial purposes	ground floor of the development as per	
unless another environmental planning instrument permits the use of all of the	Clause 19 of the Seniors SEPP.	
building for residential purposes.		
20 (Repealed)	N/A	N/A
21 Subdivision		11//1
Land on which development has been carried	Subdivision is proposed to create a	Complies
out under this Chapter may be subdivided with	separate lot for the proposed	Compiles
the consent of the consent authority.	development.	
Note. Clause 5 (3) of this Policy ensures that	dovelopinent.	
subdivision on the land referred to in clause 4		
(9) (b) is permitted by this clause with the		
consent of the consent authority despite the		
provisions of clause 65A of the former		
Sutherland Shire Local Environmental Plan		
2000 (which continues to apply to the land by		
virtue of clause 7 (2) (a) of Sutherland Shire		
Local Environmental Plan 2006).		
22 Fire sprinkler systems in residential care		
facilities for seniors	Noted.	Noted.
Development for the purpose of the		
installation of a fire sprinkler system in a		
	1	



Seniors SEPP	Response	Compliance
residential care facility for seniors may be	Тооронос	- oomphanec
carried out with development consent.		
23 Development on land used for the	The site is not used for an existing	N/A
purposes of an existing registered club	registered club.	, , .
(1) A consent authority must not consent to a		
development application made pursuant to		
this Chapter to carry out development on land		
that is used for the purposes of an existing		
registered club unless the consent authority is		
satisfied that:		
(a) the proposed development provides for		
appropriate measures to separate the club		
from the residential areas of the proposed		
development in order to avoid land use		
conflicts, and		
(b) an appropriate protocol will be in place for		
managing the relationship between the		
proposed development and the gambling		
facilities on the site of the club in order to		
minimise harm associated with the misuse		
and abuse of gambling activities by residents		
of the proposed development.		
Note. The Gaming Machines Act 2001 and the		
regulations made under that Act provide for		
gambling harm minimisation measures.		
(2) For the purposes of subclause (1) (a), some		
of the measures to which a consent authority		
may have regard include (but are not limited		
to) the following:		
(a) any separate pedestrian access points for		
the club and the residential areas of the		
proposed development,		
(b) any design principles underlying the proposed development aimed at ensuring		
acceptable noise levels in bedrooms and living		
areas in the residential areas of the proposed		
development.		
Note. See also clause 34 in relation to noise		
minimisation design principles.		
Table 1: Assessment table of general requirements of	I Occion OFPR	

Table 1: Assessment table of general requirements of the Seniors SEPP

Seniors SEPP	Response	Compliance
Part 2 Site-related requirements Clause 26 Location and access to facilities		
(1) A consent authority must not consent to a development application made pursuant to this Chapter unless the consent authority is satisfied, by written evidence, that residents of the proposed development will have access that complies with subclause (2) to: (a) shops, bank service providers and other retail and commercial services that residents may reasonably require, and (b) community services and recreation facilities, and (c) the practice of a general medical practitioner.	The residents of the proposed development will have access to shops, bank service providers and other retail and commercial services and a general medical practitioner at Forestway Shopping Centre via the bus service along Frenchs Forest Road including route 280. Small scale retail/cafes and commercial services will be provided within the subject site and within the future Frenchs Forest Town Centre.	Complies



0 1 000		•
Seniors SEPP	Response	Compliance
	Community services and recreation facilities can also be access via local bus services and provide access Warringah Aquatic Centre and Jindabyne Reserve.	
	The site will be easily accessible to the new Northern Beaches Hospital, when it opens in late 2018, and to a wide range of shops, facilities and services in the Town Centre as development is undertaken in accordance with the Northern Beaches Hospital Precinct Structure Plan.	
(2) Access complies with this clause if: (a) the facilities and services referred to in subclause (1) are located at a distance of not more than 400 metres from the site of the proposed development that is a distance accessible by means of a suitable access pathway and the overall average gradient for the pathway is no more than 1:14, although the following gradients along the pathway are also acceptable: (i) a gradient of no more than 1:12 for slopes for a maximum of 15 metres at a time, (ii) a gradient of no more than 1:10 for a maximum length of 5 metres at a time, (iii) a gradient of no more than 1:8 for distances of no more than 1:5 metres at a time, or (b) in the case of a proposed development on land in a local government area within the Greater Sydney (Greater Capital City Statistical Area)—there is a public transport service available to the residents who will occupy the proposed development: (i) that is located at a distance of not more than 400 metres from the site of the proposed development and the distance is accessible by means of a suitable access pathway, and (ii) that will take those residents to a place that is located at a distance of not more than 400 metres from the facilities and services referred to in subclause (1), and (iii) that is available both to and from the proposed development at least once between 8am and 12pm per day and at least once between 12pm and 6pm each day from Monday to Friday (both days inclusive), and the gradient along the pathway from the site to the public transport services (and from the public transport services (and from the public transport services to the facilities and services referred to in subclause (1))	I	Complies
complies with subclause (3), (3) For the purposes of subclause (2) (b) and	The sealed pathways to the relevant	Complies
(c), the overall average gradient along a	bus stops to and from the facilities and	



Seniors SEPP	Response	Compliance
pathway from the site of the proposed	services will meet the required	
development to the public transport services	gradient.	
(and from the transport services to the	6.000	
facilities and services referred to in subclause		
(1)) is to be no more than 1:14, although the		
following gradients along the pathway are		
also acceptable:		
(i) a gradient of no more than 1:12 for slopes		
for a maximum of 15 metres at a time,		
(ii) a gradient of no more than 1:10 for a		
maximum length of 5 metres at a time,		
(iii) a gradient of no more than 1:8 for		
distances of no more than 1.5 metres at a		
time.		
(4) For the purposes of subclause (2):		
(a) a suitable access pathway is a path of		
travel by means of a sealed footpath or other		
similar and safe means that is suitable for		
access by means of an electric wheelchair,		
motorised cart or the like, and		
(b) distances that are specified for the		
purposes of that subclause are to be		
measured by reference to the length of any		
such pathway.		
Clause 27 Bushfire Prone Land		
(1) A consent authority must not consent to a	As discussed in the SEE of DA	Complies
development application made pursuant to	2018/0995 the proposal was	Complics
this Chapter to carry out development on land	accompanied with a Bushfire Protection	
identified on a bush fire prone land map	Assessment Report which confirms the	
certified under section 10.3 of the Act as	proposal can comply with Planning for	
"Bush fire prone land—vegetation category 1",	Bushfire Protection 2006. The report	
"Bush fire prone land—vegetation category 2"	remains relevant to the proposal.	
or "Bush fire prone land—vegetation buffer"	Terramo relevant to the proposal.	
unless the consent authority is satisfied that		
the development complies with the		
requirements of the document titled Planning		
for Bush Fire Protection, ISBN		
0 9751033 2 6, prepared by the NSW Rural		
Fire Service in co-operation with the		
Department of Planning, dated December		
2006.		
(2) A consent authority, in determining a		
development application made pursuant to		
this Chapter to carry out development on land		
in the vicinity of land identified on a bush fire		
prone land map certified under section 10.3		
of the Act as "Bush fire prone land—		
vegetation category 1", "Bush fire prone		
land—vegetation category 2" or "Bush fire		
prone land—vegetation buffer", must take into		
consideration the general location of the		
proposed development, the means of access		
to and egress from the general location and		
other relevant matters, including the		
following:		
(a) the size of the existing population within		
the locality,		
(b) age groups within that population and the		
number of persons within those age groups,		



Seniors SEPP	Response	Compliance
(c) the number of hospitals and other	Response	Compliance
facilities providing care to the residents of the		
facilities within the locality, and the number		
of beds within those hospitals and facilities,		
(d) the number of schools within the locality		
and the number of students at those schools,		
(e) existing development within the locality		
that has been carried out under this Policy or		
State Environmental Planning Policy No 5—		
Housing for Older People or People with a		
Disability,		
(f) the road network within the locality and		
the capacity of the road network to cater for		
traffic to and from existing development if		
there were a need to evacuate persons from		
the locality in the event of a bush fire,		
(g) the adequacy of access to and from the		
site of the proposed development for		
emergency response vehicles,		
(h) the nature, extent and adequacy of bush		
fire emergency procedures that are able to be		
applied to the proposed development and its		
site,		
(i) the requirements of New South Wales Fire		
Brigades.		
(3) In exercising its functions under		
subclause (1) or (2), a consent authority must		
consult with the NSW Rural Fire Service and		
have regard to its comments.		
Clause 28 Water and sewer	T =	
(1) A consent authority must not consent to a	The proposal will be connected to	Complies
development application made pursuant to	reticulated water and sewer.	
this Chapter unless the consent authority is		
satisfied, by written evidence, that the		
housing will be connected to a reticulated		
water system and have adequate facilities for		
the removal or disposal of sewage. (2) If the water and sewerage services		
referred to in subclause (1) will be provided		
by a person other than the consent authority,		
the consent authority must consider the		
suitability of the site with regard to the		
availability of reticulated water and sewerage		
infrastructure.		
Clause 29 Consent authority to consider certain	n site compatibility criteria for developme	nt applications
to which clause 24 does not apply	, , , , , , , , , , , , , , , , , , , ,	
(1) This clause applies to a development	Clause 24 does not apply to the	Complies
application made pursuant to this Chapter in	proposal, because a site compatibility	
respect of development for the purposes of	certificate is not required.	
seniors housing (other than dual occupancy)		
to which clause 24 does not apply.	The proposal is consistent with Clause	
Note Oleves (1) This slaves smalles to a	25 5(b) (i) (iii) and (iv). The SEE	
Note. Clause (1) This clause applies to a		
development application made pursuant to	considers the existing environment,	
development application made pursuant to this Chapter in respect of development for the	considers the existing environment, hazards and site suitability and access	
development application made pursuant to this Chapter in respect of development for the purposes of seniors housing (other than dual	considers the existing environment, hazards and site suitability and access to services and facilities. The	
development application made pursuant to this Chapter in respect of development for the purposes of seniors housing (other than dual occupancy) to which clause 24 does not	considers the existing environment, hazards and site suitability and access to services and facilities. The assessment finds the site is suitable	
development application made pursuant to this Chapter in respect of development for the purposes of seniors housing (other than dual occupancy) to which clause 24 does not apply.	considers the existing environment, hazards and site suitability and access to services and facilities. The	
development application made pursuant to this Chapter in respect of development for the purposes of seniors housing (other than dual occupancy) to which clause 24 does not	considers the existing environment, hazards and site suitability and access to services and facilities. The assessment finds the site is suitable	



Seniors SEPP	Response	Compliance
(2) A consent authority, in determining a development application to which this clause applies, must take into consideration the criteria referred to in clause 25 (5) (b) (i), (iii)	The land is not zoned open space or special uses. A Market Report prepared by One Fell	,
and (v): (5) The Director-General must not issue a site compatibility certificate unless the Director-General: (b) is of the opinion that the proposed development is compatible with the surrounding land uses having regard to (at least) the following criteria: (i) the natural environment (including known significant environmental values, resources or hazards) and the existing uses and approved uses of land in the vicinity of the proposed development, (ii) (iii) the services and infrastructure that are or will be available to meet the demands arising from the proposed development (particularly, retail, community, medical and transport services having regard to the location and access requirements set out in clause 26) and any proposed financial arrangements for infrastructure provision, (iv) in the case of applications in relation to land that is zoned open space or special uses—the impact that the proposed development is likely to have on the provision	Swoop accompanied DA 2018/0995 identifies there is a clear unmet supply and demand gap in the current market for seniors housing within the Northern Beaches catchment. This unmet supply and demand gap will continue to widen given the ageing demographic trend of the population. The Report identifies that by 2026 there is an expected accommodation shortfall of up to 1,318 dwellings. The Report identifies the proposed seniors development will assist to meet a portion of the unmet demand identified in the Northern Beaches catchment. The site is suitably located to benefit from the close proximity to transport, shops and a range of services. The site is conveniently located within 200m of the new Northern Beaches Hospital precinct and the proposed town centre providing housing close to health services and ancillary services, critical to the needs of the ageing	
of land for open space and special uses in the vicinity of the development	community.	
Part 3 Design requirements – Division 1 Gener	ı al	
30 Site analysis (1) A consent authority must not consent to a development application made pursuant to this Chapter unless the consent authority is satisfied that the applicant has taken into account a site analysis prepared by the applicant in accordance with this clause. (2) A site analysis must: (a) contain information about the site and its surrounds as described in subclauses (3) and (4), and (b) be accompanied by a written statement (supported by plans including drawings of sections and elevations and, in the case of proposed development on land adjoining land zoned primarily for urban purposes, an aerial photograph of the site): (i) explaining how the design of the proposed development has regard to the site analysis, and (ii) explaining how the design of the proposed development has regard to the design principles set out in Division 2.	The architectural package, site analysis plan and design verification statement and this review report provides detailed consideration of the site and the design response to the site. The review of determination report and appendices details how the proposed design has regard to the design principles in Division 2 and include visual and acoustic privacy, solar access and accessibility.	Complies



Seniors SEPP Clause 31 Design of in-fill self-care housing In determining a development application made pursuant to this Chapter to carry out development for the purpose of in-fill self-care housing, a consent authority must take into consideration (in addition to any other matters that are required to be, or may be, taken into consideration) the provisions of Refer to separate assessment on the Seniors Living Policy: Urban Design Guideline for Infill Development provided in Appendix 12. The proposal is consistent with the Seniors Living Policy.	
In determining a development application made pursuant to this Chapter to carry out development for the purpose of in-fill self-care housing, a consent authority must take into consideration (in addition to any other matters that are required to be, or may be, Refer to separate assessment on the Seniors Living Policy: Urban Design Guideline for Infill Development provided in Appendix 12. The proposal is consistent with the Seniors Living	es
made pursuant to this Chapter to carry out development for the purpose of in-fill self-care housing, a consent authority must take into consideration (in addition to any other matters that are required to be, or may be, Seniors Living Policy: Urban Design Guideline for Infill Development provided in Appendix 12. The proposal is consistent with the Seniors Living	-
development for the purpose of in-fill self-care housing, a consent authority must take into consideration (in addition to any other matters that are required to be, or may be, Guideline for Infill Development provided in Appendix 12. The proposal is consistent with the Seniors Living	
housing, a consent authority must take into consideration (in addition to any other matters that are required to be, or may be, Development provided in Appendix 12. The proposal is consistent with the Seniors Living	
consideration (in addition to any other matters that are required to be, or may be, Appendix 12. The proposal is consistent with the Seniors Living	
matters that are required to be, or may be, consistent with the Seniors Living	
taken into consideration, the provisions of	
the Seniors Living Policy: Urban Design	
Guideline for Infill Development published by	
the Department of Infrastructure, Planning	
and Natural Resources in March 2004.	
Clause 32 Design of residential development	
A consent authority must not consent to a Noted – the proposal meets the Complic	26
development application made pursuant to requirements of Division 2 and these	55
this Chapter unless the consent authority is requirements are addressed in this	
satisfied that the proposed development table below.	
demonstrates that adequate regard has been	
given to the principles set out in Division 2.	
Division 2 Design Principles Clause 33 Neighbourhood amenity and streetscape	
The proposed development should: Refer Table 3 in S8.2 Review of Complice	es
(a) recognise the desirable elements of the Determination Report	-
location's current character (or, in the case of	
precincts undergoing a transition, where	
described in local planning controls, the	
desired future character) so that new	
buildings contribute to the quality and identity	
of the area, and	
(b) retain, complement and sensitively	
harmonise with any heritage conservation	
areas in the vicinity and any relevant heritage	
items that are identified in a local	
environmental plan, and	
(c) maintain reasonable neighbourhood	
amenity and appropriate residential	
character by:	
(i) providing building setbacks to reduce bulk	
and overshadowing, and	
(ii) using building form and siting that relates	
to the site's land form, and	
(iii) adopting building heights at the street	
frontage that are compatible in scale with	
adjacent development, and	
(iv) considering, where buildings are located	
on the boundary, the impact of the boundary	
walls on neighbours, and	
(d) be designed so that the front building of	
the development is set back in sympathy	
with, but not necessarily the same as, the	
existing building line, and	
(e) embody planting that is in sympathy with,	
but not necessarily the same as, other	
planting in the streetscape, and	
(f) retain, wherever reasonable, major	
existing trees, and	
(g) be designed so that no building is	
constructed in a riparian zone.	



Seniors SEPP	Response	Compliance
Clause 34 Visual and acoustic privacy	Response	Compliance
The proposed development should consider the visual and acoustic privacy of neighbours in the vicinity and residents by: (a) appropriate site planning, the location and design of windows and balconies, the use of screening devices and landscaping, and (b) ensuring acceptable noise levels in bedrooms of new dwellings by locating them away from driveways, parking areas and paths.	The proposal will contribute to a high level of residential amenity with regards to visual and acoustic privacy as demonstrated in the SEPP 65 and ADG assessment accompanied with this proposal.	Complies
Clause 35 Solar access and design for climate		
The proposed development should: (a) ensure adequate daylight to the main living areas of neighbours in the vicinity and residents and adequate sunlight to substantial areas of private open space, and (b) involve site planning, dwelling design and landscaping that reduces energy use and makes the best practicable use of natural ventilation solar heating and lighting by locating the windows of living and dining areas in a northerly direction.	The overshadowing plans provided with DA 2018/0995 demonstrate the proposal permits adequate daylight to the main living areas of neighbours and their private open spaces due to the properties being sited north of the site. The proposal achieves a high level of residential amenity with regard to solar access, provision of landscaping and siting the living spaces in a northly direction.	Complies
Clause 36 Stormwater The proposed development should:	The proposal incorporates minimal	Complies
The proposed development should: (a) control and minimise the disturbance and impacts of stormwater runoff on adjoining properties and receiving waters by, for example, finishing driveway surfaces with semi-pervious material, minimising the width of paths and minimising paved areas, and (b include, where practical, on-site stormwater detention or re-use for second quality water uses.	The proposal incorporates minimal impervious surfaces within proposed Lot 2. The proposal incorporates extensive landscaping within the front and rear setbacks.	Complies
Clause 37 Crime prevention		
The proposed development should provide personal property security for residents and visitors and encourage crime prevention by: (a) site planning that allows observation of the approaches to a dwelling entry from inside each dwelling and general observation of public areas, driveways and streets from a dwelling that adjoins any such area, driveway or street, and (b) where shared entries are required, providing shared entries that serve a small number of dwellings and that are able to be locked, and (c) providing dwellings designed to allow residents to see who approaches their dwellings without the need to open the front door.	The development proposed in DA 2018/0995 was designed to create a safe environment for residents in accordance with the four key CPTED principles. The current proposal is consistent with DA 2018/0995. The proposal provides for a safe environment through surveillance and activation including: Commercial uses fronting both Frenchs Forest and Skyline Place and at the ground level to activate the street living areas and private open spaces fronting Frenchs Forest Road and the proposed internal road communal open spaces fronting Frenchs Forest Road that will provide for passive surveillance of the footpath and landscaped area below	Complies



0 1 0000		• "
Seniors SEPP	Response	Compliance
	secure entry into the building via the	
	internal lobby and basement car	
	park	
	concierge desk	
	 lighting around the entries into the 	
	building and of public areas	
	adjoining the building	
	landscaping to distinguish public and	
	private spaces	
Clause 38 Accessibility	private spaces	
-	The property seed and	Onwalina
The proposed development should:	The proposal incorporates safe and	Complies
(a) have obvious and safe pedestrian links	obvious pedestrian links from the site	
from the site that provide access to public	to public transport services and	
transport services or local facilities, and	convenient access to parking for	
(b) provide attractive, yet safe, environments	residents and their visitors.	
for pedestrians and motorists with convenient		
access and parking for residents and visitors.		
Clause 39 Waste management		
The proposed development should be	The proposal incorporates storage for	Complies
provided with waste facilities that maximise	recycling and waste materials available	1
recycling by the provision of appropriate	via a chute system from each	
facilities.	residential floor.	
Part 4 Development standards to be complied		
	WILLI	
Division 1 General	الماسان ما المرد	
40 Development standards—minimum sizes a		O !!
(1) General A consent authority must not	The proposed lots have a site area of	Complies
consent to a development application made	at least 1,000m ² and both lots have a	
pursuant to this Chapter unless the proposed	site frontage of at least 20m.	
development complies with the standards		
specified in this clause.		
(2) Site size: The size of the site must be at		
least 1,000 square metres.		
(3) Site frontage: The site frontage must be at		
least 20 metres wide measured at the		
building line.		
Division 3 Hostels and self-contained dwellings	- standards and useability	
Clause 41 Standards for hostels and self-conta		
		Complies
(1) A consent authority must not consent to a	An assessment of the proposal against	Complies
development application made pursuant to	Schedule 3 is provided in the table	
this Chapter to carry out development for the	below. The proposal is consistent with	
purpose of a hostel or self-contained dwelling	Schedule 3.	
unless the proposed development complies		
with the standards specified in Schedule 3 for		
such development.		
Part 7 Development standards that cannot be	used as grounds to refuse consent	
Division 1 General		
Clause 46 Inter-relationship of Part with design	principles in Part 3	
(1) Nothing in this Part permits the granting	Noted	Noted
of consent to a development application		
made pursuant to this Chapter if the consent		
authority is satisfied that the proposed		
development does not demonstrate that		
adequate regard has been given to the		
principles set out in Division 2 of Part 3.		
Note. It is considered possible to achieve		
good design and achieve density ratios set		
out in Division 2. Good design is critical to		
meriting these density ratios.		
-		



Comitonia CERR	D	0 !!
Seniors SEPP	Response	Compliance
Clause 47 Part does not apply to certain develor Nothing in this Part applies in relation to the granting of consent to a development application made pursuant to this Chapter for the carrying out of development on land to which an interim heritage order or listing on the State Heritage Pagister under the	Noted. There are no interim or heritage it items within the site.	N/A
the State Heritage Register under the		
Heritage Act 1977 applies.		
Division 4 Self-contained dwellings Clause 50 Standards that cannot be used to re	fuse development consent for self-contai	ned dwellings
A consent authority must not refuse consent to a development application made pursuant to this Chapter for the carrying out of development for the purpose of a self-contained dwelling (including in-fill self-care housing and serviced self-care housing) on any of the following grounds: (a) building height: if all proposed buildings are 8 metres or less in height (and regardless of any other standard specified by another environmental planning instrument limiting development to 2 storeys) (b) density and scale: if the density and scale of the buildings when expressed as a floor space ratio is 0.5:1 or less (c) landscaped area: if:	There is no height control which applies to the site. However, the proposed height has been reduced to a maximum 6 storeys and is suitable for the site and locality in the context of existing and approved building heights. There is no FSR for the site however the proposed FSR is appropriate for the site and in the context of the surrounding buildings. The FSR is reduced in the amended scheme from 2.2:1 to 1.84:1	Complies
(i) (ii) in any other case—a minimum of 30% of the area of the site is to be landscaped, (d) Deep soil zones: if, in relation to that part of the site (being the site, not only of that particular development, but also of any other associated development to which this Policy applies) that is not built on, paved or otherwise sealed, there is soil of a sufficient depth to support the growth of trees and shrubs on an area of not less than 15% of the area of the site (the deep soil zone). Twothirds of the deep soil zone should preferably be located at the rear of the site and each area forming part of the zone should have a minimum dimension of 3 metres	The proposal provides: Lot 1: retains the existing uses at the rear of the site. There is limited existing on-site landscaping in the site (19.5%) Lot 2: 34.6% of the Lot 2 site area as landscaped and deep soil zone (25.3%). The proposal is therefore consistent with the landscaping provisions of the SEPP.	Complies
(e) solar access: if living rooms and private open spaces for a minimum of 70% of the dwellings of the development receive a minimum of 3 hours direct sunlight between 9am and 3pm in mid-winter,	The proposal achieves solar access as per the Seniors SEPP. The proposal exceeds the solar access requirements and provides 92% solar access.	Complies
 (f) private open space for in-fill self-care housing: if: (i) (ii) in the case of any other dwelling, there is a balcony with an area of not less than 10 	All units have a minimum balcony areas of at least 10m² with a minimum dimension of 2.5m and are accessible from the living area.	



Seniors SEPP	Response	Compliance
square metres (or 6 square metres for a 1 bedroom dwelling), that is not less than 2 metres in either length or depth and that is accessible from a living area (g) (Repealed) (h) parking: if at least the following is provided: (i) 0.5 car spaces for each bedroom where the development application is made by a person other than a social housing provider	N/A Carparking for the seniors component of the development has been provided in accordance with the requirements of the SEPP. The car parking for the commercial/business areas on the site have been provided in compliance with Council's DCP. This matter is discussed within the Traffic and Parking Advice in Appendix 9.	N/A Complies

Table 2: Assessment table of Parts 2, 3 & 7 of the Seniors SEPP

Seniors SEPP	Response	Compliance
Schedule 3 standards concerning accessibility		ed dwellings
Part 1 Standards applying to hostels and self-		
1 Application of standards in this Part The standards set out in this Part apply to any seniors housing that consists of hostels or self-contained dwellings.	Schedule 3 applies to the proposal.	Complies
2 Siting standards (1) Wheelchair access If the whole of the site has a gradient of less than 1:10, 100% of the dwellings must have wheelchair access by a continuous accessible path of travel (within the meaning of AS 1428.1) to an adjoining public road. (2) If the whole of the site does not have a gradient of less than 1:10: (a) the percentage of dwellings that must have wheelchair access must equal the proportion of the site that has a gradient of less than 1:10, or 50%, whichever is the greater, and (b) the wheelchair access provided must be by a continuous accessible path of travel (within the meaning of AS 1428.1) to an adjoining public road or an internal road or a driveway that is accessible to all residents. Note. For example, if 70% of the site has a gradient of less than 1:10, then 70% of the dwellings must have wheelchair access as required by this subclause. If more than 50% of the site has a gradient greater than 1:10, development for the purposes of seniors housing is likely to be unable to meet these requirements.	The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.	Complies
(2) Common areas Access must be provided in accordance with AS 1428.1 so that a person using a wheelchair can use common areas and common facilities associated with the development.	The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.	Complies



3 Security Pathway lighting: (a) must be designed and located so as to avoid glare for pedestrians and adjacent dwellings, and (b) must provide at least 20 lux at ground level. 4 Letterboxes Letterboxes: (a) must be situated on a hard standing area and have wheelchair access and circulation by a continuous accessible path of travel (within the meaning of AS 1428.1), and (c) must be located together in a central location adjacent to the street entry or, in the case of self-contained dwellings, must be located together in one or more central location adjacent to the street entry. 5 Private car accommodation if car parking (not being car parking for employees) is provided: (a) car parking (not being car parking for employees) is provided: (a) car parking spaces must comply with the requirements for parking for persons with a disability set out in AS 2890, and (b) 5% of the total number of car parking spaces for at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with olsuses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must kave a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. (3) Ededroom At least one bedroom within each dwelling in a hostel—a single-size bed, (ii) in the case of a self-contain	Seniors SEPP	Response	Compliance
(a) must performance and adjacent dwellings, and (b) must provide at least 20 lux at ground level. 4 Letterboxes Letterboxes: (a) must be situated on a hard standing area and have wheelchair access and circulation by a continuous accessible path of travel (within the meaning of AS 1428.1), and (b) must be lockable, and (c) must be lockable, and (d) must be lockable, and (e) must be located together in a central location adjacent to the street entry or, in the case of self-contained dwellings, must be located together in one or more central locations adjacent to the street entry. 5 Private car accommodation if car parking (not being car parking for employees) is provided: (a) car parking (not being car parking for employees) is provided: (a) car parking spaces must comply with the requirements for parking for persons with a disability set out in Az 2890, and (c) of the total number of car parking spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power point and an area for motor or control rods to enable a power point and an area for motor or control rods to enable a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior general (1) Internal doorways must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling and the point of the control of the current spile site bed, and concludes compliance is really achievable. The repo	3 Security		
avoid glare for pedestrians and adjacent dwellings, and (b) must provide at least 20 lux at ground level. 4 Letterboxes Letterboxes: (a) must be situated on a hard standing area and have wheelchair access and circulation by a continuous accessible path of travel (within the meaning of AS 1428.1), and (b) must be lockable, and (c) must be lockable, and (d) must be lockable, and (d) must be lockable, and (e) must be lockable, and (f) must be lockable, and (g) are parking for periodic (g) car parking spaces must comply with the requirements for parking for periodic (g) car parking spaces (g) and least periodic (g) and parking for periodic (g)	Pathway lighting:		
and the least 20 lux at ground level. 4 Letterboxes Letterboxes: Leterboxes: Leterboxes: Letterboxes: Leterboxes: Leterboxes: Leterboxes: Leterboxe	(a) must be designed and located so as to		
(a) must provide at least 20 lux at ground level. 4 Letterboxes Letterboxes: (a) must be situated on a hard standing area and have wheelchair access and circulation by a continuous accessible path of travel (within the meaning of AS 1428.1), and (b) must be lockable, and (c) must be lockable, and (c) must be located together in one or more central location adjacent to the street entry or, in the case of self-contained dwellings, must be located together in one or more central locations adjacent to the street entry. 5 Private car accommodation If car parking (not being car parking for employees) is provided: (a) car parking spaces must comply with the requirements for parking for persons with a disability set out in AS 2890, and (b) 5% of the total number of car parking spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a Ewellow of the space of a self-contained welling—a must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum nobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling—a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, and (ii) in the case of a self-contained dwelling—a wardrobe and a bed sized as follows: (ii) in the case of a self-contained dwelling—a wardrobe and a bed sized as follows: (iii) in the case of a self-contained dwelling—a wardrobe and a bed sized as follows: (iv) in the case of a self-contained dwelling—a selevant fo	avoid glare for pedestrians and adjacent		
Letterboxes: Letterboxes: (a) must be situated on a hard standing area and have wheelchair access and circulation by a continuous accessible path of travel (within the meaning of AS 1428.1, and (b) must be located together in a central location adjacent to the street entry or, in the case of self-contained dwellings, must be located together in one or more central location adjacent to the street entry. 5 Private car accommodation if car parking (not being car parking for employees) is provided: (a) car parking spaces must comply with the requirements for parking for persons with a disability set out in AS 2890, and (b) 5% of the total number of car parking spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, in the case of a self-contained dwelling—a in the case of a self	dwellings, and		
4 Letterboxes Letterboxes: (a) must be situated on a hard standing area and have wheelchair access and circulation by a continuous accessible path of travel (within the meaning of AS 1428.1.), and (b) must be lockable, and (c) must be lockable, and (d) must be lockable, and (c) must be lockable, and (c) must be lockable, and (d) must be lockable and (d) must be lockable and (e) must be lockable and (e) must be lockable and (e) must be lockable, and (f) must be lockable and (f) must be lockable, and (f) must have: (g) an area sufficient to accommodate a wardrobe and a bed sized as follows: (g) an area sufficient to accommodate a wardrobe and a bed sized as follows: (g) in the case of a dwelling in a hostel—a single-size bed, and (f) in the case of a self-contained dwelling—a gueen-size bed, and (f) in the case of a self-contained dwelling—a gueen-size bed, and (f) in the case of a self-contained dwelling—a gueen-size bed, and (f) must have: (g) in the case of a self-contained dwelling—a gueen-size bed, and (f) must have (f) in the case of a self-contained dwelling—a gueen-size bed, and (f) must have (f) in the case of a self-contained dwelling—a gueen-size bed, and (f)	(b) must provide at least 20 lux at ground		
(a) must be situated on a hard standing area and have wheelchair access and circulation by a continuous accessible path of travel (within the meaning of AS 1428.1), and (b) must be lockable, and (c) must be lockable together in a central location adjacent to the street entry or, in the case of self-contained dwellings, must be lockable of settle contained dwellings, must be lockable of settle can accommodation if car parking (not being car parking for employees) is provided: (a) car parking (not being car parking for employees) is provided: (a) car parking spaces must comply with the requirements for parking for persons with a disability set out in AS 2890, and (b) 5% of the total number of car parking spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power-operated door, or there must be a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling and an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, and (ii) in the case of a dwelling in a hostel—a single-size bed, and	level.		
(a) must be situated on a hard standing area and have wheelchair access and circulation by a continuous accessible path of travel (within the meaning of AS 1428.1), and (b) must be lockable, and (c) must be lockable together in a central location adjacent to the street entry or, in the case of self-contained dwellings, must be lockable of settle contained dwellings, must be lockable of settle can accommodation if car parking (not being car parking for employees) is provided: (a) car parking (not being car parking for employees) is provided: (a) car parking spaces must comply with the requirements for parking for persons with a disability set out in AS 2890, and (b) 5% of the total number of car parking spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power-operated door, or there must be a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling and an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, and (ii) in the case of a dwelling in a hostel—a single-size bed, and			
(a) must be situated on a hard standing area and have wheelchair access and circulation by a continuous accessible path of travel (within the meaning of AS 1428.1), and (b) must be lockable, and (c) must be lockable and overlings, must be located together in a central location adjacent to the street entry. 5 Private car accommodation if car parking for employees, is provided: (a) car parking spaces must comply with the requirements for parking for persons with a disability set out in AS 2890, and (b) 5% of the total number of car parking spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, and	4 Letterboxes		
and have wheelchair access and circulation by a continuous accessible path of travel (within the meaning of AS 1428.1), and (b) must be lockable, and (c) must be lockable, and (c) must be located together in a central location adjacent to the street entry or, in the case of self-contained dwellings, must be located together in one or more central locations adjacent to the street entry. 5 Private car accommodation if car parking (not being car parking for employees) is provided: (a) car parking (not being car parking for employees) is provided: (a) car parking for persons with a disability set out in AS 2890, and (b) 5% of the total number of car parking spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (ii) in the case of a dwelling in a hostelasingle-size bed, and The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Stindards and concludes compliance is readily achievable. The report remains relevant for the current scheme.	Letterboxes:		
by a continuous accessible path of travel (within the meaning of AS 1428.1, and (b) must be lockable, and (c) must be lockable, and (c) must be lockable, and (c) must be located together in a central location adjacent to the street entry or, in the case of self-contained dwellings, must be located together in one or more central locations adjacent to the street entry. 5 Private car accommodation If car parking for being car parking for employees) is provided: (a) car parking spaces must comply with the requirements for parking for persons with a disability set out in AS 2890, and (b) 5% of the total number of car parking spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, and	(a) must be situated on a hard standing area		
within the meaning of AS 1428.1, and (b) must be lockable, and (c) must be located together in a central location adjacent to the street entry or, in the case of self-contained dwellings, must be located together in one or more central locations adjacent to the street entry. 5 Private car accommodation If car parking (not being car parking for employees) is provided: (a) car parking spaces must comply with the requirements for parking for persons with a disability set out in AS 2890, and (b) 5% of the total number of car parking spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, and The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.	and have wheelchair access and circulation		
(c) must be lockable, and (c) must be located together in a central location adjacent to the street entry or, in the case of self-contained dwellings, must be located together in one or more central locations adjacent to the street entry. 5 Private car accommodation If car parking for lemployees) is provided: (a) car parking (not being car parking for employees) is provided: (a) car parking spaces must comply with the requirements for parking for persons with a disability set out in AS 2890, and (b) 5% of the total number of car parking spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and			
c) must be located together in a central location adjacent to the street entry or, in the case of self-contained dwellings, must be located together in one or more central locations adjacent to the street entry. 5 Private car accommodation If car parking (not being car parking for employees) is provided: (a) car parking spaces must comply with the requirements for parking for persons with a disability set out in AS 2890, and (b) 5% of the total number of car parking spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power-operated door, or there must be a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum unobstructed with of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, and The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance is readily achievable. The report remains relevant for the current scheme.	(within the meaning of AS 1428.1), and		
location adjacent to the street entry or, in the case of self-contained dwellings, must be located together in one or more central locations adjacent to the street entry. 5 Private car accommodation If car parking (not being car parking for employees) is provided: (a) car parking spaces must comply with the requirements for parking for persons with a disability set out in AS 2890, and (b) 5% of the total number of car parking spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum clear opening that complies with AS 1428.1. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (a) in the case of a dwelling in a hostel—a single-size bed, and	(b) must be lockable, and		
case of self-contained dwellings, must be located together in one or more central locations adjacent to the street entry. 5 Private car accommodation If car parking (not being car parking for employees) is provided: (a) car parking spaces must comply with the requirements for parking for persons with a disability set out in AS 2890, and (b) 5% of the total number of car parking spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum clear opening that complies with AS 1428.1. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (b) The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.			
located together in one or more central locations adjacent to the street entry. 5 Private car accommodation If car parking (not being car parking for employees) is provided: (a) car parking spaces must comply with the requirements for parking for persons with a disability set out in AS 2890, and (b) 5% of the total number of car parking spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (a) in the case of a dwelling in a hostel—a single-size bed, and	- · · · · · · · · · · · · · · · · · · ·		
locations adjacent to the street entry. 5 Private car accommodation If car parking (not being car parking for employees) is provided: (a) car parking spaces must comply with the requirements for parking for persons with a disability set out in AS 2890, and (b) 5% of the total number of car parking spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (a) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a dwelling in a hostel—a single-size bed, and			
5 Private car accommodation If car parking (not being car parking for employees) is provided: (a) car parking spaces must comply with the requirements for parking for persons with a disability set out in AS 2890, and (b) 5% of the total number of car parking spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior general (1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and			
If car parking (not being car parking for employees) is provided: (a) car parking spaces must comply with the requirements for parking for persons with a disability set out in AS 2890, and (b) 5% of the total number of car parking spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior general (1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and	_		
employees) is provided: (a) car parking spaces must comply with the requirements for parking for persons with a disability set out in AS 2890, and (b) 5% of the total number of car parking spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and			
(a) car parking spaces must comply with the requirements for parking for persons with a disability set out in AS 2890, and (b) 5% of the total number of car parking spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1.) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and			
requirements for parking for persons with a disability set out in AS 2890, and (b) 5% of the total number of car parking spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and			
disability set out in AS 2890, and (b) 5% of the total number of car parking spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and			
(b) 5% of the total number of car parking spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum clear opening that compilies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and	The state of the s		
spaces (or at least one space if there are fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and			
fewer than 20 spaces) must be designed to enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (iii) in the case of a self-contained dwelling—a queen-size bed, and	The state of the s		
enable the width of the spaces to be increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and			
increased to 3.8 metres, and (c) any garage must have a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and			
(c) any garage must have a power-operated door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and			
door, or there must be a power point and an area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, and The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.			
area for motor or control rods to enable a power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and			
power-operated door to be installed at a later date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and			
date. 6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and			
6 Accessible entry Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.			
Every entry (whether a front entry or not) to a dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and			
dwelling, not being an entry for employees, must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and Complies The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.			
must comply with clauses 4.3.1 and 4.3.2 of AS 4299. 7 Interior: general (1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.			
AS 4299. 7 Interior: general (1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.			
7 Interior: general (1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.			
(1) Internal doorways must have a minimum clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.			
clear opening that complies with AS 1428.1. (2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and			
(2) Internal corridors must have a minimum unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.			
unobstructed width of 1,000 millimetres. (3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.			
(3) Circulation space at approaches to internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.			
internal doorways must comply with AS 1428.1. 8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.	· ·		
8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.			
8 Bedroom At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.			
At least one bedroom within each dwelling must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.	-	The Access Report prepared by Code	Complies
must have: (a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.			Jonnphico
(a) an area sufficient to accommodate a wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.			
wardrobe and a bed sized as follows: (i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.			
(i) in the case of a dwelling in a hostel—a single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.	i i i	-	
single-size bed, (ii) in the case of a self-contained dwelling—a queen-size bed, and is readily achievable. The report remains relevant for the current scheme.			
(ii) in the case of a self-contained dwelling—a queen-size bed, and remains relevant for the current scheme.		· ·	
queen-size bed, and scheme.			
1	_		
(D) a ciear area for the Deu Orat least.	(b) a clear area for the bed of at least:		



Seniors SEPP	Response	Compliance
(i) 1,200 millimetres wide at the foot of the bed, and (ii) 1,000 millimetres wide beside the bed between it and the wall, wardrobe or any other obstruction, and (c) 2 double general power outlets on the wall where the head of the bed is likely to be, and (d) at least one general power outlet on the wall opposite the wall where the head of the bed is likely to be, and (e) a telephone outlet next to the bed on the side closest to the door and a general power outlet beside the telephone outlet, and (f) wiring to allow a potential illumination level of at least 300 lux. 9 Bathroom (1) At least one bathroom within a dwelling must be on the ground (or main) floor and have the following facilities arranged within an area that provides for circulation space for sanitary facilities in accordance with AS 1428.1: (a) a slip-resistant floor surface, (b) a washbasin with plumbing that would allow, either immediately or in the future, clearances that comply with AS 1428.1, (c) a shower that complies with AS 1428.1, except that the following must be accommodated either immediately or in the future: (i) a grab rail, (ii) portable shower head, (iii) folding seat, (d) a wall cabinet that is sufficiently illuminated to be able to read the labels of items stored in it,	The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.	Compliance
(e) a double general power outlet beside the mirror. (2) Subclause (1) (c) does not prevent the installation of a shower screen that can easily be removed to facilitate future accessibility. 10 Toilet A dwelling must have at least one toilet on the ground (or main) floor and be a visitable toilet that complies with the requirements for sanitary facilities of AS 4299.		
12 Door hardware Door handles and hardware for all doors (including entry doors and other external doors) must be provided in accordance with AS 4299.	The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.	Complies
13 Ancillary items Switches and power points must be provided in accordance with AS 4299.		



Seniors SEPP	Response	Compliance
Part 2 Additional standards for self-contained d		
14 Application of standards in this Part The standards set out in this Part apply in addition to the standards set out in Part 1 to any seniors housing consisting of self- contained dwellings.	The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.	Complies
15 Living room and dining room (1) A living room in a self-contained dwelling must have: (a) a circulation space in accordance with clause 4.7.1 of AS 4299, and (b) a telephone adjacent to a general power outlet. (2) A living room and dining room must have wiring to allow a potential illumination level of at least 300 lux.	The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.	Complies
16 Kitchen A kitchen in a self-contained dwelling must have: (a) a circulation space in accordance with clause 4.5.2 of AS 4299, and (b) a circulation space at door approaches that complies with AS 1428.1, and (c) the following fittings in accordance with the relevant subclauses of clause 4.5 of AS 4299: (i) benches that include at least one work surface at least 800 millimetres in length that comply with clause 4.5.5 (a), (ii) a tap set (see clause 4.5.6), (iii) cooktops (see clause 4.5.7), except that an isolating switch must be included, (iv) an oven (see clause 4.5.8), and (d) "D" pull cupboard handles that are located towards the top of below-bench cupboards and towards the bottom of overhead cupboards, and (e) general power outlets: (i) at least one of which is a double general power outlet within 300 millimetres of the front of a work surface, and (ii) one of which is provided for a refrigerator in such a position as to be easily accessible after the refrigerator is installed.	The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.	Complies
17 Access to kitchen, main bedroom, bathroom and toilet In a multi-storey self-contained dwelling, the kitchen, main bedroom, bathroom and toilet must be located on the entry level.	The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme. Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable.	Complies



Seniors SEPP	Response	Compliance
18 Lifts in multi-storey buildings In a multi-storey building containing separate self-contained dwellings on different storeys, lift access must be provided to dwellings above the ground level of the building by way of a lift complying with clause E3.6 of the Building Code of Australia.	The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.	Complies
19 Laundry A self-contained dwelling must have a laundry that has: (a) a circulation space at door approaches that complies with AS 1428.1, and (b) provision for the installation of an automatic washing machine and a clothes dryer, and (c) a clear space in front of appliances of at least 1,300 millimetres, and (d) a slip-resistant floor surface, and (e) an accessible path of travel to any clothes line provided in relation to the dwelling.	The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.	Complies
20 Storage for linen A self-contained dwelling must be provided with a linen storage in accordance with clause 4.11.5 of AS 4299.	The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.	Complies
21 Garbage A garbage storage area must be provided in an accessible location.	The Access Report prepared by Code Performance submitted with DA 2018/0995 confirmed the proposal's compliance with Schedule 3 of the Seniors SEPP and relevant Australian Standards and concludes compliance is readily achievable. The report remains relevant for the current scheme.	Complies

Table 3: Assessment of Schedule 3 of the Seniors SEPP