



NOTICE OF DETERMINATION

Application Number:	DA2009/0642
----------------------------	-------------

APPLICATION DETAILS

Applicant Name and Address:	Your Style Designer Home Additions Po Box 1183, Dee Why
------------------------------------	--

Land to be developed (Address):	Lot 69, DP 12578, No.52 Riverview Parade North Manly
--	---

Proposed Development:	Alterations and additions to a dwelling including a second storey addition, carport, landscaping and ancillary site works.
------------------------------	--

DETERMINATION - APPROVED

Made on (Date):	28 August 2009
------------------------	----------------

Consent to operate from (Date):	28 August 2009
--	----------------

Consent to lapse on (Date):	28 August 2012
------------------------------------	----------------

Details of Conditions

The conditions, which have been applied to the consent, aim to ensure that the Environmental Impacts of Development are minimised and the Health and Safety of the community is maintained in accordance with the relevant standards and the Building Code of Australia.

NOTE:

If the works are to be certified by a Private Certifying Authority, then it is the certifier's responsibility to ensure all outstanding fees and bonds have been paid to Council prior to the issue of the Construction Certificate or as otherwise specified by Consent conditions.

Pursuant to Section 95(2) of the Environmental Planning and Assessment Act 1979, Council has varied the provisions of Section 95(1) and advise that the consent will lapse 3 years from the date upon which the consent operates.

Section 95A of the Environmental Planning and Assessment Act 1979, allows for an extension of 1 year to the period in which the consent will lapse, except for complying development. Such an application must be made in accordance with Clause 114 of the Environmental Planning and Assessment Regulation 2000.

GENERAL CONDITIONS

CONDITIONS THAT IDENTIFY APPROVED PLANS

1. Approved Plans And Supporting Documentation

The development is to be carried out in compliance with the following plans and documentation listed below and endorsed with Council's stamp, except where amended by other conditions of consent:

Drawing Number	Dated	Prepared By
5	30 July 2009	Your Style Designer Homes
6	30 July 2009	Your Style Designer Homes
7	30 July 2009	Your Style Designer Homes
8	30 July 2009	Your Style Designer Homes
9	30 July 2009	Your Style Designer Homes
10	30 July 2009	Your Style Designer Homes
11	30 July 2009	Your Style Designer Homes

No building works (including excavation) shall be undertaken prior to the release of the Construction Certificate.

Note: Further information on Construction Certificates can be obtained by contacting Council's Call Centre on 9942 2111, Council's website or at the Planning and Assessment Counter.

Reason: *To ensure the work is carried out in accordance with the determination of Council and approved plans.*

2. Building Code of Australia

All building work must be carried out in accordance with the provisions of the Building Code of Australia.

Reason: *Prescribed - Statutory.*

CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF THE CONSTRUCTION CERTIFICATE

3. Development/Construction Security Bond

A bond (determined from cost of works) of \$1,000 must be deposited with Council and an inspection fee paid of \$210 prior to the issue of any Construction Certificate. This bond is to ensure the rectification of any damage that may occur to the Council infrastructure contained within the road reserve adjoining the site as a result of construction or the transportation of materials and equipment to and from the development site.

Reason: *To ensure adequate protection to Council infrastructure.*

4. Vehicle Crossings Application - Formwork Inspection

An application for street levels and payment of the associated fee shall be made with Council. This application includes the approval and all Council inspections relating to the driveway construction and the associated fee must be paid prior to the issue of the Construction Certificate.

Reason: *To facilitate suitable vehicular access to private property.*

5. Excavation/Building Works

No excavation or building works shall be carried out until a Construction Certificate has been issued.

Reason: *To ensure compliance with statutory provisions.*

6. Sydney Water Approval

The approved consent plans must be submitted to a Sydney Water Quick Check agent or Customer Centre to determine whether the development will affect Sydney Water's sewer and water mains, stormwater drains and/or easements, and if further requirements need to be met. Plans will be appropriately stamped.

Please refer to the web site www.sydneywater.com.au <<http://www.sydneywater.com.au>> for:

- ☐ Quick Check agents details - see Building Developing and Plumbing then Quick Check; and
- ☐ Guidelines for Building/over Adjacent to Sydney Water Assets - see Building Developing and Plumbing then Building and Renovating

Or telephone 13 20 92.

The Certifying Authority must ensure that a Quick Check agent/ Sydney Water has appropriately stamped the plans prior to the issue of any Construction Certificate.

Reason: *To ensure compliance with the statutory requirements of Sydney Water.*



7. BASIX Certification

The development shall fully comply with the schedule of BASIX Commitments specified within BASIX Certificate No.A58836. Plans and specifications that reflect those commitments identified on the BASIX Certificate to be satisfied prior to the issue of the Construction Certificate, shall be submitted to the Certifying Authority prior to the release of the Construction Certificate.

Reason: *To ensure the development complies with the requirements of the SEPP (Building sustainability index: BASIX 2004).*

8. Long Service Levy

Payment of the Long Service Levy is required prior to the release of the Construction Certificate. This payment can be made at Council or to the Long Services Payments Corporation. Payment is not required where the value of the works is less than \$25,000. The Long Service Levy is calculated on 0.35% of the building and construction work.

The levy rate and level in which it applies is subject to legislative change. The applicable fee at the time of payment of the Long Service Levy will apply.

Reason: *Prescribed - Statutory.*

9. External Finishes

The external finishes of the dwelling are to be generally in accordance with the External Colours and finishes noted on the approved plan. Full details are to be submitted to the Certifying Authority prior to issue of the Construction Certificate.

Reason: *To ensure external finishes protect the streetscape.*

10. Section 94A Contribution

\$4981.90 is to be paid to Warringah Council as a Section 94A levy prior to the issue of the Construction Certificate.

This amount has been calculated using the Warringah Section 94A Development Contributions Plan. The amount will be adjusted at the time of payment according to the quarterly CPI (Sydney - All Groups Index). Please ensure that you provide details of this Consent when paying contributions so that they can be easily recalculated.

The basis for the contributions is as follows:

<i>Warringah Section 94A Development Contributions Plan</i>			
Contribution based on total development cost of		\$ 498, 190.00	
Contribution - all parts Warringah	Levy Rate	Contribution Payable	Council Code
Total S94A Levy	0.95%	\$4732.80	6923
S94A Planning and Administration	0.05%	\$249.10	6924

Total	1.0%	\$4981.90	
-------	------	-----------	--

Reason: *To retain a level of service for the existing population and to provide the same level of service for the population resulting from new development.*

11. Flood

In order to protect occupants from flood inundation the following is required:

a) Minimum Floor Level

The finished floor level to the area annotated on the approved plans as Family Room shall be modified to be Reduced Level = 3.2 m AHD (500 mm above the predicted 1 in 100 year water surface level for the site and public drainage system.

b) Flood Protection

All new building works and services shall be designed to withstand the hydraulic forces of the floodwaters up to the flood planning level. Buoyancy, flowing water with debris, wave action, the flood compatibility of materials and waterproofing shall be addressed. Structural details for the construction for all elements including the building, air-conditioning units and waste and recycling bins are to be prepared by a suitably qualified Engineer.

c) Movement Prevention Devices

Car storage/parking areas are to provide measures (e.g. bollards, gates etc) which can be engaged in a flood event to prevent movement of vehicles downstream.

Structural details for all elements and certification of adequacy to prevent vehicle movement is to be prepared by suitably qualified Engineer with experience in flood design / management who is eligible for Membership to the Australian Institute of Engineers.

d) Flood Evacuation Plan

A flood evacuation plan is to be prepared by suitably qualified person with experience in flood management who is eligible for Membership to the Australian Institute of Engineers.

The evacuation plan shall detail:

- route of evacuation to higher ground and / or point of shelter
- depth of water for a Possible Maximum Flood event surrounding the building
- details of 'last chance' evacuation water levels / times for evacuation prior to floodwaters surrounding the building
- provide details of flood warning systems and protocols
- details of how this information will be distributed and people educated for users of the site.

The Flood Evacuation Plan shall include a statement "or as advised by the State Emergency Service". The Flood Evacuation Plan is to be certified by a suitably qualified



person with experience in flood management who is eligible for Membership to the Australian Institute of Engineers as being adequate if followed for evacuation of persons during flood events.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: *To protect the building from flooding in accordance with Council and NSW Government policy.*

12. Flood Protection - Structural

All new construction and services to a minimum level of 3.2m AHD shall be designed to withstand flooding as specified in the Department of Natural Resource's (now Department of Water and Energy) Floodplain Development Manual - the management of flood liable land. Buoyancy, flowing water with debris, wave action, the flood compatibility of materials and waterproofing shall be addressed. Structural details for the construction are to be prepared by a suitably qualified Consulting Engineer and submitted to the Certifying Authority for approval prior to the issue of the Construction Certificate.

Reason: *To protect the building from flooding in accordance with Council and NSW Government Policy.*

CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

13. Public Liability Insurance - Works on Public Land

Any person or contractor undertaking works on public land must take out Public Risk Insurance with a minimum cover of \$10 million in relation to the occupation of, and approved works within Council's road reserve or public land, as approved in this consent. The Policy is to note, and provide protection for Warringah Council, as an interested party and a copy of the Policy must be submitted to Council prior to commencement of the works. The Policy must be valid for the entire period that the works are being undertaken on public land.

Reason: *To ensure the community is protected from the cost of any claim for damages arising from works on public land.*

14. Road Opening Permit

The developer/applicant is to obtain a "Road Opening Permit" from Council and pay all appropriate charges prior to commencement of any work on Council property. The developer/applicant shall be responsible for all public utilities and services in the area of the work, and as such shall notify all relevant Authorities, and bear all costs associated with any repairs and/or adjustments as those Authorities may deem necessary.

Reason: *Statutory requirement (Roads Act 1993).*

15. Home Building Act

- (i) Building work that involves residential building work (within the meaning and exemptions provided in the Home Building Act 1989) must not be carried out unless the Principal Certifying Authority for the development to which the work relates:
 - (a) in the case of work to be done by a licensee under that Act:
 - (i) has been informed in writing of the licensee's name and contractor licence number, and
 - (ii) is satisfied that the licensee has complied with the requirements of the Home Building Act, or
 - (b) in the case of work to be done by any other person:
 - (i) has been informed in writing of the person's name and owner-builder permit number, or
 - (ii) has been given a declaration, signed by the owner of the land, that states that the reasonable market cost of the labour and materials involved in the work is less than the amount prescribed for the purposes of the definition of owner-builder work in section 29 of that Act, and is given appropriate information and declarations under paragraphs (a) and (b) whenever arrangements for the doing of the work are changed in such a manner as to render out of date any information or declaration previously given under either of those paragraphs.
- Note: The amount referred to in paragraph (b)(ii) is prescribed by regulations under the Home Building Act 1989. As at the date on which this Regulation was gazetted, that amount was \$3,000. As those regulations are amended from time to time, that amount may vary.
- (ii) A certificate purporting to be issued by an approved insurer under Part 6 of the Home Building Act 1989 that states that a person is the holder of an insurance policy issued for the purposes of that Part is, for the purposes of this clause, sufficient evidence that the person has complied with the requirements of that Part.
- (iii) If arrangements for doing residential building work are changed while the work is in progress so that the information submitted to Council is out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council), has given the Council written notice of the updated information.

Reason: *Prescribed - Statutory.*

CONDITIONS THAT MUST BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK

16. Applicant's Cost of Work on Council Property

The applicant shall bear the cost of all works associated with the development that occurs on Council's property.



Reason: *To ensure the proper management of public land.*

17. Installation and Maintenance of Sediment Control

Techniques used for erosion and sediment control on building sites are to be adequately maintained at all times and must be installed in accordance with Soils and Construction Manual Volume 1 - Managing Urban Stormwater. All techniques shall remain in proper operation until all development activities have been completed and the site fully stabilised.

Reason: *To protect the environment from the effects of sedimentation and erosion from development sites.*

18. Layback Construction

A layback three metres wide (excluding the wings) is to be constructed in accordance with Warringah Council Drawing No A4-2276 and specifications.

Reason: *To facilitate suitable vehicular access to private property.*

19. Maintenance of Road Reserve

The public footways and roadways adjacent to the site shall be maintained in a safe condition at all times during the course of the work.

Reason: *Public Safety.*

20. Silt & Sediment Control

Provision shall be made throughout the period of demolition / Excavation & Construction to prevent transmission of soil to the public road and drainage system by vehicles leaving the site.

Reason: *To avoid siltation to adjoining properties and waterways.*

21. Vehicle Crossings

The provision of one vehicle crossing three (3) metres wide in accordance with Warringah Council Drawing No A4-3330/ 1 N and specifications. An Authorised Vehicle Crossing Contractor shall construct the vehicle crossing and associated works within the road reserve in plain concrete. All redundant laybacks and crossings are to be restored to footpath/grass. Prior to the pouring of concrete, the vehicle crossing is to be inspected by Council and a satisfactory "Vehicle Crossing Inspection" card issued.

For details see Warringah Council's website <<http://www.warringah.nsw.gov.au>> or phone (02) 9942 2111.

Reason: *To facilitate suitable vehicular access to private property.*

22. Construction Hours

Building construction shall be restricted to within the hours of 7.00 am to 5.00 pm Monday to Friday and on Saturday to within the hours of 8.00 am to 1.00 pm inclusive, with no work on Sundays and Public Holidays.



Warringah Council

Demolition and excavation works shall be restricted to within the hours of 8.00 am to 5.00 pm Monday to Friday only. (Excavation work includes the use of any excavation machinery and the use of jackhammers, rock breakers, excavators, loaders and the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site).

Where it is necessary for works to occur outside those hours allowed by these conditions, approval for such will be subject to issue of a permit on each occasion from Council's Customer Services Centre. Such permit must be obtained and the appropriate fee paid at least two (2) clear working days in advance of each relevant date. Such occurrence shall be limited to two occasions per calendar month and shall only be approved if public safety or convenience is at risk.

Note: Failure to obtain a permit for work outside of the approved hours will result in on the spot fines being issued, or Council pursuing any action required (including legal proceedings) to have the out of hours work cease, without prior warning.

Reason: *To ensure that works do not interfere with reasonable amenity expectations of residents and the community.*

CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO ISSUE OF OCCUPATION CERTIFICATE

23. Stormwater Disposal Certification

The stormwater drainage works shall be certified as compliant with all relevant Australian Standards and Codes by a suitably qualified professional. The certification is to be submitted to the Principal Certifying Authority prior to the issue of an Interim/Final Occupation Certificate.

Note: The following Standards and Codes applied at the time of determination:

- Australian/New Zealand Standard AS/NZS 3500.3:2003 - Plumbing and drainage - Stormwater drainage
- Australian/New Zealand Standard AS/NZS 3500.3:2003/Amdt 1:2006 - Plumbing and drainage - Stormwater drainage
- National Plumbing and Drainage Code.

Reason: *To ensure appropriate provision for disposal of stormwater arising from the development.*

24. Occupation Certificate Required

An Interim / Final Occupation Certificate shall be obtained in relation to the approved works prior to any use or occupation of those parts of the building.

Note: In issuing an Interim / Final Occupation Certificate the Principal Certifying Authority must be satisfied that the requirements of Section 109H of the Environmental Planning and Assessment Act 1979 have been satisfied.



Reason: To ensure compliance with the provisions of the Environmental Planning and Assessment Act.

25. BASIX Compliance Certification

Prior to the issue of an Interim/Final Occupation Certificate, all the selected BASIX commitments as detailed in the BASIX Certificate, must be completed.

Reason: To ensure the development complies with the requirements of the SEPP (Building sustainability index: BASIX 2004).

ON-GOING CONDITIONS THAT MUST BE COMPLIED WITH AT ALL TIMES

26. Implementation of Flood Evacuation Plan

The Flood Evacuation Plan required under this Development Consent is to be onsite at all times and implemented during Flood Events.

Reason: Flood Evacuation during flood events.

27. Smoke Alarms

Smoke alarms shall be installed in the dwelling in accordance with the Building Code of Australia and AS 3786 prior to the issue of the interim/final occupation certificate.

Reason: Compliance with Part 9 – Division 7A of EP & A Regulations 2000.

28. Single Occupancy

- (a) Nothing in this consent shall authorise the use of the garage within the rear setback to be used as a separate domicile.
- (b) No cooking facilities are to be installed in the garage within the rear setback.

Reason: To ensure compliance with the terms of this consent and to protect persons from the impact of flooding.

Right to Review by the Council

You may request Council review the determination of the application under Section 82A of the Environmental Planning & Assessment Act 1979 if it is NOT integrated or designated development. Any request to review the application must be made and determined within 12 months from the date of determination.

NOTE: A fee will apply for any request to review the determination.



Right of Appeal

If you are dissatisfied with this decision Section 97 of the Environmental Planning & Assessment Act 1979 may give you the right to appeal to the Land and Environment Court within 12 months after the date on which you receive this notice.

Signed _____ on behalf of the consent authority

Signature _____
Name Kevin Short

Date _____