

- 2 All dimensions that relate to the building some state of All timers construction to the vertication of the source that are well as the source that are the source th
- Any detailing in addition to what is supplied shall be resolved between the owner and the builder to the owner's app any structual details or design which is to be supplied by Structual Engineer.

- 5 Roof water & sub-soil drainage to be disposed of in the approved manner or as directed by local cou 7 All electrical power & light outlets to be determined by owner. 3 Make good and repair all existing finishes damaged by new work. Reuse existing material where possibl

ISSUED FOR DA AMENDMENT

No.

MICHAL KORECKY

21 NALYA ROAD, NARRAWEENA NSW 2099


11/10/23 DATE

ABN: 79 393 130 294 Email: koreckym@gmail.com www.plansdesign.com.au Phone: 99813332, Mob: 0438 148 944 SUBDIVISION 45 OXFORD FALLS ROAD BEACON HILL NSW 2100


JIRI AND MARCELA ALBRECHT

DP 206629 LOT 1

DRAWN: MK ISSUE: DRAWING Nr SHEET: 18080







GENERAL NOTES:

1 Builder to check and confirm all necessary dimensions on site prior to construction. Do not scale the drawing.
2 All dimensions that relate to site boundaries and easments are subjuct to verification by site survey.
3 All work to be in accordance with BUILDING CODE of AUSTRALIA & to the satisfaction of local council requirements & other authorities.
4 All timber construction to be in accordance with the "TIMBER FRAMING" code.
5 Any detailing in addition to what is supplied shall be resolved between the owner and the builder to the owner's approval, except for any structual details or design which is to be supplied by Structual Engineer.

6 Roof water & sub-soil drainage to be disposed of in the approved manner or as directed by local council inspectors.
7 All electrical power & light outlets to be determined by owner.
8 Make good and repair all existing finishes damaged by new work. Reuse existing material where possible.

1 No.	ISSUED FOR DA AMENDMENT	11/10/23 DATE	
COF	YRIGHT: ns and drawings are subject of copyright and any attempt or infringement by using, reproducting or copying some, wholly or in without prior written permission will result in legal proceedings.	DAIL	


DESIGN BY: MICHAL KORECKY

21 NALYA ROAD, NARRAWEENA NSW 2099 ABN: 79 393 130 294


Email: koreckym@gmail.com Phone: 99813332, Mob: 0438 148 944

PROJECT:		
SUBDIVISION		
45 OXFORD FALLS ROAD	DP	20662
BEACON HILL NSW 2100		LOT
CLIENT:		
JIRI AND MARCELA ALBRECHT	•	

SCALE 1:100								
	DATE: 11/10/23	SCALE:	AS NOTED					
629	DRAWN: MK	ISSUE:	1					
OT 1	DRAWING Nr : 18080	SHEET:	6					







GENERAL NOTES:

1 Builder to check and confirm all necessary dimensions on site prior to construction. Do not scale the drawing,
2 All dimensions that relate to site boundaries and easments are subjuct to verification by site survey.
3 All work to be in accordance with BUILDING CODE of AUSTRALIA & to the satisfaction of local council requirements & other authorities.
4 All timber construction to be in accordance with the "TIMBER FRAMING" code.
5 Any detailing in addition to what is supplied shall be resolved between the owner and the builder to the owner's approval, except for any structual details or design which is to be supplied by Structual Engineer.

only articular deviations or design with its to be supplied by 30 citized Engineer. A sub-soil draginger to be disposed of in the approved manner or as directed by local council inspectors. All electrical power & light outlets to be determined by owner.

8 Make good and repair all existing finishes damaged by new work. Reuse existing material where possible.

1 1				
Н				اا
Н				
П				
П	1	ISSUED FOR DA	11/10/23	
	No.	AMENDMENT	DATE	
П	COF	YRIGHT:		

All plans and drawings are subject of copyright and any attempt or actual infringement by using, reproducting or copying same, wholly or in part, without prior written permission will result in legal proceedings.


DESIGN BY: MICHAL KORECKY

21 NALYA ROAD, NARRAWEENA NSW 2099 ABN: 79 393 130 294

Email: koreckym@gmail.com www.plansdesign.com.au Phone: 99813332, Mob: 0438 148 944

PROJECT:		
SUBDIVISION		
45 OXFORD FALLS ROAD	DP	206629
SUBDIVISION 45 OXFORD FALLS ROAD BEACON HILL NSW 2100 CLIENT:		LOT 1
CLIENT:		
JIRI AND MARCELA ALBRECHT	•	

50/ILL 1.100									
	DATE: 11/10/23	SCALE: AS	NOTED						
	DRAWN: MK	ISSUE:	1						
	DRAWING Nr : 18080	SHEET:	7						
	,,	DATE: 11/10/23 DRAWN: MK DRAWNG Nr :	DATE: 11/10/23 SCALE: ASDRAWN: MK ISSUE: DRAWNG Nr : SHEET:						








GENERAL NOTES:

- 1 Builder to check and confirm all necessary dimensions on site prior to construction. Do not scale the drawing.
 2 All dimensions that relate to site boundaries and easments are subjuct to verification by site survey.
 3 All work to be in accordance with BUILDING CODE of AUSTRAIA & to the satisfaction of local council requirements &
 4 All timber construction to be in accordance with the "TIMBER FRAMING" code.
 5 Any detailing in addition to what is supplied shall be resolved between the owner and the builder to the owner's appropriate to the supplied by Structual Engineer.
- 6 Roof water & sub-soil drainage to be disposed of in the approved manner or as directed by local col 7 All electrical power & light outlets to be determined by owner. 8 Make good and repair all existing finishes damaged by new work. Reuse existing material where possib



DESIGN BY: MICHAL KORECKY

21 NALYA ROAD, NARRAWEENA NSW 2099 ABN: 79 393 130 294

Email: koreckym@gmail.com Phone: 99813332, Mob: 0438 148 944 PROJECT:


SUBDIVISION

45 OXFORD FALLS ROAD BEACON HILL NSW 2100

Ò.	1 :	2 .	3 4	4 !	5	10 M
				SCALE	1.100	

DP 206629 LOT 1 JIRI AND MARCELA ALBRECHT

DATE: 11/10/23SCALE: AS NOTED DRAWN: MK ISSUE: DRAWING Nr : 18080 SHEET: 8









NOTES

- 1. ALL DIMENSIONS ARE IN MILLIMETRES U.N.O. AND SHOULD BE VERIFIED ON SITE BY THE BUILDER WHO WILL BE RESPONSIBLE FOR THE ACCURATE SETTING OUT OF THE JOB. ANY DISCREPANCIES MUST BE RESOLVED PRIOR TO COMMENCEMENT OF WORK.
- 2. ALL CONSTRUCTION IS TO COMPLY WITH THE RELEVANT SAA BUILDING CODES AND TO THE LOCAL COUNCIL REQUIREMENTS AND OTHER AUTHORITIES CONCERNED.
- 3. ALL DIMENSIONS THAT RELATE TO SITE BOUNDARIES AND EASEMENTS ARE SUBJECT TO VERIFICATION BY A SITE SURVEY.
- 4. FIGURED DIMENSIONS TAKE PRECEDENCE OVER SCALED READINGS.
- 5. ALL TIMBER CONSTRUCTION IS TO BE IN ACCORDANCE WITH THE 'NATIONAL TIMBER FRAMING CODE A.S.1684.
- 6. ROOF WATER AND SUB SOIL DRAINAGE TO BE DISPOSED OF IN THE APPROVED MANNER OR AS DIRECTED BY LOCAL INSPECTORS.
- 7. FINAL POSITION OF ALL DOWNPIPES TO BE DECIDED BY ROOF PLUMBER.
- 8. ANY STRUCTURAL DETAILS OR DESIGN IS TO BE SUPPLIED BY A STRUCTURAL ENGINEER.
- 9. ALL LEVELS ARE TO AUSTRALIAN HEIGHT DATUM.
- 10. ALL ELECTRICAL, POWER & LIGHT OUTLETS AS DETERMINED BY OWNER.
- 11. MAKE GOOD & REPAIR ALL EXISTING FINISHES AFFECTED BY NEW WORK. RE-USE EXISTING MATERIALS WHERE POSSIBLE.
- 12. ANY DETAILING IN ADDITION TO WHAT IS SUPPLIED ON THIS DRAWING SHALL BE RESOLVED BETWEEN THE OWNER & THE BUILDER.



GENERAL NOTES:

- 2 All dimensions that relate to site boundaries and easments are subjuct to verification by site survey.
 All work to be in accordance with BullDING CODE of AUSTRALIA & to the satisfaction of local council requirement.
 All timber construction to be in accordance with the "TIMBER FRAMING" coals.
- Any detailing in addition to what is supplied shall be resolved between the owner and the builder to the owner's approval, except for any structual details or design which is to be supplied by Structual Engineer.
- Roof water & sub-soil drainage to be disposed of in the approved manner or as directed by local council inspectors 7 All electrical power & light outlets to be determined by owner. 3 Make good and repair all existing finishes damaged by new work. Reuse existing material where possible.





DESIGN BY: MICHAL KORECKY

21 NALYA ROAD, NARRAWEENA NSW 2099 ABN: 79 393 130 294

Email: koreckym@gmail.com www.plansdesign.com.au Phone: 99813332, Mob: 0438 148 944 PROJECT: SUBDIVISION DP 20 45 OXFORD FALLS ROAD BEACON HILL NSW 2100 JIRI AND MARCELA ALBRECHT

JUALL 1.100							
	DATE: 11/10/23	SCALE: AS NOTED					
06629 LOT 1	DRAWN: MK	ISSUE: 1					
LOT 1	DRAWING Nr : 18080	SHEET: 9					









0 1 2 3 4 5 10 M SCALE 1:200

GENERAL NOTES:

- 2 All dimensions that relate to site boundaries and easments are subjuct to verification by site survey.

 All work to be in accordance with BUILDING CODE of AUSTRALIA & to the satisfaction of local council requirements & other authorities.


 All timber construction to be in accordance with the "IMBER FRAMING" code.
- Any detailing in addition to what is supplied shall be resolved between the owner and the builder to the owner's approval, except for any structual details or design which is to be supplied by Structual Engineer.
- Roof water & sub—soil draininge to be disposed of in the approved manner or as directed by local council inspectors All electrical power & light outlets to be determined by owner. Make good and repair all existing finishes damaged by new work. Reuse existing material where possible.
- 11/10/23 DATE ISSUED FOR DA AMENDMENT No.

DESIGN BY: MICHAL KORECKY

21 NALYA ROAD, NARRAWEENA NSW 2099 ARN: 79 393 130 294


Email: koreckym@gmail.com Phone: 99813332, Mob: 0438 148 944 PROJECT: SUBDIVISION 45 OXFORD FALLS ROAD DP 206629 BEACON HILL NSW 2100 LOT 1 JIRI AND MARCELA ALBRECHT

DATE: 11/10/23	SCALE: AS NOTED
DRAWN: MK	ISSUE: 1
DRAWING Nr : 18080	SHEET: 10



ALL EXISTING DRAINAGE PIPE TO BE CHECKED ON SITE DURING CONSTRUCTION, IF INADEQUATE, NEW Ø100 uPVC SEWER GRADE PIPES TO BE INSTALLED





0 1 2 3 4 5 10 M SCALE 1:200

GENERAL NOTES:

- Builder to check and confirm all necessary dimensions on site prior to construction. Do not scale the drawing.

 2 All dimensions that relate to site boundaries and easments are subjuct to verification by site survey.

 3 All work to be in accordance with BUILDING CODE of AUSTRALIA & to the satisfaction of local council requirements & other authorities.

 4 All timber construction to be in accordance with the "TIMBER FRAMING" code.

 5 Any detailing in addition to what is supplied shall be resolved between the owner and the builder to the owner's approval, except for any structual details or design which is to be supplied by Structual Engineer.
- 6 Roof water & sub-soil drainage to be disposed of in the approved manner or as directed by local council inspectors. 7 All electrical power & light outlets to be determined by owner. 8 Make good and repair all existing finishes damaged by new work. Reuse existing material where possible.

1	ISSUED FOR DA	11/10/23	
No.	AMENDMENT	DATE	
COPYRIGHT: All plans and drawings are subject of copyright and any attempt or actual infringement by using, reproducting or copying same, wholly or in port, without prior written permission will result in legal proceedings.			

DESIGN BY: MICHAL KORECKY

21 NALYA ROAD, NARRAWEENA NSW 2099 ABN: 79 393 130 294

Email: koreckym@gmail.com Phone: 99813332, Mob: 0438 148 944

PROJECT: SUBDIVISION 45 OXFORD FALLS ROAD DP 206629 BEACON HILL NSW 2100 LOT 1

JIRI AND MARCELA ALBRECHT

DATE: 11/10/23	SCALE:	AS NOTED
DRAWN: MK	ISSUE:	1
DRAWING Nr : 18080	SHEET:	11