

NOTICE OF DETERMINATION

Application Number: DA2010/1949

APPLICATION DETAILS

Applicant Name and Address: Covenant Christian School

Accounts Payable PO BOX 6154

FRENCHS FOREST DC NSW 2086

Lot 101 DP 1159742, Lot 1 & 2 DP 725754, 212

Forest Way BELROSE

Proposed Development: Alterations and additions to a Primary School and

Further Education Establishment

DETERMINATION - APPROVED

Made on (Date): 20 December 2011

Consent to operate from (Date): 21 December 2011

Consent to lapse on (Date): 21 December 2016

Details of Conditions

The conditions, which have been applied to the consent, aim to ensure that the Environmental Impacts of Development are minimised and the Health and Safety of the community is maintained in accordance with the relevant standards and the Building Code of Australia.

NOTE:

If the works are to be certified by a Private Certifying Authority, then it is the certifier's responsibility to ensure all outstanding fees and bonds have been paid to Council prior to the issue of the Construction Certificate or as otherwise specified by Consent conditions.



GENERAL CONDITIONS

CONDITIONS THAT IDENTIFY APPROVED PLANS

1. Approved Plans and Supporting Documentation

The development must be carried out in compliance (except as amended by any other condition of consent) with the following:

Architectural Plans - Endorsed with Council's stamp		
Drawing No.	Dated	Prepared By
Architectural plans		
DA-01.2, Rev 11	1/11/11	MCA Architects
DA-02.2, Rev 11	1/11/11	MCA Architects
DA-03.2, Rev 5	25/7/2011	MCA Architects
DA-10.2, Rev 4	25/7/2011	MCA Architects
DA-11.2, Rev 4	25/7/2011	MCA Architects
DA-12.2, Rev 3	25/7/2011	MCA Architects
DA-20.2, Rev 4	25/7/2011	MCA Architects
DA-21.2, Rev 4	25/7/2011	MCA Architects
DA-22.1, Rev 3	25/7/2011	MCA Architects
Schedule of Colours and Finishes	26/11/2010	MCA Architects

Engineering Plans - Endorsed with Council's stamp		
Drawing No.	Dated	Prepared By
Engineering plans H00 to H08	26/11/2010	Acor Consultants

Reports / Documentation		
Report No.	Dated	Prepared By
Traffic Management Policy	October 2011	Covenant Christian
		School
Supplementary Traffic Parking	2 November 2011	Traffic Solutions Pty Ltd
Statement 04.05.227		
Traffic & Parking Assessment	February 2007	Traffic Solutions Pty Ltd
04.05.227A		
School Bus Schedule	8 November 2011	Covenant Christian
		School

No construction works (including excavation) shall be undertaken prior to the release of the Construction Certificate.

The development is to be undertaken generally in accordance with the following:



Landscape Plans - Endorsed	with Council's stam	р
Drawing Number	Dated	Prepared By
Landscape plans LA01/D	21/7/2011	Taylor Brammer

Waste Management Plan - Endorsed with Council's stamp		
Plan Number	Dated	Prepared By
Covenant Christian School	26/11/2010	MCA Architects
Waste Management Plan 2010		

Reason: To ensure the work is carried out in accordance with the determination of Council and approved plans. (DACPLB01)

2. Compliance with External Department, Authority or Service Requirements

The development must be carried out in compliance with the following:

External Department, Authority or Service	Reference	Dated
Energy Australia	Energy Australia Referral Response	8 Dec 2010
NSW Rural Fire Service	NSW RFS Referral Response	17 Jan 2011
Aboriginal Heritage Office	Aboriginal Heritage Referral Response	9 Dec 2010

(NOTE: For a copy of the above referenced document/s, please see Council's 'E-Services' system at www.warringah.nsw.gov.au)

Reason: To ensure the work is carried out in accordance with the determination and the statutory requirements of External Department, Authority or Bodies.

3. Prescribed Conditions

- (a) All building works must be carried out in accordance with the requirements of the Building Code of Australia (BCA).
- (b) BASIX affected development must comply with the schedule of BASIX commitments specified within the submitted BASIX Certificate (demonstrated compliance upon plans/specifications is required prior to the issue of the Construction Certificate);
- (c) A sign must be erected in a prominent position on any site on which building work, subdivision work or demolition work is being carried out:
 - (i) showing the name, address and telephone number of the Principal Certifying Authority for the work, and
 - (ii) showing the name of the principal contractor (if any) for any building work and a telephone number on which that person may be contacted outside working hours, and
 - (iii) stating that unauthorised entry to the work site is prohibited.



Any such sign is to be maintained while the building work, subdivision work or demolition work is being carried out, but must be removed when the work has been completed.

- (d) Residential building work within the meaning of the Home Building Act 1989 must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council) has given the Council written notice of the following information:
 - (i) in the case of work for which a principal contractor is required to be appointed:
 - A. the name and licence number of the principal contractor, and
 - B. the name of the insurer by which the work is insured under Part 6 of that Act.
 - (ii) in the case of work to be done by an owner-builder:
 - A. the name of the owner-builder, and
 - B. if the owner-builder is required to hold an owner-builder permit under that Act, the number of the owner-builder permit.

If arrangements for doing the residential building work are changed while the work is in progress so that the information notified under becomes out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council) has given the Council written notice of the updated information.

- (e) Development that involves an excavation that extends below the level of the base of the footings of a building on adjoining land, the person having the benefit of the development consent must, at the person's own expense:
 - (i) protect and support the adjoining premises from possible damage from the excavation, and
 - (ii) where necessary, underpin the adjoining premises to prevent any such damage.
 - (iii) must, at least 7 days before excavating below the level of the base of the footings of a building on an adjoining allotment of land, give notice of intention to do so to the owner of the adjoining allotment of land and furnish particulars of the excavation to the owner of the building being erected or demolished.
 - (iv) the owner of the adjoining allotment of land is not liable for any part of the cost of work carried out for the purposes of this clause, whether carried out on the allotment of land being excavated or on the adjoining allotment of land.

In this clause, allotment of land includes a public road and any other public place.

Reason: Legislative Requirement. (DACPLB09)

4. General Requirements

(a) Unless authorised by Council:

Building construction and delivery of material hours are restricted to: 7.00 am to 5.00 pm inclusive Monday to Friday 8.00 am to 1.00 pm inclusive on Saturday, No work on Sundays and Public Holidays.



Demolition and excavation works are restricted to: 8.00 am to 5.00 pm Monday to Friday only.

(Excavation work includes the use of any excavation machinery and the use of jackhammers, rock breakers, excavators, loaders and the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site).

- (b) At all times after the submission the Notice of Commencement to Council, a copy of the Development Consent and Construction Certificate is to remain onsite at all times until the issue of a final Occupation Certificate. The consent shall be available for perusal of any Authorised Officer.
- (c) Where demolition works have been completed and new construction works have not commenced within 4 weeks of the completion of the demolition works that area affected by the demolition works shall be fully stabilised and the site must be maintained in a safe and clean state until such time as new construction works commence.
- (d) Onsite toilet facilities (being either connected to the sewer or an accredited sewer management facility) for workers are to be provided for construction sites at a rate of 1 per 20 persons.
- (e) Prior to the release of the Construction Certificate payment of the Long Service Levy is required. This payment can be made at Council or to the Long Services Payments Corporation. Payment is not required where the value of the works is less than \$25,000. The Long Service Levy is calculated on 0.35% of the building and construction work. The levy rate and level in which it applies is subject to legislative change. The applicable fee at the time of payment of the Long Service Levy will apply.
- (f) Smoke alarms are to be installed throughout all new and existing portions of any Class 1a building in accordance with the Building Code of Australia prior to the occupation of the new works.
- (g) The applicant shall bear the cost of all works associated with the development that occurs on Council's property.
- (h) No building, demolition, excavation or material of any nature shall be placed on Council's footpaths, roadways, parks or grass verges without Council Approval.
- (i) All sound producing plant, equipment, machinery or fittings will not exceed more than 5dB(A) above the background level when measured from any property boundary and will comply with the Environment Protection Authority's NSW Industrial Noise Policy.)
- (j) No trees or native shrubs or understorey vegetation on public property (footpaths, roads, reserves, etc.) shall be removed or damaged during construction unless specifically approved in this consent including for the erection of any fences, hoardings or other temporary works.

Reason: To ensure that works do not interfere with reasonable amenity expectations of residents and the community. (DACPLB10)



4A. Review of Bus Services

This consent is granted for the approved bus services schedule for a limited period in accordance with the following:

- (a) The bus schedule shall be subject to a trial period of twelve (12) months from the date of issue of the interim occupation certificate.
- (b) At the end of the 12 month period, if the applicant wishes to make the proposed schedule permanent, the applicant must lodge a Section 96 Modification of Consent application with supporting documentation (including the traffic and parking review required in (c) below) on or before 2 months before the end of the 12 month trial period. The S96 can include deletion of this requirement for any further review and any modification to relevant conditions.
- (c) During the 12 month trial period, a bus parking and traffic review are to be undertaken by a qualified Traffic Consultant on a 6 monthly basis (i.e. 2 surveys) to determine the effective ongoing operation of the school's bus services and facilities. The monitoring survey and recommendations of the Traffic Consultant are to be presented in a report to Council to accompany the Section 96 Application to be lodged at the end of 12 months from the date of issue of the Interim Occupation Certificate.
- (d) The approved bus schedule operations can remain in place until the Section 96 application has been finally determined subject to:
 - (i) A Class 1 Appeal to the Land and Environment Court being commenced against any actual refusal of the S96 application by Council within 14 days from the date of that refusal; or
 - (ii) If the Council has not determined the S96 application within 40 days of the lodgement of that application, a Class 1 Appeal being commenced against the Council's deemed refusal of the application within 60 days of the date of the lodgement of the S96 application; or
 - (iii) In the event that the Section 96 is not lodged in accordance with the above, Council may commence a Class 4 Appeal against a breach of these conditions.

Reason: Management of traffic and bus facilities.

CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF THE CONSTRUCTION CERTIFICATE

5. Compliance with Standards

The development is required to be carried out in accordance with all relevant Australian Standards.

(Note: At the time of determination the following (but not limited to) Australian Standards applied:

- (a) AS2601.2001 Demolition of Structures**
- (b) AS4361.2 Guide to lead paint management Residential and commercial buildings**
- (c) AS4282:1997 Control of the Obtrusive Effects of Outdoor Lighting**



- (d) AS 4373 2007 'Pruning of amenity trees' (Note: if approval is granted) **
- (e) AS 4970 2009 'Protection of trees on development sites'**
- (f) AS/NZS 2890.1:2004 Parking facilities Off-street car parking**
- (g) AS 2890.2 2002 Parking facilities Off-street commercial vehicle facilities**
- (h) AS 2890.3 1993 Parking facilities Bicycle parking facilities**
- (i) AS 2890.5 1993 Parking facilities On-street parking**
- (j) AS/NZS 2890.6 2009 Parking facilities Off-street parking for people with disabilities**
- (k) AS 1742 Set 2010 Manual of uniform traffic control devices Set**
- (I) AS 1428.1 2009* Design for access and mobility General requirements for access New building work**
- (m) AS 1428.2 1992*, Design for access and mobility Enhanced and additional requirements Buildings and facilities**

*Note: The Australian Human Rights Commission provides useful information and a guide relating to building accessibility entitled "the good the bad and the ugly: Design and construction for access". This information is available on the Australian Human Rights Commission website www.hreoc.gov.au/disability rights /buildings/good.htm.

**Note: the listed Australian Standards is not exhaustive and it is the responsibility of the applicant and the Certifying Authority to ensure compliance with this condition and that the relevant Australian Standards are adhered to.)

Details demonstrating compliance with the relevant Australian Standard are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure the development is constructed in accordance with appropriate standards. (DACPLC02)

6. Section 94A Contributions

The Section 94A Contributions are required to be paid for this development. This amount has been calculated using the Warringah Section 94A Development Contributions Plan. The amount will be adjusted at the time of payment according to the quarterly CPI (Sydney - All Groups Index).

The basis for the contributions is as follows:

Warringah Section 94A Development Contributions Plan		
Contribution based on total development cost of \$		4,260,000.00
Contribution - all parts Warringah	Levy Rate	Contribution Payable
Total S94A Levy	0.95%	40,470.00
S94A Planning and Administration	0.05%	2,130.00
Total	1.0%	\$42,600



Details demonstrating payment are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To retain a level of service for the existing population and to provide the same level of service for the population resulting from new development. (DACPLC01)

7. Sewer / Water Quickcheck

The approved plans must be submitted to a Sydney Water Quick Check agent or Customer Centre prior to works commencing to determine whether the development will affect any Sydney Water asset's sewer and water mains, stormwater drains and/or easement, and if further requirements need to be met. Plans will be appropriately stamped.

Please refer to the website www.sydneywater.com.au for:

- Quick Check agents details see Building Developing and Plumbing then Quick Check; and
- Guidelines for Building Over/Adjacent to Sydney Water Assets see Building Developing and Plumbing then Building and Renovating.
- Or telephone 13 20 92.

Reason: To ensure compliance with the statutory requirements of Sydney Water. (DACPLC12)

8. Bonds

(a) Security Bond

A bond (determined from cost of works) of \$3,000 and an inspection fee in accordance with Council's Fees and Charges paid as security to ensure the rectification of any damage that may occur to the Council infrastructure contained within the road reserve adjoining the site as a result of construction or the transportation of materials and equipment to and from the development site.

(b) Construction, Excavation and Associated Works Bond (Pollution)

A Bond of \$5,000 as security to ensure that there is no transmission of material, soil etc off the site and onto the public road and/or drainage systems.

(c) Construction, Excavation and Associated Works Bond (Failure to Remove Waste)

A bond of \$10,000 as security against damage to Council's road(s) fronting the site caused by the transport and disposal of materials and equipment to and from the site.

An inspection fee in accordance with Council adopted fees and charges (at the time of payment) is payable for each kerb inspection as determined by Council (minimum (1) one inspection)

All bonds and fees shall be deposited with Council prior to Construction Certificate or demolition work commencing, details demonstrating payment are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure adequate protection of Council infrastructure. (DACENC01)

9. [Deleted]



10. Side Building Setback (No.3 Waldon Road)

The proposed "Transition Classroom" is to have a minimum setback of 10 metres from the side boundary with No.3 Waldon Road. (The adjacent "relocated shade structure" is to be deleted or replaced with a smaller shade sail to accommodate). This setback area is to be retained as landscaped open space and planted with locally occurring endemic species. The adjacent pathway linking to the classroom may be located not closer than 7.5m to the side boundary.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority.

Reason: To maintain environmental amenity, setbacks and a "bushland setting" in accordance with the WLEP 2000. (Special Condition)

11. Construction Management Program

A Construction Management Program shall be submitted to the Certifying Authority prior to the issue of a Construction Certificate. The program shall detail:

- (a) The proposed method of access to and egress from the site for construction vehicles, including access routes through the Council area and the location and type of temporary vehicular crossing for the purpose of minimising traffic congestion and noise in the area, with no access across public parks or reserves being allowed;
- (b) The proposed phases of construction works on the site, and the expected duration of each construction phase;
- (c) The proposed order in which works on the site will be undertaken, and the method statements on how various stages of construction will be undertaken;
- (d) The proposed manner in which adjoining property owners will be kept advised of the timeframes for completion of each phase of development/construction process.
- (e) The proposed method of loading and unloading excavation and construction machinery, excavation and building materials, formwork and the erection of any part of the structure within the site. Wherever possible mobile cranes should be located wholly within the site;
- (f) The proposed areas within the site to be used for the storage of excavated materials, construction materials and waste containers during the construction period;
- (g) The proposed method/device to remove loose material from all vehicles and/or machinery before entering the road reserve, any run-off from the washing down of vehicles shall be directed to the sediment control system within the site;
- (h) The proposed method of support to any excavation adjacent to adjoining properties, or the road reserve. The proposed method of support is to be designed and certified by an appropriately qualified and practising Structural Engineer, or equivalent;



- (i) Proposed protection for Council and adjoining properties;
- (j) The location and operation of any on site crane;

Reason: To ensure appropriate measures have been considered for site access, storage and the operation of the site during all phases of the construction process in a manner that respects adjoining owner's property rights and protects amenity in the locality, without unreasonable inconvenience to the community.

12. Design for Access and Mobility

The development must be designed to comply with the requirements of the Disability Discrimination Act 1992 and Australian Standard AS1428.2-1992 Design for Access and Mobility - Enhanced and additional requirements - Buildings and facilities. Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure equitable access to members of the community to all public facilities. (DACGCdam)

13. Noise from Plant

A certificate from an appropriately qualified Acoustic Engineer is to be submitted to the Certifying Authority prior to the issue of the Construction Certificate certifying all sound producing plant, equipment, machinery or fittings will not exceed more than 5dB(A) above the background level during the day and evening and not exceeding the background level at night (10.00pm -6.00 am) when measured at the boundary of the property, and will comply with the Environment Protection Authority's NSW Industrial Noise Policy.

Reason: To comply with best practice standards for residential acoustic amenity. (DACHCnp)

14. Car parking Details

The renewed line marking of the car park is to comply with Australian/New Zealand Standard AS/NZS 2890.1:2004 Parking facilities - Off-street car parking. No reduction to the existing number of car spaces is permitted and all on-site spaces are to be consecutively numbered. Plans demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure the orderly and adequate provision of car parking. (DACECcpd)

15. Parking for People with Disabilities

Of the required number of car parking spaces at least one car-parking space must be provided for use by persons with a disability.

The car parking spaces and access from the car parking spaces to other areas within the building are to comply with the Disability Discrimination Act 1992 and Australian/New Zealand Standard AS/NZS 2890.1:2004 Parking facilities Part 1: Offstreet car parking and the relevant provisions of Australian Standard AS 1428.2-1992 Design for Access and Mobility - Enhanced and additional requirements - Buildings and facilities. Details demonstrating compliance with these requirements are to be submitted prior to the issue of the Construction Certificate.



Reason: To ensure equity of access and appropriate facilities are available for people with disabilities in accordance with Federal legislation. (DACGCppd)

16. Reflectivity Index of Glazing

The reflectivity index (expressed as a percentum of the reflected light falling upon any surface) of external glazing for windows, walls or roof finishes of the proposed development is to be no greater than 20%. Written confirmation of the reflectivity index of materials is to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Note: The reflectivity index of glazing elements can be obtained from glazing manufacturers. Glass with mirrored or reflective foil finishes is unlikely to achieve compliance with this requirement.

Reason: To ensure that excessive glare or reflectivity nuisance from glazing does not occur as a result of the development. (DACGCrig)

17. Roofing Materials - Reflectivity

The external finish to the roof shall have a medium to dark range in order to minimise solar reflections to neighbouring properties. The metal roof shall not be of light colours such as off white, cream, silver or light grey colours. Details are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure that excessive glare or reflectivity nuisance from roofing materials does not occur as a result of the development. (DACGCrmr)

CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

18. Public Liability Insurance - Works on Public Land

Any person or contractor undertaking works on public land must take out Public Risk Insurance with a minimum cover of \$10 million in relation to the occupation of, and approved works within Council's road reserve or public land, as approved in this consent. The Policy is to note, and provide protection for Warringah Council, as an interested party and a copy of the Policy must be submitted to Council prior to commencement of the works. The Policy must be valid for the entire period that the works are being undertaken on public land.

Reason: To ensure the community is protected from the cost of any claim for damages arising from works on public land. (DACEND01)

CONDITIONS THAT MUST BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK

19. Installation and Maintenance of Sediment Control

Measures used for erosion and sediment control on building sites are to be adequately maintained at all times and must be installed in accordance with Warringah Council Specifications for Erosion and Sediment Control. All measures shall remain in proper operation until all development activities have been completed and the site fully stabilised.



Details demonstrating compliance are to be submitted to the Principal Certifying Authority.

Reason: To protect the environment from the effects of sedimentation and erosion from development sites. (DACPLE02)

20. Health and Safety

The work undertaken must satisfy applicable occupational health and safety and construction safety regulations, including any WorkCover Authority requirements.

Reason: To ensure the health and safety of the community and workers on the site.

21. Property Boundary Levels

The property boundary levels shall match the existing levels except where modified for a vehicular crossing. The applicant shall design and construct having regard for the existing levels. No approval is granted for any change to existing property alignment levels to accommodate the development.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority.

Reason: To maintain the existing profile of the nature strip/road reserve. (DACENE01)

22. Maintenance of Road Reserve

The public footways and roadways adjacent to the site shall be maintained in a safe condition at all times during the course of the work.

Reason: Public Safety. (DACENE09)

23. Trees Condition

During the construction period the applicant is responsible for ensuring all protected trees are maintained in a healthy and vigorous condition. This is to be done by ensuring that all identified tree protection measures are adhered to. In this regard all protected plants on this site shall not exhibit:

- (a) A general decline in health and vigour.
- (b) Damaged, crushed or dying roots due to poor pruning techniques.
- (c) More than 10% loss or dieback of roots, branches and foliage.
- (d) Mechanical damage or bruising of bark and timber of roots, trunk and branches.
- (e) Yellowing of foliage or a thinning of the canopy untypical of its species.
- (f) An increase in the amount of deadwood not associated with normal growth.
- (g) An increase in kino or gum exudation.
- (h) Inappropriate increases in epicormic growth that may indicate that the plants are in a stressed condition.
- (i) Branch drop, torn branches and stripped bark not associated with natural climatic conditions.

Any mitigating measures and recommendations required by the Arborist are to be implemented.



The owner of the adjoining allotment of land is not liable for the cost of work carried out for the purpose of this clause.

Reason: Protection of Trees. (DACLAE03)

24. Aboriginal Heritage

If in undertaking excavations or works, any Aboriginal site or object is, or is thought to have been found, all works are to cease immediately within the immediate vicinity of the relic and the applicant is to contact the Aboriginal Heritage Officer for Warringah Council, and the *National Parks and Wildlife Service*.

Any work to a site that is discovered to be the location of an Aboriginal object, within the meaning of the National Parks and Wildlife Act 1974, requires a permit from the NSW Office of Environment and Heritage.

Reason: Aboriginal Heritage Protection. (DACGEah)

25. Plant and Equipment Kept Within Site

All plant and equipment used in the erection of the building, including concrete pumps, wagons, lifts, mobile cranes, etc, shall be situated within the boundaries of the site and so placed that all concrete slurry, water, debris and the like shall be discharged onto the building site, and is to be contained within the site boundaries. This condition shall be complied with during demolition and building work.

Reason: To ensure public safety and amenity on public land. (DACGEpekws)

26. Requirement to Notify about New Contamination Evidence

Any new information revealed during demolition works that has the potential to alter previous conclusions about site contamination or hazardous materials shall be immediately notified to the Council and the Principal Certifying Authority.

Reason: To protect human health and the environment. (DACHErnnce)

27. Dust emission and air quality

Materials must not be burnt on site.

Vehicles entering and leaving the site with soil or fill material must be covered.

Dust suppression measures must be carried out to minimise wind-borne emissions in accordance with the Landcom's Managing Urban Stormwater: Soils and Construction (The 'Blue Book'). Odour suppression measures must be carried out so as to prevent nuisance occurring at neighbouring properties.

Reason: To ensure residential amenity is maintained in the immediate vicinity. (DACHEdeaq)



28. Noxious Plants

All plants on the site that are declared as noxious weeds in Warringah shall be eradicated before the commencement of landscape works.

Reason: To ensure that plants identified as weed species are not allowed to proliferate and interfere with a quality-landscaping outcome, or be transferred to nearby National Park areas. (DACLEnp)

CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO ISSUE OF OCCUPATION CERTIFICATE

29. Fire Safety Matters

At the completion of all works, a Fire Safety Certificate will need to be prepared which references all the Essential Fire Safety Measures applicable and the relative standards of Performance (as per Schedule of Fire Safety Measures). This certificate must be prominently displayed in the building and copies must be sent to Council and the NSW Fire Brigade.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Interim / Final Occupation Certificate.

Each year the Owners must send to the Council and the NSW Fire Brigade an annual Fire Safety Statement which confirms that all the Essential Fire Safety Measures continue to perform to the original design standard.

Reason: Statutory requirement under Part 9 Division 4 and 5 of the Environmental Planning and Assessment Regulation 2000. (DACPLF07)

30. Authorisation of Legal Documentation Required for On-site Stormwater Detention

The original completed request forms (Department of Lands standard forms 13PC and/or 13RPA) must be submitted to Council, with a copy of the Works-as-Executed plan (details overdrawn on a copy of the approved drainage plan), hydraulic engineers certification and Compliance Certificate issued by an Accredited Certifier in Civil Works.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To create encumbrances on the land. (DACENF01)

31. Registration of Encumbrances for On-site Stormwater Detention

A copy of the certificate of title demonstrating the creation of the positive covenant and restriction for on-site storm water detention as to user is to be submitted.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To identify encumbrances on land. (DACENF02)



32. Restriction as to User for On-site Stormwater Detention

A restriction as to user shall be created on the title over the on-site stormwater detention system, restricting any alteration to the levels and/or any construction on the land. The terms of such restriction are to be prepared to Council's standard requirements, (available from Warringah Council), at the applicant's expense and endorsed by Council prior to lodgement with the Department of Lands. Warringah Council shall be nominated as the party to release, vary or modify such restriction.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To ensure modification to the on-site stormwater detention structure is not carried without Council's approval. (DACENF04)

33. On-Site Stormwater Detention Compliance Certification

Upon completion of the on-site stormwater detention (OSD) system, certification from a consulting engineer and a "work as executed" (WAE) drawing certified by a registered surveyor and overdrawn in red on a copy of the approved OSD system plans are to be provided to Council. Additionally a Compliance Certificate is to be issued by an Accredited Certifier in Civil Works registered with the Institute of Engineers Australia, stating that the works are in accordance with the approved plans.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To ensure stormwater disposal is constructed to Council's satisfaction. (DACENF10)

34. Positive Covenant for On-site Stormwater Detention

A positive covenant shall be created on the title of the land requiring the proprietor of the land to maintain the on-site stormwater detention structure in accordance with the standard requirements of Council. The terms of the positive covenant are to be prepared to Council's standard requirements, (available from Warringah Council), at the applicant's expense and endorsed by Warringah Council's delegate prior to lodgement with the Department of Lands. Warringah Council shall be nominated as the party to release, vary or modify such covenant.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To ensure ongoing maintenance of the on-site stormwater detention system. (DACENF12)

35. Creation of Positive Covenant and Restriction as a User

Where any conditions of this Consent require the creation of a positive covenant and/or restriction as a user, the original completed request forms, (Department of Lands standard forms 13PC and/or 13RPA), shall be submitted to Warringah Council for authorisation.



A certified copy of the documents shall be provided to Warringah Council after final approval and registration has been affected by the "Department of Lands".

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of a Interim / Final Occupation Certificate.

Reason: To identify encumbrances on land. (DACENF14)

36. [Deleted]

37. Consolidation of Lots

Prior to the issue of a Final occupation Certificate, either of the following is to be carried out:

- (i) Lot Consolidation: Lot 101 DP 1159742, Lot 1 and 2 DP 725754 are to be consolidated into one lot and evidence of the registration of the appropriate survey plan by *NSW Land and Property Information* is to submitted to the Principal Certifying Authority and Warringah Council.
- (ii) Creation of restriction as to User: A restriction as to the use/restrictive covenant (under the provision of S88C of the Conveyancing Act) is to be registered ton the property titles of Lot 101 DP 1159742, Lot 1 and 2 DP 725754 restriction the use of the land to a school. All cost associated with the preparation, execution and registration of the instrument are to be borne by the applicant. Warringah Council is to be nominated as the only party with the right to release, vary or modify the instrument and Warringah Council shall execute these documents prior to the submission to NSW Land & Property Information.

Reason: Orderly development of land.

38. Removal of All Temporary Structures/Material and Construction Rubbish

Once construction has been completed all silt and sediment fences, silt, rubbish, building debris, straw bales and temporary fences are to be removed from site.

Reason: To ensure bushland management.

38A. Works to Forest Way Bus Stop

The bus stop (TSN:208583) at 212 Forest Way, shall be designed and constructed to accommodate 2 buses (bendy buses) at any one time. The design improvements of the bus bay shall be forwarded to the *NSW Roads and Maritime Service* (RMS) for consideration and approval. The submitted design shall be in accordance with *Austroads Guide to Road Design* in association with the relevant RMS supplements (available on www.rta.nsw.gov.au). The certified copies of the civil design plans shall be submitted to the RMS for consideration and authorisation for construction.

The RMS fees for administration, plan checking, civil works inspections and project management shall be paid by the developer prior to the commencement of works.



The developer may be required to enter into a Works Authorisation Deed (WAD) for the abovementioned works. Please note that the Works Authorisation Deed (WAD) will need to be executed prior to the RMS's assessment of the detailed civil design plans.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Final Occupation Certificate.

Reason: Traffic management and safety.

ON-GOING CONDITIONS THAT MUST BE COMPLIED WITH AT ALL TIMES

39. Noise Generation

Noise from the after hours (6pm to 6am) operations of school activities shall not generate noise levels that exceed 5dB(A) above the ambient background noise level measured at the nearest residential property boundary when measured in accordance with the Environment Protection Authority's NSW Industrial Noise Policy.

Reason: Health and amenity.

40. Illumination Intensity

The level of illumination and/or lighting intensity used to illuminate the signage is to be minimised to ensure that excessive light spill or nuisance is not caused to any nearby premises.

Reason: To ensure appropriate forms of signage that are consistent with Council's controls and those that are desired for the locality, and do not interfere with amenity of nearby properties. (DACGGii)

41. Maximum Enrolment

The maximum allowable enrolment for the Covenant Christian School on the subject site shall not exceed 900 students.

Reason: To limit maximum enrolment and the intensity of development on the site in accordance with the provision of the Warringah Local Environmental Plan 2000.

42. Traffic Management

The School shall maintain the use of Traffic Wardens to supervise pedestrian safety, staff carparking and parents pick/up set/down and ensure the efficient movement of buses servicing the site during peak traffic times between 8:00am to 9:30am and 2:30 pm to 4:00pm.

Reason: Safety

43. School Bus Operations

The school bus schedule for the use of the Forest Way bus stop is to be maintained as per the Bus Schedule dated 8 November 2011, prepared by the Covenant Christian School, and no school bus services listed are to "lay-over" (park) on Waldon Road, Linden Avenue or Crozier Road, Belrose.

Reason: Traffic management to prevent damage to the public road verge.



Right to Review by the Council

You may request Council review the determination of the application under Section 82A of the Environmental Planning & Assessment Act 1979 if it is NOT integrated or designated development. Any request to review the application must be made and determined within 6 months from the date of determination.

NOTE: A fee will apply for any request to review the determination.

Right of Appeal

If you are dissatisfied with this decision Section 97 of the Environmental Planning & Assessment Act 1979 may give you the right to appeal to the Land and Environment Court within 6 months after the date on which you receive this notice.

Signed	on behalf of the consent authority
Signature	
Name	Steve Findlay
	Development Assessments Manager
Date	•



Notice of Determination

Advisory Notes (General)

Civic Centre 725 Pittwater Road Dee Why NSW 2099


DX 9118

Telephone Facsimile

(02) 9942 2111 (02) 9971 4522

Where are you in the development process?

Website Email www.warringah.nsw.gov.au council@warringah.nsw.gov.au



Note: The advice within this document is provided in good faith as a guide to assist applicants understand the broad process and will not detail every step or every requirement for demolition, building construction works or subdivision required or business operating requirements under New South Wales or Commonwealth Legislation. If you require clarification or have any questions, please contact your Certifier or Council's Planning and Development Enquiries Team..

being taken by Council.



General Advice

The attached Notice of Determination includes conditions of consent which must be complied with.

(Note: A failure to comply is a serious breach of the Environmental Planning & Assessment Act 1979 which attracts penalties and may also result in legal action being taken, and orders for demolition.)

Building Certification

The Environmental Planning and Assessment Act 1979 provides that:

- Building work cannot occur unless a construction certificate has been issued;
- · Occupation of building works cannot occur unless an occupation certificate has been issued
- Subdivision cannot be registered until a subdivision certificate has been issued
- Mandatory Inspection for building work must be completed

Please refer to process chart for more detail.

(Note: A failure to gain approval prior to the works being carried out is a serious breach of the Environmental Planning & Assessment Act 1979 which attracts penalties and may also result in legal action being taken, and orders for demolition.)

Certification Services

Construction Certificates / Occupation Certificate / Subdivision Certificates / Strata Certificate, can be issued by Council or an accredited private certifier (Note Council must be the Principal Certifying Authority (PCA) for subdivisions).

Council is well placed to provide Certification Services. Council can issue Construction Certificates and act as your Principle Certifying Authority at competitive rates. Please visit our web site www.warringah.nsw.gov.au or speak to our Customer Service Officers if you have any further questions about our Certification Services or if you wish to use Council as your certifier.

Charges Associated with the Development Consent

All bonds, fees, (s94A) Development Contributions, Long Service Levy detailed within the Notice of Determination are required to be paid prior to the issuing of any Construction Certificate.

Acceptable Form of Security Bonds

Council will accept bank guarantee (in a form acceptable to Council) in lieu of cash and is required prior to the issue of a construction certificate.

Modifications to the consent

If you seek to make any changes to the development (which may include internal / external configuration of the building, variation to facades, site layout or any changes to the proposed operation or use), the modifications *will* require the submission and approval of an application to modify the development consent prior to the issuing of a Construction Certificate and prior to the works being carried out.

(Note: A failure to gain approval prior to the works being carried out is a serious breach of the Environmental Planning & Assessment Act 1979 which attracts penalties and may also result in legal action being taken, and orders for demolition.)

Other Matters not detailed within the Notice of Determination

The Notice of Determination does not stipulate every requirement that must be completed to satisfy New South Wales and Commonwealth legislation.

You s	nould check, as may be relevant, with other authorities including but not limited to:
	Workcover NSW for work safety and asbestos requirements
	Sydney Water – Quick Check Agent for the provision of water and sewer services
	Energy & Gas suppliers for utility services
	Department of Fair Trading for advice about builders and licensing
	Building Professionals Board for advice about private certifiers
	NSW Roads and Traffic Authority for works on state roads only
	Human Rights and Equal Opportunity Commission for access issues
4	NSW Land and Property Information Service for Land Title matters
	Australia Post for the positioning and dimensions of mail boxes in new commercial and residential
	developments;

Note: The advice within this document is provided in good faith as a guide to assist applicants understand the broad process and will not detail every step or every requirement for demolition, building construction works or subdivision required or business operating requirements under New South Wales or Commonwealth Legislation. If you require clarification or have any questions, please contact your Certifier or Council's Planning and Development Enquiries Team. Page 20 of



Model

If you submitted a model with the application it must be collected from the Council offices within fourteen (14) days of the date of this determination. Models not collected will be disposed of by Council.

Trade waste agreement

A Trade Waste Agreement must be obtained from Sydney Water prior to the discharge of trade wastewater to the sewer system. Trade wastewater is defined as 'discharge water containing any substance produced through industrial or commercial activities or operation on the premises'.

Waste collection

Liquid and solid wastes generated on the site must be collected, transported and disposed of in accordance with the requirements of the *Protection of the Environment Operations Act 1997*. Records must be kept of all waste disposal from the site.

Material to be removed from the site must be source separated on site to maximise recycling, and the material disposed of to an appropriate disposal and recycling facility in accordance with the approved Waste Management Plan.

Aboriginal Heritage

If in undertaking excavation or works and any Aboriginal site or object is, or is thought to have been found, all works are to cease immediately and the applicant is to contact the Aboriginal Heritage Officer for Warringah Council, and the Cultural Heritage Division of the Department of Environment and Climate Change (DECC).

On-Site Sewage Management System

This approval does not authorise the installation or operation of a new or modification of an existing on-site wastewater management system. An On-Site Sewage Management System must not be installed or operated unless an 'Approval to Install an On Site Sewage Management System' is obtained from Warringah Council.

Cost of Works

The applicant shall bear the cost of all works associated with the development that occurs on Council's property.

Relocation of stormwater drainage

Council is not responsible for the cost of relocating Council's stormwater drainage pipes through the subject property.

Tree preservation

Where tree work has not been approved by this Development Consent the developer is notified that a general Tree Preservation Order applies to all trees in the Warringah Local Government Area. This order prohibits the ringbarking, cutting down, topping, lopping, pruning, transplanting, injuring, or wilful destruction of such trees except without the prior written consent of Council.

Storage bins on footpath and roadway

Approval is required from Council prior to the placement of any storage bin on Council's footpath and/or roadway.

Protection of Public Places

- (1) If the work involved in the erection or demolition of a building:
 - (a) is likely to cause pedestrian or vehicular traffic in a public place to be obstructed or rendered inconvenient; or
 - (b) building involves the enclosure of a public place,

a hoarding and site fencing must be erected between the work site and the public place.

- (2) If necessary, an awning is to be erected, sufficient to prevent any substance from, or in connection with, the work falling into the public place.
- (3) The work site must be kept lit between sunset and sunrise if it is likely to be hazardous to persons in the public place.
- (4) Any such hoarding, fence or awning is to be removed when the work has been completed.
- (5) No access across public reserves or parks is permitted.

Note: The advice within this document is provided in good faith as a guide to assist applicants understand the broad process and will not detail every step or every requirement for demolition, building construction works or subdivision required or business operating requirements under New South Wales or Commonwealth Legislation. If you require clarification or have any questions, please contact your Certifier or Council's Planning and Development Enquiries Team.Page 21 of



Note: Prior to the erection of any temporary fence or hoarding over property owned or managed by Council, written approval must be obtained.

Road Opening Permit

The developer/applicant is to obtain a "Road Opening Permit" from Council and pay all appropriate charges prior to commencement of any work on Council property. The developer/applicant shall be responsible for all public utilities and services in the area of the work, and as such shall notify all relevant Authorities, and bear all costs associated with any repairs and/or adjustments as those Authorities may deem necessary.

Special Permits

Unless otherwise specifically approved in writing by Council, all works, processes, storage of materials, loading and unloading associated with the development are to occur entirely on the property. The applicant, owner or builder must apply for specific permits available from Council. A minimum of forty-eight (48) hours notice is required for all permits except work zones, which may require additional assessment time.

Permit for on-street mobile plant Restrictions apply to the hours of operation and the area of operation for on street mobile plant equipment (for example cranes, concrete pumps, cherry pickers). Separate permits are required for each occasion and each piece of equipment. It is the responsibility of the applicant, owner and builder to take whatever steps are necessary to ensure that the use of any equipment does not violate adjoining property owner's rights.
Hoarding Permit Permits are required to erect Class A, Class B and Class C hoardings. If an 'A' Class hoarding is to alienate a section of Council's property, that section will require a permit for the occupation of Council's property.
Storage of building materials and building waste containers (skips) on Council's property Permits to utilise Council property for the storage of building materials and building waste containers (skips) are required for each location. Failure to obtain the relevant permits will result in the building materials or building waste containers (skips) being impounded by Council with no additional notice being given.
Kerbside restrictions, work zones Existing kerbside restrictions apply. An application must be made to Council for the alteration of existing kerbside restrictions or the provision of a construction zone.

Other permits may include out of construction hours permits.

Licensing requirements for removal of bonded asbestos

Anyone who removes, repairs or disturbs bonded asbestos must hold a bonded or a friable asbestos licence, or a demolition licence in accordance with Workcover requirements and the Occupational Health and Safety Act 2000.

Pool Access

Access to pools are required to be restricted by a child resistant barrier in accordance with the regulations prescribed in all relevant Acts, Regulations and Australian Standards including:

- (i) Swimming Pools Act 1992;
- (ii) Swimming Pools Amendment Act 2009;
- (iii) Swimming Pools Regulation 2008
- (iv) Australian Standard AS1926 Swimming Pool Safety
- (v) Australian Standard AS1926.1 Part 1: Safety barriers for swimming pools
- (vi) Australian Standard AS1926.2 Part 2: Location of safety barriers for swimming pools

It is your responsibility as a land owner to ensure any fencing is maintained.

Dewatering

Where dewatering works are required on the development site during construction, the developer/applicant must apply for and obtain a bore license from the NSW Department of Water and Energy. The bore license must be obtained prior to commencement of dewatering works.

Requirement to Notify about New Contamination Evidence

Any new information revealed during works that has the potential to alter previous conclusions about site contamination or hazardous materials shall be immediately notified to Council and the Principal Certifying Authority.

Note: The advice within this document is provided in good faith as a guide to assist applicants understand the broad process and will not detail every step or every requirement for demolition, building construction works or subdivision required or business operating requirements under New South Wales or Commonwealth Legislation. If you require clarification or have any questions, please contact your Certifier or Council's Planning and Development Enquiries Team. Page 22 of



Flood Evacuation Plan

If your site is on flood prone land you may wish to consider the preparation of a flood evacuation plan.

Generally a Flood Evacuation Plan would be prepared by suitably qualified Engineer (e.g. Hydraulic) with a number of years experience in flood management and who is eligible for Membership to the Australian Institute of Engineers.

Some matters that you may wish to consider (but not limited to) include:

- (i) a route of evacuation to higher ground and / or point of shelter
- (ii) depth of water for a Possible Maximum Flood event surrounding the building
- (iii) details of 'last chance' evacuation water levels / times for evacuation prior to floodwaters surrounding the building
- (iv) provide details of flood warning systems and protocols
- (v) details of how this information will be distributed and people educated for users of the site.

You may seek to discuss this with the State Emergency Service of NSW.

Utility Service Requirements

Where development requires the installation of, or the relocation of utility services being (but not limited to) gas, water, electricity and telecommunications, the installation of, or the relocation of utility services shall be conducted in accordance with the requirements of the relevant service provider / authority (unless stipulated by any other condition of the consent or will result in damage to threatened or endangered species defined under the Threatened Species Conservation Act).

Plant & Equipment Kept Within Site

All plant and equipment used in the erection of the building, including concrete pumps, wagons, lifts, mobile cranes, etc, shall be situated within the boundaries of the site and so placed that all concrete slurry, water, debris and the like shall be discharged onto the building site, and is to be contained within the site boundaries. This does not prevent any requirement to comply with the Protection of the Environment Operations Act.

Lighting

Illumination of the site is to be arranged in accordance with the requirements of Australian Standard 4282 - 1997 Control of the obtrusive effects of outdoor lighting so as not to impact upon the amenity of the occupants of adjoining and nearby residential premises.

OTHER MATTERS

Child Care Centres

A license to operate a child care centre must be obtained from the NSW Department of Community Services prior to the commencement of the use of the child care centre.

Disability Access

This decision does not ensure compliance with the Commonwealth Disability Discrimination Act 1992. Applicants are strongly advised to investigate their requirements under that Act

Food Premises

Food premises are required to comply with the requirements of the Food Act 2003, the Food Standards Code and Australian Standards.

The proprietor of a food business must notify the NSW Food Authority of the details of the business. Notification may be done either online at www.foodnotify.nsw.gov.au or by lodging a completed NSW Food Authority notification form to the NSW Food Authority or Council.

Wheel washing facility

All trucks leaving the site, having had access to unpaved or contaminated areas, shall depart via a wheel wash facility in order to prevent mud, dust or debris from being deposited on Council's roads. The wheel wash facility shall be constructed prior to any truck movements occurring. Water from the wheel wash facility must not cause pollution. Any direction of Council with regard to cleaning trucks or the clean up of road pavements adjoining the site shall be complied with immediately.

Monitoring State of Roadways

The applicant shall monitor the state of roadways leading to and from the site and shall take all necessary steps to clean up any adversely impacted road pavements as directed by Council.

Note: The advice within this document is provided in good faith as a guide to assist applicants understand the broad process and will not detail every step or every requirement for demolition, building construction works or subdivision required or business operating requirements under New South Wales or Commonwealth Legislation. If you require clarification or have any questions, please contact your Certifier or Council's Planning and Development Enquiries Team.Page 23 of



Storage of Dangerous Goods

Prior to the storage of any "dangerous goods" on the premises, a copy of a license obtained from the Chemical Safety Branch of Work Cover Authority must be submitted to Council.

Storage of Flammable and Combustible Liquids

Flammable and combustible liquids must be stored in accordance with Australian Standard 1940 The Storage and Handling of Flammable and Combustible Liquids.

Noise and Vibration

The premises, including operation of vehicles, shall be conducted so as to avoid offensive noise or vibration and cause no interference to adjoining or nearby occupants. Special precautions must be taken to avoid nuisance in neighbouring residential areas, particularly from machinery, vehicles, warning sirens, public address systems and the like.

Hairdressing/Beauty Treatment/ Skin penetration Requirements

The premises must comply with the following requirements before the commencement of business:

- 1. A hand wash basin with warm water delivered through a common spout must be provided in the treatment area. The hand wash basin must be provided with liquid soap and paper towel.
- 2. The wall behind the hand wash basin from the floor to a height of 450mm above the top of the washbasin and from the centre of the washbasin to a distance of 140mm beyond each side of the wash basin, must be finished with a material that is durable, smooth, impervious to moisture and capable of being easily cleaned (eg tiles).
- 3. The premises must be provided with washing, drainage, ventilation and lighting that are adequate for the carrying out of hairdressing/beauty treatment/skin penetration procedures.
- 4. The floor coverings must be smooth and impervious.
- 5. All furniture, shelves and fittings must be constructed of, or covered with a material that is smooth, impervious to moisture and capable of being easily cleaned.
- 6. Adequate lockers must be provided for the storage of employees clothing and personal effects.
- 7. The premises must be provided with facilities that are adequate for the purpose of storing of hairdressing/beauty treatment/skin penetration appliance and utensils.
- 8. The premises must be provided with a sink sullied with hot and cold water for washing equipment.

Food Premises Construction Requirements

The food premises must comply with the following specific construction requirements:

- Solid walls must be provided in all food handling areas (solid includes brick, cement and foam filled preformed panels);
- 9. Walls in food preparation and wash up areas must be finished with a smooth and impervious surface to a height of at least 2 metres.
- 10. Hand wash basins must be provided with warm water delivered through a common spout with taps that are hands free operation;
- 11. Coving with a radius of 25mm must be provided between all floor and wall joints in food handling areas;
- 12. The open space between the top of the coolroom and the ceiling must be fully enclosed and kept insect and pest proof;
- 13. The coolroom must be able to be opened from the inside with out a key and fitted with an alarm that can only be operated from within the coolroom;
- 14. The doors to the toilet air lock and toilet compartment must be tight fitting and self closing;
- 15. The rear external door must be self closing or be provided with a fly screen that is self closing;
- 16. Where cooking or extensive heating processes or such other processes as may be specified are carried out in food preparation areas, an approved mechanical ventilation system shall be installed and operated in accordance with AS 1668 part 1 & 2.

Legionella Control

Cooling towers, warm water systems, water cooling systems must be registered with the Council. Details of registration are to be provided to the Council prior to operation.

Note: The advice within this document is provided in good faith as a guide to assist applicants understand the broad process and will not detail every step or every requirement for demolition, building construction works or subdivision required or business operating requirements under New South Wales or Commonwealth Legislation. If you require clarification or have any questions, please contact your Certifier or Council's Planning and Development Enquiries Team.Page 24 of