# BASIX<sup>™</sup>Certificate

**Building Sustainability Index** www.planningportal.nsw.gov.au/development-and-assessment/basix

# Multi Dwelling

Certificate number: 1793533M 02

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments. have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at www.planningportal.nsw.gov.au/definitions

#### Secretary

Date of issue: Thursday, 15 May 2025

To be valid, this certificate must be submitted with a development application or lodged with a complying development certificate application within 3 months of the date of issue.



When submitting this BASIX certificate with a development application or complying development certificate application, it must be accompanied by NatHERS certificate 0011888270.

Project summary								
Project name	240400E-12 The Strand, Dee Why_02							
Street address	12 THE STRAND DEE WHY 2099							
Local Government Area	NORTHERN BEACHES							
Plan type and plan number	Deposited Plan 6953							
Lot No.	13							
Section no.	8							
No. of residential flat buildings	1							
Residential flat buildings: no. of dwellings	6							
Multi-dwelling housing: no. of dwellings	0							
No. of single dwelling houses	0							
Project score								
Water	40	Target 40						
Thermal Performance	V Pass	Target Pass						
Energy	✓ 61	Target 61						
Materials	-100	Target n/a						

Name / Company Name: CREDWELL ENERGY PTY LTD

ABN (if applicable):

BASIX Department of Planning, Housing and Infrastructure

www.basix.nsw.gov.au

Version: 4.03 / EUCALYPTUS 03 01 0 Certificate No.: 1793533M 02 Thursday, 15 May 2025 page 1/17

# **Description of project**

## Project address

r rejeer aaar eee					
Project name	240400E-12 The Strand, Dee Why_02				
Street address	12 THE STRAND DEE WHY 2099				
Local Government Area	NORTHERN BEACHES				
Plan type and plan number	Deposited Plan 6953				
Lot No.	13				
Section no.	8				
Project type					
No. of residential flat buildings	1				
Residential flat buildings: no. of dwellings	6				
Multi-dwelling housing: no. of dwellings	0				
No. of single dwelling houses	0				
Site details					
Site area (m²)	766.5				
Roof area (m²)	246.25				
Non-residential floor area (m <sup>2</sup> )	324				
Residential car spaces	9				
Non-residential car spaces	6				

0				
34.8				
23.1				
al loads				
101026				
0011888270				
56				
40	Target 40			
V Pass	Target Pass			
61	Target 61			
-100	Target n/a			
	34.8 23.1 al loads 101026 0011888270 56 40 40 Pass 61			

# **Description of project**

The tables below describe the dwellings and common areas within the project

## Residential flat buildings - Building1, 6 dwellings, 4 storeys above ground

Dwelling no.	No. of bedrooms	nditioned a (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	nditioned a (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)		Dwelling no.	No. of bedrooms	nditioned a (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of hedrooms	a (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)
101	3	204.02	0	31.8	0	102	3	204.02	0	11.2	0		201	4+	203.82	0	7.2	0	202	4+	203.82	0	7.2	0
301	4+	193.1	0	7.2	0	302	4+	193.15	0	7.2	0	] -												

# **Description of project**

The tables below describe the dwellings and common areas within the project

## Common areas of unit building - Building1

Common area	Floor area (m²)	Common area	Floor area (m²)	Common area	Floor area (m²)
Lift bank (No. 1)	-	B1-B2-Undercover car park	1098	B2-Electrical Main Switch Rm	5.6
GF-Resi bin room	15.3	B2-Comms Room	3.12	B2- Grease Arrestor	14.82
B1-L3-Fire Stairs	101.69	B2- Storage	41.3	Ground floor lobby type (No. 1)	55.5
L1-L3-Hallway/lobby type	25.2				

# **Schedule of BASIX commitments**

1. Commitments for Residential flat buildings - Building1

(a) Buildings

(i) Materials

(b) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Performance

(c) Common areas and central systems/facilities

(i) Water

(ii) Energy

2. Commitments for common areas and central systems/facilities for the development (non-building specific)

(b) Common areas and central systems/facilities

(i) Water

(ii) Energy

## Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carriedout. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

## 1. Commitments for Residential flat buildings - Building1

#### (a) Buildings

(i) Materials	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Floor types", "External wall types", "Internal wall types", "Ceiling and roof types", "Frames" and "Glazing" tables below.			>
(b) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all specifications included in the tables below.		>	
(c) The applicant must construct the floors, walls, roof, ceiling and roof, windows, glazed doors and skylights of the development in accordance with the specifications listed in the tables below. In the case of glazing, a 5% variance from the area values listed in the "Frames" and "Glazing" tables is permitted.	>	>	>
(d) The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the below tables.			>

Floor types								
Floor type	Area (m2)	Insulation	Low emissions option					
concrete slab on ground, frame:	595	-	none					
garage floor, frame: suspended concrete slab	595	-	-					
suspended floor above garage, frame: suspended concrete slab	56	fibreglass batts or roll	-					
floors above habitable rooms, frame: suspended concrete slab	814.36	-	-					

External wall types								
External wall type	Construction type	Area (m2)	Low emissions option	Insulation				
External wall type 1	cavity brick,frame:no frame	60	]-	polystyrene				
External wall type 2	off form concrete,frame:no frame	60	none	polystyrene				

BASIX Department of Planning, Housing and Infrastructure www.basix.nsw.gov.au Version: 4.03 / E

External wall types								
External wall type	Constru	iction type	Area (m2)		Low emissions option		Insulation	
External wall type 3 reverse brick steel frame		prick veneer,frame:light ne	905	-			polystyrene	
Internal wall types								
Internal wall type		Construction type		Area (m2)	Insula		ion	
Internal wall type 1		single skin masonry, frame:no frame		600		Ì-		
Internal wall type 1	nternal wall type 2 cavity brick wall, frame:no f			250		-		
Internal wall type 1 Internal wall type 2		cavity brick wall, frame:no f	rame	250		-		

	Reinforcement concrete frames/columns								
	Building has reinforced concrete frame/columns?	Volume (m³)	Low emissions option						
ĺ	yes	2000	-						

Ceiling and roof types								
Ceiling and roof type	Area (m²)	Roof Insulation	Ceiling Insulation					
concrete - plasterboard internal, frame: light steel frame	495	-	fibreglass batts or roll					

	Glazing types			Frame types						
Single glazing (m <sup>2</sup> )	Double glazing (m²)	Triple glazing (m²)	Aluminium frames (m²)	Timber frames (m <sup>2</sup> )	uPVC frames (m²)	Steel frames (m <sup>2</sup> )	Composite frames (m²)			
-	500	-	500	-	-	-	-			

### (b) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	~	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		<b>&gt;</b>	~
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		<b>v</b>	~
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		✓	v
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		✓	~
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	~	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		<b>•</b>	
(g) The pool or spa must be located as specified in the table.	~	<b>v</b>	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~

	Fixtures			Appliances		Individual pool			Individual spa					
Dwelling no.	All shower- heads	All toilet flushing systems	All kitchen taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
301, 302	4 star (> 4.5 but <= 6 L/min)	4 star	5 star	5 star	-	3 star	2.5 star	-	-	-	-	-	-	-

BASIX Department of Planning, Housing and Infrastructure

	Fixtures			Appliances		Individual pool			Individual spa					
Dwelling no.	All shower- heads	All toilet flushing systems	-	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
	4 star (> 6 but <= 7.5 L/min)	4 star	5 star	5 star	-	3 star	2.5 star	-	-	-	-	-	-	-

			Alternative w	ater source					
Dwelling no.	Alternative water supply systems	Size	Configuration	Landscape connectior		ction	Laundry connection	Pool top- up	Spa top-up
All dwellings	Central water tank (No. 1)	See central systems	See central systems	yes	no	ľ	no	no	no
(ii) Energy						Show DA pl		ow on CC/CDC ns & specs	Certifier check
(a) The applica	ant must comply with the co	mmitments listed	below in carrying out the development of a	dwelling listed in a tab	e below.				
supplied by	y that system. If the table sp	ecifies a central l	ied for the dwelling in the table below, so the not water system for the dwelling, then the a t water is supplied by that central system.	5		•	•	~	~
(a) The english	ent must in stall, in soch hoth	waana kitaban an	d laundry of the dwelling, the ventilation sys			1			1

(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.		<ul> <li>Image: A second s</li></ul>	<b>~</b>
(d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.		~	~
(e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting used for fluorescent lighting or light emitting diode (LED) lighting.		~	•
(f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.	~	~	~

page 9/17

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must:			1
(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and		✓	
(bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump.		<b>~</b>	
(h) The applicant must install in the dwelling:	1		1
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		✓	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		<b>~</b>	<b>~</b>
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		✓	
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		<b>_</b>	

	Hot water	Bathroom ven	tilation system	Kitchen venti	lation system	Laundry ventilation system		
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control	
All dwellings		individual fan, ducted to façade or roof		individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	

	Coc	bling	Hea	ting	Natural lighting		
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bathrooms or toilets	Main kitchen	
All dwellings	1-phase airconditioning - ducted / 2 star (average zone)	0	no				

		Individual pool		Individua	l spa		Appliances	other efficie	ncy measures	
Dwelling no.	Pool heating system	Pool Pump	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Dishwasher	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
ll Iwellings	-	-	-	-	-	induction cooktop & electric oven	2.5 star	2.5 star	no	yes
(iii) Therma	al Performance							Show on DA plans	Show on CC/CI plans & specs	DC Certifier check
"Assess the app	sor Certificate") to th blicant is applying for	ne certificate referred e development applic a complying develop sor Certificate to the a	ation and cons	truction certificate a for the proposed d	pplication for evelopment, t	the proposed develo to that application). T	pment (or, if ne applicant			
(b) The As	sessor Certificate mu	ust have been issued	by an Accredit	ed Assessor in acco	ordance with t	he Thermal Comfort	Protocol.			
		development on the A tails shown in the "The			stent with the	details shown in this	BASIX			
the The	ermal Comfort Protoc	the plans accompan col requires to be show tify that this is the cas	vn on those pla					~		
certifica	ate, if applicable), all	the plans accompany thermal performance and to calculate those	specifications						~	
Certifica	ate, and in accordan	t the development in a ce with those aspects to calculate those spe	of the develop						~	~
(g) Where	there is an in-slab he	eating or cooling syste	m, the applica	nt must:				~	~	~
(aa)	) Install insulation wit	h an R-value of not le	ss than 1.0 are	ound the vertical ede	ges of the per	imeter of the slab; or				
(bb)	On a suspended flo edges of the perim	or, install insulation w leter of the slab.	ith an R-value	of not less than 1.0	underneath t	he slab and around t	ne vertical			
(h) The app	plicant must construc	ct the floors and walls	of the develop	ment in accordance	with the spe	cifications listed in the	e table below.	~	~	~
	licant must show on fans set out in The A	The plans accompany	ying The deve	opment application	for The propo	osed development, Th	ne locations of			

(iii) Thermal Performance	Show on	Show on CC/CDC	Certifier
	DA plans	plans & specs	check
(j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.		>	

		Thermal loads	
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)
101	30.1	7.9	38.000
102	30.1	8.2	38.300
201	25.9	8.8	34.700
202	30.1	8.1	38.200
301	28.9	6.7	35.600
All other dwellings	29.8	6.8	36.600

### (c) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		<b>~</b>	>
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	~	~	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	<b>~</b>	<b>&gt;</b>	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		<b>~</b>	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		<b>~</b>	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		<b>~</b>	>

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common	no common facility	no common facility	no common facility	no common laundry facility
areas				

Central systems	Size	Configuration	Connection (to allow for)
Central water tank - rainwater or stormwater (No. 1)	701	To collect run-off from at least: - 246.25 square metres of roof area of buildings in the development - 0 square metres of impervious area in the development - 0 square metres of garden/lawn area in the development - 0 square metres of planter box area in the development (excluding, in each case, any area which drains to, or supplies, any other alternative water supply system).	- irrigation of 34.8 square metres of common landscaped area on the site
Fire sprinkler system (No. 1)	-	-	-

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		>	>

page 13/17

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	<b>~</b>	<b>~</b>	~

	Common area ventilation system		Common area lighting		
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/ BMS
Lift bank (No. 1)	-	-	light-emitting diode	connected to lift call button	no
B1-B2-Undercover car park	ventilation (supply + exhaust)	carbon monoxide monitor + VSD fan	light-emitting diode	zoned switching with motion sensor	no
B2-Electrical Main Switch Rm	ventilation supply only	interlocked to light	light-emitting diode	manual on / manual off	no
GF-Resi bin room	ventilation exhaust only	-	light-emitting diode	motion sensors	no
B2-Comms Room	ventilation exhaust only	interlocked to light	light-emitting diode	motion sensors	no
B2- Grease Arrestor	ventilation (supply + exhaust)	interlocked to light	light-emitting diode	manual on / manual off	no
B1-L3-Fire Stairs	no mechanical ventilation	-	light-emitting diode	motion sensors	no
B2- Storage	no mechanical ventilation	-	light-emitting diode	manual on / manual off	no
Ground floor lobby type (No. 1)	ventilation supply only	time clock or BMS controlled	light-emitting diode	motion sensors	no
L1-L3-Hallway/lobby type	ventilation supply only	time clock or BMS controlled	light-emitting diode	motion sensors	no

Central energy systems	Туре	Specification
Lift bank (No. 1)	V F motor and regenerative	Number of levels (including basement): 3 number of levels from the bottom of the lift shaft to the top of the lift shaft: 6 number of lifts: 1 lift load capacity: <1001 kg

page 14/17

## 2. Commitments for common areas and central systems/facilities for the development (non-building specific)

#### (b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		<b>~</b>	>
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	>	~	•
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	>	<b>~</b>	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		<b>~</b>	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		<b>~</b>	>

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	no common facility	no common facility	no common laundry facility

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		<b>~</b>	>
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	~	<b>~</b>	~

Central energy systems	Туре	Specification
Alternative energy supply	Photovoltaic system	Rated electrical output (min): 1.8 peak kW
Other	-	-

#### Notes

- 1. In these commitments, "applicant" means the person carrying out the development.
- 2. The applicant must identify each dwelling, building and common area listed in this certificate, on the plans accompanying any development application, and on the plans and specifications accompanying the application for a construction certificate / complying development certificate, for the proposed development, using the same identifying letter or reference as is given to that dwelling, building or common area in this certificate.
- 3. This note applies if the proposed development involves the erection of a building for both residential and non-residential purposes (or the change of use of a building for both residential and non-residential purposes). Commitments in this certificate which are specified to apply to a "common area" of a building or the development, apply only to that part of the building or development to be used for residential purposes.
- 4. If this certificate lists a central system as a commitment for a dwelling or building, and that system will also service any other dwelling or building within the development, then that system need only be installed once (even if it is separately listed as a commitment for that other dwelling or building).
- 5. If a star or other rating is specified in a commitment, this is a minimum rating.
- 6. All alternative water systems to be installed under these commitments (if any), must be installed in accordance with the requirements of all applicable regulatory authorities. NOTE: NSW Health does not recommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for human consumption in areas with potable water supply.

### Legend

- 1. Commitments identified with a "V" in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).
- 2. Commitments identified with a "V" in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.
- 3. Commitments identified with a "" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled. (Note: a certifying authority must not issue an occupation certificate (either interim or final) for a building listed in this certificate, or for any part of such a building, unless it is satisfied that each of the commitments whose fulfillment it is required to monitor in relation to the building or part, has been fulfilled).