



SITE AREA

10

27133

AREA CALCULATIONS

LOT

m² 689.31

NOTES (E & OE)

All structures including stormwater & drainage to engineer's details.


Do not obtain dimensions by scaling drawings.
All dimensions are to be checked on site prior to starting work.

 All workflariship a materials shall be in accordance with the requirements of control control including amendments of the National Construction Code, relevant Australian Standards & loca council requirements.
 New materials are to be used throughout unless otherwise noted.
 Concrete footings, slab, structural beams or any other structural members are to be designed. by a practicing engineer.

# JJ Drafting


	REV: DATE: DESCRIPTION:			
	A 29.09.20 GYM MEZZANINE. EXTEND UPPER			
	В	19.11.20	EXTEND WIP.	
1	С	09.12.20	UPDATE SURVEY	
	D	16.12.20	BALCONY DIMS	
	E	11.01.21	TREES REFLECT SURVEY	
	F	22.03.21	CHANGES TO DA DRAWINGS	
- 1				

PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 10 TAMINGA STREET, BAYVIEW NSW 2104	DATE: JULY/20	DRAWN BY:	SCALE: 1:200 @ A3
DRAWING TITLE: SITE ANALYSIS PLAN	JOB No: 815/20	CHECKED BY:	DRAWING No: DA.01



	REV:	DESCRIPTION:	Ш	
	Α	29.09.20	GYM MEZZANINE. EXTEND UPPER BALC.	
	В	19.11.20	EXTEND WIP.	
	С	09.12.20	UPDATE SURVEY	L
	D	16.12.20	BALCONY DIMS	
	E	11.01.21	TREES REFLECT SURVEY	
	F	22.03.21	CHANGES TO DA DRAWINGS	
- 1				Ш


PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 10 TAMINGA STREET, BAYVIEW NSW 2104	DATE: JULY/20	DRAWN BY:	SCALE: 1:100 @ A3
DRAWING TITLE: EXISTING ENTRY LEVEL FLOOR PLAN	JOB No: 815/20	CHECKED BY:	DRAWING No: DA.02



# JJ Drafting


-	REV:	DATE:	DESCRIPTION:		
	Α	29.09.20	GYM MEZZANINE. EXTEND UPPER BALC.		
	В	19.11.20	EXTEND WIP.		
	С	09.12.20	UPDATE SURVEY		
	D	16.12.20	BALCONY DIMS		
	E	11.01.21	TREES REFLECT SURVEY		
	F	22.03.21	CHANGES TO DA DRAWINGS		
- 1					

_	PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 10 TAMINGA STREET, BAYVIEW NSW 2104	DATE: JULY/20	DRAWN BY:	SCALE: 1:100 @ A3
	DRAWING TITLE: EXISTING LOWER LEVEL FLOOR PLAN	JOB No: 815/20	CHECKED BY:	DRAWING No: DA.03



- 1		· · · - ·	22001111 110111		
	Α	29.09.20	GYM MEZZANINE. EXTEND UPPER BALC.		
	В	19.11.20	EXTEND WIP.		
	С	09.12.20	UPDATE SURVEY		
	D	16.12.20	BALCONY DIMS		
	E	11.01.21	TREES REFLECT SURVEY		
	F 22.03.21		CHANGES TO DA DRAWINGS		

PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 10 TAMINGA STREET, BAYVIEW NSW 2104	DATE: JULY/20	DRAWN BY:	SCALE: 1:100 @ A3
DRAWING TITLE: EXISTING UNDERCROFT PLAN	JOB No: 815/20	CHECKED BY:	DRAWING No: DA.04




- specifications. 
   All workmanship & materials shall be in accordance with the requirements of current editions
- All working an indefined strain be in accordance with the requirements of content editions including amendments of the National Construction Code, relevant Australian Standards & local council requirements.

   New materials are to be used throughout unless otherwise noted.

   Concrete footings, slab, structural beams or any other structural members are to be designed by a contribition analysis. by a practicing engineer.

	REV:	DATE:	DESCRIPTION:	
	Α	29.09.20	GYM MEZZANINE. EXTEND UPPER BALC.	
	В	19.11.20	EXTEND WIP.	
	С	09.12.20	UPDATE SURVEY	
	D	16.12.20	BALCONY DIMS	
	E	11.01.21	TREES REFLECT SURVEY	
	F	22.03.21	CHANGES TO DA DRAWINGS	
- 1				

PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 10 TAMINGA STREET, BAYVIEW NSW 2104	DATE: JULY/20	DRAWN BY:	SCALE: 1:100 @ A3
DRAWING TITLE: PROPOSED UPPLER LEVEL PLAN	JOB No: 815/20	CHECKED BY:	DRAWING No: DA.05



- New materials are to be used throughout unless otherwise noted.
   Concrete footings, slab, structural beams or any other structural members are to be designed.

by a practicing engineer.


specifications.

• All workmanship & materials shall be in accordance with the requirements of current editions

PO Box 687, Dee Why, NSW, 2099 Mob. 0414 717 541 Email. jjdraft@tpg.com.au www.jjdrafting.com.au

- 1	I \L v .	D/(IL.	DESCRIPTION.
	Α	29.09.20	GYM MEZZANINE. EXTEND UPPER BALC.
	В	19.11.20	EXTEND WIP.
C 09.12.20 UPDATE SURVEY		UPDATE SURVEY	
	D	16.12.20	BALCONY DIMS
	E	11.01.21	TREES REFLECT SURVEY
	F	22.03.21	CHANGES TO DA DRAWINGS


_	PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 10 TAMINGA STREET, BAYVIEW NSW 2104	DATE: JULY/20	DRAWN BY:	SCALE: 1:100 @ A3
┑	DRAWING TITLE: PROPOSED ENTRY LEVEL PLAN	JOB No: 815/20	CHECKED BY:	DRAWING No: DA.06



- Insee crawings are to be read in conjunction with all other consultants drawings and specifications.
   All workmanship & materials shall be in accordance with the requirements of current editions including amendments of the National Construction Code, relevant Australian Standards & local council requirements.
   New materials are to be used throughout unless otherwise noted.
   Concrete footings, slab, structural beams or any other structural members are to be designed by a practicing penipser.
- by a practicing engineer.

	REV:	DATE:	DESCRIPTION:			
	Α	29.09.20	GYM MEZZANINE. EXTEND UPPER BALC.			
	В	19.11.20	EXTEND WIP.			
	С	09.12.20	UPDATE SURVEY			
	D	16.12.20	BALCONY DIMS			
	E	11.01.21	TREES REFLECT SURVEY			
	F	22.03.21	CHANGES TO DA DRAWINGS			
- 1						

PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 10 TAMINGA STREET, BAYVIEW NSW 2104	DATE: JULY/20	DRAWN BY:	SCALE: 1:100 @ A3
DRAWING TITLE: PROPOSED LOWER LEVEL PLAN	JOB No: 815/20	CHECKED BY:	DRAWING No: DA.07




- specifications.

   All workmanship & materials shall be in accordance with the requirements of current editions
- New materials are to be used throughout unless otherwise noted.
   Concrete footings, slab, structural beams or any other structural members are to be designed.
- by a practicing engineer.


PO Box 687, Dee Why, NSW, 2099 Mob. 0414 717 541 Email. jjdraft@tpg.com.au www.jjdrafting.com.au

-1	I \L v .	D/ (IL.	DECORA HOR.
	Α	29.09.20	GYM MEZZANINE. EXTEND UPPER BALC.
	В	19.11.20	EXTEND WIP.
	С	09.12.20	UPDATE SURVEY
	D	16.12.20	BALCONY DIMS
	E	11.01.21	TREES REFLECT SURVEY
	F 22.03.2		CHANGES TO DA DRAWINGS
1			

┪	PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 10 TAMINGA STREET, BAYVIEW NSW 2104	DATE: JULY/20	DRAWN BY:	SCALE: 1:100 @ A3
	DRAWING TITLE: PROPOSED GYM & MEZZANINE LEVEL FLOOR PLAN	JOB No: 815/20	CHECKED BY:	DRAWING No: DA.08



**EXISTING SOUTH ELEVATION** 1:100



**EXISTING WEST ELEVATION** 1:100

- NOTES (E & OE)

   All structures including stormwater & drainage to engineer's details.

   Do not obtain dimensions by scaling drawings.

   All dimensions are to be checked on site prior to starting work.

   These drawings are to be read in conjunction with all other consultant's drawings and specifications.

   All workmanship & materials shall be in accordance with the requirements of current editions including amendments of the National Construction Code, relevant Australian Standards & local council requirements.


   New materials are to be used throughout unless otherwise noted.

   Concrete footings, slab, structural beams or any other structural members are to be designed by a practicing engineer.

# JJ Drafting

l	REV:	DATE:	DESCRIPTION:
l	A 29.09.20		GYM MEZZANINE. EXTEND UPPER BALC.
l	B 19.11.20		EXTEND WIP.
l	C 09.12.20 D 16.12.20 E 11.01.21 F 22.03.21		UPDATE SURVEY
l			BALCONY DIMS
l			TREES REFLECT SURVEY
l			CHANGES TO DA DRAWINGS
ı			

_	PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 10 TAMINGA STREET, BAYVIEW NSW 2104	DATE: JULY/20	DRAWN BY:	SCALE: 1:100 @ A3
	DRAWING TITLE: EXISTING ELEVATIONS SHEET 1	JOB No: 815/20	CHECKED BY:	DRAWING No: DA.09



**EXISTING NORTH ELEVATION** 1:100



- NOTES (E & OE)

   All structures including stormwater & drainage to engineer's details.

   Do not obtain dimensions by scaling drawings.

   All dimensions are to be checked on site prior to starting work.

   These drawings are to be read in conjunction with all other consultant's drawings and specifications.

   All workmanship & materials shall be in accordance with the requirements of current editions including amendments of the National Construction Code, relevant Australian Standards & local council requirements.


   New materials are to be used throughout unless otherwise noted.

   Concrete footings, slab, structural beams or any other structural members are to be designed by a practicing engineer.

# JJ Drafting

l	REV:	DATE:	DESCRIPTION:	
A 29.09.20		29.09.20	GYM MEZZANINE. EXTEND UPPER BALC.	
l	B 19.11.20		EXTEND WIP.	
ı	C 09.12.20		UPDATE SURVEY	
l	D 16.12.20 E 11.01.21 F 22.03.21		BALCONY DIMS	
ı			TREES REFLECT SURVEY	
ı			21 CHANGES TO DA DRAWINGS	
ı				

_	PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 10 TAMINGA STREET, BAYVIEW NSW 2104	DATE: JULY/20	DRAWN BY:	SCALE: 1:100 @ A3
	DRAWING TITLE: EXISTING ELEVATIONS SHEET 2	JOB No: 815/20	CHECKED BY:	DRAWING No:  DA.10



SOUTH ELEVATION 1:100

NOTES (E & OE)

• All structures including stormwater & drainage to engineer's details.

• Do not obtain dimensions by scaling drawings.

• All dimensions are to be checked on site prior to starting work.

• These drawings are to be read in conjunction with all other consultant's drawings and specifications.

• All workmanship & materials shall be in accordance with the requirements of current editions including amendments of the National Construction Code, relevant Australian Standards & local council requirements.


• New materials are to be used throughout unless otherwise noted.

• Concrete footings, slab, structural beams or any other structural members are to be designed by a practicing engineer.

# JJ Drafting

1	REV:	DATE:	DESCRIPTION:		
ı	Α	29.09.20	GYM MEZZANINE. EXTEND UPPER BALC.		
ı	В	19.11.20	EXTEND WIP.		
ı	С	09.12.20	UPDATE SURVEY		
	D	16.12.20	BALCONY DIMS		
1	E	11.01.21	TREES REFLECT SURVEY		
ı	F	22.03.21	CHANGES TO DA DRAWINGS		
ı					

PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 10 TAMINGA STREET, BAYVIEW NSW 2104	DATE: JULY/20	DRAWN BY:	SCALE: 1:100 @ A3
DRAWING TITLE: PROPOSED ELEVATIONS SHEET 1	JOB No: 815/20	CHECKED BY:	DRAWING No:  DA.11



NOTES (E & OE)

• All structures including stormwater & drainage to engineer's details.

• Do not obtain dimensions by scaling drawings.

• All dimensions are to be checked on site prior to starting work.

• These drawings are to be read in conjunction with all other consultant's drawings and specifications.

• All workmanship & materials shall be in accordance with the requirements of current editions including amendments of the National Construction Code, relevant Australian Standards & local council requirements.


• New materials are to be used throughout unless otherwise noted.

• Concrete footings, slab, structural beams or any other structural members are to be designed by a practicing engineer.

JJ Drafting

1	REV:	DATE:	DESCRIPTION:		
ı	Α	29.09.20	GYM MEZZANINE. EXTEND UPPER BALC.		
ı	В	19.11.20	EXTEND WIP.		
ı	С	09.12.20	UPDATE SURVEY		
	D	16.12.20	BALCONY DIMS		
ı	E	11.01.21	TREES REFLECT SURVEY		
ı	F	22.03.21	CHANGES TO DA DRAWINGS		
П					

PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 10 TAMINGA STREET, BAYVIEW NSW 2104	DATE: JULY/20	DRAWN BY:	SCALE: 1:100 @ A3
DRAWING TITLE: PROPOSED ELEVATIONS SHEET 2	JOB No: 815/20	CHECKED BY:	DRAWING No: DA.12



# NORTH ELEVATION 1:100

NOTES (E & OE)

All structures including stormwater & drainage to engineer's details.

Do not obtain dimensions by scaling drawings.

All dimensions are to be checked on site prior to starting work.

These drawings are to be read in conjunction with all other consultant's drawings and specifications.


Interest of courtings are to be read in conjunction with an other constitutions are specifications.
 All workmanship & materials shall be in accordance with the requirements of current editions including amendments of the National Construction Code, relevant Australian Standards & local council requirements.
 New materials are to be used throughout unless otherwise noted.
 Concrete footings, slab, structural beams or any other structural members are to be designed by a practicing naminaer.

by a practicing engineer.

JJ Drafting

REV:	DATE:	DESCRIPTION:
Α	29.09.20	GYM MEZZANINE. EXTEND UPPER BALC.
В	19.11.20	EXTEND WIP.
С	09.12.20	UPDATE SURVEY
D	16.12.20	BALCONY DIMS
E	11.01.21	TREES REFLECT SURVEY
F	22.03.21	CHANGES TO DA DRAWINGS

PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 10 TAMINGA STREET, BAYVIEW NSW 2104	DATE: JULY/20	DRAWN BY:	SCALE: 1:100 @ A3
DRAWING TITLE: PROPOSED ELEVATIONS SHEET 3	JOB No: 815/20	CHECKED BY:	DRAWING No: DA.13



NOTES (E & OE)

• All structures including stormwater & drainage to engineer's details.

• Do not obtain dimensions by scaling drawings.

• All dimensions are to be checked on site prior to starting work.

• These drawings are to be read in conjunction with all other consultant's drawings and specifications.

• All workmanship & materials shall be in accordance with the requirements of current editions including amendments of the National Construction Code, relevant Australian Standards & local council requirements.


• New materials are to be used throughout unless otherwise noted.

• Concrete footings, slab, structural beams or any other structural members are to be designed by a practicing engineer.

# JJ Drafting

REV:	DATE:	DESCRIPTION:
Α	29.09.20	GYM MEZZANINE. EXTEND UPPER BALC.
В	19.11.20	EXTEND WIP.
С	09.12.20	UPDATE SURVEY
D	16.12.20	BALCONY DIMS
E	11.01.21	TREES REFLECT SURVEY
F	22.03.21	CHANGES TO DA DRAWINGS

_	PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 10 TAMINGA STREET, BAYVIEW NSW 2104	DATE: JULY/20	DRAWN BY:	SCALE: 1:100 @ A3
	DRAWING TITLE: PROPOSED ELEVATIONS SHEET 4	JOB No: 815/20	CHECKED BY:	DRAWING No: DA.14



**SECTION A-A** 1:100

- NOTES (E & OE)

   All structures including stormwater & drainage to engineer's details.

   Do not obtain dimensions by scaling drawings.

   All dimensions are to be checked on site prior to starting work.

   These drawings are to be read in conjunction with all other consultant's drawings and experiencies.
- These drawings are to be read in conjunction with all other consultant's drawings and specifications.
   All workmanship & materials shall be in accordance with the requirements of current editions including amendments of the National Construction Code, relevant Australian Standards & local council requirements.
   New materials are to be used throughout unless otherwise noted.
   Concrete footings, Islab, structural beams or any other structural members are to be designed by a practicing engineer.

# JJ Drafting

	REV:	DATE:	DESCRIPTION:
	Α	29.09.20	GYM MEZZANINE. EXTEND UPPER BALC.
	В	19.11.20	EXTEND WIP.
	С	09.12.20	UPDATE SURVEY
	D	16.12.20	BALCONY DIMS
	E	11.01.21	TREES REFLECT SURVEY
	F	22.03.21	CHANGES TO DA DRAWINGS
- 1			

PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 10 TAMINGA STREET, BAYVIEW NSW 2104	DATE: JULY/20	DRAWN BY:	SCALE: 1:100 @ A3
DRAWING TITLE: SECTION AA	JOB No: 815/20	CHECKED BY:	DRAWING No: DA.15

# **BASIX REQUIREMENTS**

## **BASIX INCLUSIONS FOR 10 TAMINGA STREET BAYVIEW NSW 2104**

40% OF NEW OR ALTERED LIGHT FIXTURES TO BE FITTED WITH FLUORESCENT, COMPACT FLUORESCENT, OR LIGHT-EMITTING-DIODE (LED) LAMPS

# **FIXTURES**

SHOWER RATING MIN. 3 STARS TAP RATING MIN. 3 STARS WC RATING MIN. 3 STARS

# HOT WATER

SOLAR HOT WATER (ELECTRIC BOOSTED)

### INSULATION

CONSTRUCTION ADDITIONAL INSULATION REQUIRED (R-VALUE)

Conc. slab on ground

Suspended floor with opoen subfloor: Conc. (R0.6) R0.9 (down) (or R1.50 including construction)

Suspended floor above garage: Framed (R0.70) Floor above existing dwelling or building

External wall: Framed (Weatherboard, fibro, Metal

R1.30 (or R1.70 including construction)

Flat ceiling, pitched roof Ceiling: R2.08 (up), Roof: foil backed blanket (55mm). Medium solar

## **GLAZING - DOORS & WINDOWS**

Standard aluminium, single clear, (or U-value: 7.63, SHGC: 0.75)

Number: 03. 04. 06. 08. 09. 10. 11. 12. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24

Standard aluminium, single pyrolytic low-e, (or U-value: 5.7, SHGC: 0.47) Number: 01, 02, 05, 07, 13, 25

# **SPECIFICATION NOTES**

INTERNAL LINING
- PROVIDE PLASTERBOARD LINING.

- MASONRY WALLS WITH SELECTED RENDER FINISH. COMPLY WITH AS 3700. - LIGHTWEIGHT TIMBER FRAME WITH SELECTED LIGHTWEIGHT CLADDING. COMPLY WITH AS 1684.

- REINFORCED CONCRETE SLAB. COMPLY WITH AS2870.
- TIMBER FRAMED FINISHED WITH T&G HARDWOOD FLOORING, COMPLY WITH AS 1684.

- ALL INTERNAL WATERPROOFING TO COMPLY WITH AS 3740
- ALL EXTERNAL WATERPROOFING TO COMPLY WITH AS 4654
- PROVIDE A GUARANTEED FLEXIBLE WATERPROOF MEMBRANE TO ALL WET AREA FLOORS & SHOWERS WALLS TO MANUFACTURES INSTRUCTIONS.

BEARERS AND JOISTS:
- SHALL BE INSTALLED TO COMPLY WITH AS1684 AS AMENDED FOR TIMBER COMPONENTS OR AS3620 FOR LIGTHWEIGHT STEEL FRAMING SECTIONS OR AS PER THE NASH ALTERNATIVES TO AS 3623.

# PROFILED STEEL ROOF:

- DESIGN AND INSTALLATION SHALL BE IN ACCORDANCE WITH AS/NZS 1562.

# ROOFING:

- SLECTED COLORBOND ROOF CLADDING.

- SHALL BE IN ACCORDANCE WITH NCC VOL.1 PART B1.4 OR VOL.2 PART 3.2.3. - ALL WORKMANSHIP AND MATERIALS SHALL BE IN ACCORDANCE WITH CURRENT EDITIONS OF THE

CONCRETE BLOCKS OR BRICKS:
- TO COMPLY WITH TO AS4455 MANSORY BUILDING BLOCKS/PAVER.

- FOOTINGS TO BE IN ACCORDANCE WITH AS1480.
- FOOTINGS TO BE IN ACCORDANCE WITH NCC VOL.2 PARTS 3.2.3, 3.2.4 AND 3.2.5
- ALL REINFORCEMENTS SHALL CONFORM TO AS1302, AS1303 AND AS1304

BRICK AND BLOCKWORK:
- CONSTRUCTION OF MASONRY BUILDINGS SHALL BE AS PER AS3700 OR AS4773.

- TIMBER TO COMPLY WITH AS1170.2 OR AS4055.
- ALL WORKMANSHIP AND MATERIALS SHALL BE IN ACCORDANCE WITH AS1684 AND 1720 AS APPLICABLE.

# TIMBER FRAMING:

- TO COMPLY WITH NCC VOL.2 PART 3.4
- GROUND FLOOR TIMBERS SHALL BE ONLY OF HARDWOOD, CYPRESS PINE OR PRESSURE TREATED RADIATA OR CANADA PINE BELOW A HEIGHT OF 300mm ABOVE FINISHED GROUND LEVEL AND MUST NOT BE BUILT INTO BRICKWORK.
- SUBFLOOR VENTILATION SHALL CONFORM TO NCC VOL.2 PART 3.4.1.
- IN BUSHFIRE PRONE AREAS SPECIAL CONDITIONS APPLY.
- WHERE TERMITE BARRIERS NEED TO BE INSPECTED, 400mm CLEARANCE IS REQUIRED BETWEEN THE UNDERSIDE OF BEARER AND GROUND SURFACE.
- USE TREATED TIMBER WHERE REQUIRED FOR DURABILITY.
- DO NOT USE TIMBER UNSUITABLE FOR EXPOSURE TO MOISTURE IN EXPOSED LOCATION. - PROVIDE STRUCTURE BRACING IN ACCORDANCE WITH AS1684
- PROVIDE STRUCTURE TIEDOWN IN ACCORDANCE WITH AS1684
- USE GALVANISED FIXINGS WHERE EXPOSED TO WEATHER.

# TERMITE CONTROL:

- TO BE IN ACCORDANCE WITH TO AS3660.1 SHALL BE IN ACCORDANCE WITH NCC VOL.2 PART 3.1.3 OR VOL.1 PART B1.4.

## FLASHING AND CAPPINGS:

- SELECTION AND INSTALLATION OF METAL RAINWATER GOODS REFER TO AS2180
- FLASH PROJECTIONS ABOVE THE ROOF WITH TWO PART FLASHINGS CONSISTING OF AN APRON FLASHING AND OVER FLASHING, WITH AT LEAST 100mm OVERLAP.
- PROVIDE FOR INDEPENDENT MOVEMENT BETWEEN ROOF AND PROJECTION.

# LIGHTING:

- 40% OF NEW OR ALTERED LIGHT FIXTURES TO BE FITTED WITH FLUORESCENT, COMPACT FLUORESCENT, OR LIGHT-EMITTING-DIODE (LED) LAMPS

- ALL FRAMED WINDOWS SHALL BE INSTALLED IN ACCORDANCE WITH AS2047-48 FOR ALUMINIUM WINDOWS AND AS2047 FOR TIMBER WINDOWS
- ALUMINIUM FRAMED WINDOWS AND DOORS.
- WEATHER STRIPPING IS TO BE PROVIDED TO ALL EXTERNAL WINDOWS AND DOORS.

## STAIRS, HANDRAILS AND BALUSTRADES:

- SELECTED BALLISTRADE
- NCC VOL.2 PARTS 3.9.1 AND 3.9.2
- RELATIONSHIP OF RISER TO GOING SHALL BE BETWEEN 1:2 AND 1:1.35 UNLESS OTHERWISE DIRECTED TO GOING SHALL BE BETWEEN 1:2 AND 1:1.35 UNLESS OTHERWISE DIRECTED OR AS PERMITTED IN
- BALUSTRADES SHALL BE PROVIDED TO ALL LANDINGS, RAMPS, DECKS, ROOFS AND OTHER ELEVATED PLATFORMS WHERE THE VERTICAL DISTANCE FROM THAT LEVEL IS MORE THAN 1m ABOVE THE ADJOINING FLOOR OR FINISHED GROUND LEVEL.
- THE HEIGHT OF BALUSTRADE MUST BE A MINIMUM OF 1m HIGH ABOVE LANDING AND NOT LESS THAN 865mm ABOVE THE NOSINGS OF ANY STAIR TREADS OR FLOOR RAMP AND HAVE NO OPENING GREATER
- THE HEIGHT OF BALUSTRADE TO THE NEW STAIR CASES IS TO BE MEASURED A MINIMUM 865mm ABOVE THE NOSING LINE AND HAVE NO OPENING GREATER NO OPENING GREATER THAN 125mm

- MATERIALS TO BE USED FOR SURFACES OF FLOORS, STAIR LANDING, STEPS AND NOSINGS SHALL BE IN ACCORDANCE WITH THE CLASSIFICATIONS FOR SLIP RESISTANCE AS APPLY IN AS4586 AND HB198.

# STORMWATER:

## EAVES GUTTERS. VALLEY GUTTERS AND DOWPIPES

- TO COMPLY WITH AS/NZS 2179 FOR METAL AND AS1273 FOR UPVC COMPONENTS.
   NEW DOWNPIPES TO BE CONNECTED INTO EXISTING STORMWATER LINE
- COLORBOND GUTTERS AND DOWNPIPES
- MINIMUM SLOPE OF EAVES AND GUTTERS 1:200

- NCC VOL.1 PARTS B 1.4, D 3.12, F1.13 OR NCC VOL.2 PART 3.6

# SMOKE DETECTORS/ALARMS:

- NCC VOL 2 PART 3.7.2, FIRE/SMOKE DETECTORS COMPLYING WITH THE REQUIREMENTS OF THE LOCAL GOVERNMENT ACT AND/OR STATE OR TERRITORY REGULATIONS MUST BE FITTED IN THE LOCATIONS REQUIRED AND APPROVED BY THE AUTHORITY AND SHALL BE INSTALLED IN ACCORDANCE WITH AS3786. - INSTALLATIONS IN BUILDINGS OTHER THAN CLASS 1 AND 10 MUST BE INSTALLED AND MANAGED TO COMPLY WITH NCC SPEC F2 2a
- MULTIPLE ALARMS WITHIN HOUSES AND SOLE OCCUPANCY UNITS MUST BE HARD WIRED AND INTERCONNECTED.

# WASTE MANAGEMENT:

SEDIMENT CONTROL:

- ALL WASTE SHALL BE TAKEN AWAY BY TRUCKS TO A SUITABLE LANDFILL OR RECYCLE DEPOT. - ALL WASTE SHALL BE COVERED DURING TRANSPORTATION.
- WASTE GENERATED DURING CONSTRUCTION SHALL BE PLACED IN STEEL BINS AND TAKEN AWAY BY AN APPROVED CONTRACTOR TO A APPROVED LANDFILL SITE.

- A FILTER CLOTH SYSTEM SHALL BE INSTALLED TO STOP ANY SEDIMENT ENTERING COUNCILS STORMWATER SYSTEM.


ALL PLANS ARE TO BE READ IN CONJUNCTION AND COMPLY WITH THE BASIX CERTIFICATE, BUSHFIRE AND GEOTECH REPORTS.

- NOTES (E & OE)
- All structures including stormwater & drainage to engineer's details
  Do not obtain dimensions by scaling drawings.
  All dimensions are to be checked on site prior to starting work. . These drawings are to be read in conjunction with all other consultant's drawings and
- All workmanship & materials shall be in accordance with the requirements of current editions cluding amendments of the National Construction Code, relevant Australian Standards & loca
- uncularly affective that is a time valuation of constitution code, relevant Australian Standards & local council requirements.

  New materials are to be used throughout unless otherwise noted.


  Concrete footings, slab, structural beams or any other structural members are to be designed
- by a practicing engineer.
- JJ Drafting 174 Garden St, North Narrabeen, NSW, 2101
  - PO Box 687, Dee Why, NSW, 2099 Mob 0414 717 541 Email. jjdraft@tpq.com.au www.iidrafting.com.au
- REV: DATE: DESCRIPTION: A 29.09.20 GYM MEZZANINE. EXTEND UPPER BALC. 19.11.20 EXTEND WIP. C 09.12.20 UPDATE SURVEY BALCONY DIMS D 16.12.20 11.01.21 TREES REFLECT SURVEY 22.03.21 CHANGES TO DA DRAWINGS


1	PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 10 TAMINGA STREET, BAYVIEW NSW 2104	DATE: JULY/20	DRAWN BY:	SCALE:
	DRAWING TITLE: SPECIFICATIONS / BASIX	JOB No: 815/20	CHECKED BY:	DRAWING No: DA.16





# **EXISTING LANDSCAPED AREA** 1:200





# PROPOSED LANDSCAPED AREA 1:200

# TRUE NORTH:

TOTAL HARD SURFACE AREA

**CALCULATIONS** 

SITE AREA



- by a practicing engineer.
- | NOTES (E & OE)
  | All structures including stormwater & drainage to engineer's details.
  | Do not obtain dimensions by scaling drawings.
  | All dimensions are to be checked on site prior to starting work.
  | These drawings are to be read in conjunction with all other consultant's drawings and specifications.
  | All workmanship & materials shall be in accordance with the requirements of current editions including amendments of the National Construction Code, relevant Australian Standards & local council requirements.
  | New materials are to be used throughout unless otherwise noted.
  | Concrete footings, slab, structural beams or any other structural members are to be designed by a practicing engineer.


689.31m<sup>2</sup>


283.75m<sup>2</sup>

JJ Drafting
174 Garden St, North Narrabeen, NSW, 2101
PO Box 687, Dee Why, NSW, 2099
Mob. 0414 717 541
Email. jjdraft@tpg.com.au
www.jjdrafting.com.au

	REV:	DATE:	DESCRIPTION:
	Α	29.09.20	GYM MEZZANINE. EXTEND UPPER BALC.
	В	19.11.20	EXTEND WIP.
ı	С	09.12.20	UPDATE SURVEY
	D	16.12.20	BALCONY DIMS
	E	11.01.21	TREES REFLECT SURVEY
	F	22.03.21	CHANGES TO DA DRAWINGS

┪	PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 10 TAMINGA STREET, BAYVIEW NSW 2104	DATE: JULY/20	DRAWN BY:	SCALE: 1:200 @ A3
	DRAWING TITLE: LANDSCAPED AREA CALCULATION PLAN	JOB No: 815/20	CHECKED BY:	DRAWING No:  DA.17





**ROOF & STORMWATER CONCEPT PLAN** 1:200

# TRUE NORTH:

- NOTES (E & OE)

  All structures including stormwater & drainage to engineer's details.

  Do not obtain dimensions by scaling drawings.

  All dimensions are to be checked on site prior to starting work.
- specifications.

   All workmanship & materials shall be in accordance with the requirements of current editions
- New materials are to be used throughout unless otherwise noted.
   Concrete footings, slab, structural beams or any other structural members are to be designed. by a practicing engineer.

# JJ Drafting

	REV:	DATE:	DESCRIPTION:
	Α	29.09.20	GYM MEZZANINE. EXTEND UPPER BALC.
	В	19.11.20	EXTEND WIP.
1	С	09.12.20	UPDATE SURVEY
	D	16.12.20	BALCONY DIMS
	E	11.01.21	TREES REFLECT SURVEY
	F	22.03.21	CHANGES TO DA DRAWINGS

PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 10 TAMINGA STREET, BAYVIEW NSW 2104	DATE: JULY/20	DRAWN BY:	SCALE: 1:200 @ A3
DRAWING TITLE: ROOF & STORMWATER CONCEPT PLAN	JOB No: 815/20	CHECKED BY:	DRAWING No: DA.18

# **NOTES**

### DESIGNATED SITE MANAGER/BUILDER

PRIOR TO COMMENCEMENT OF WORK A SITE MANAGER OR BUILDER MUST BE NOMINATED. THE SITE MANAGER OR BUILDER WILL BE RESPONSIBLE AND LIABLE FOR ALL WORKS CARRIED OUT ON THE SITE. THIS ASSUMES THE RESPONSIBILITY FOR THE ACTIONS OF ALL SUBCONTRACTED PARTIES AS WELL AS ADVISING THEM OF COUNCIL'S REQUIREMENTS WHEN CARRYING OUT

## TOPSOIL MANAGEMENT

PRIOR TO THE STRIPPING OF TOPSOIL, THE VEGETATIVE COVER MUST BE REDUCED BY EITHER SLASHING OR MOWING. ALL TOPSOIL IS TO BE RETAINED AND PROTECTED FOR REUSE ON SITE. SOIL STOCKPILES MUST NOT BE LOCATED ON NATURE STRIPS, FOOTPATHS, ROADWAYS, KERBS, ACCESSWAYS, WITHIN DRAINAGE LINES/FLOWS/PATHS OR AROUND OR AGAINST TREE SHRUBS. SEDIMENT CONTROL MEASURES MUST BE INCORPORATED WITH ANY RESULTING STOCKPILE. THE STOCKPILE CAN BE PROTECTED FROM EROSION BY COVERING IT WITH AN MPERVIOUS MATERIAL, IN CONJUNCTION WITH THE INSTALLATION OF A SEDIMENT FENCE AROUND IT. IF STOCKPILES ARE TO REMAIN FOR MORE THAN ONE MONTH THEY ARE TO BE GRASSED IMMEDIATELY AND STABILISED WITHIN FOURTEEN DAYS. SURPLUS TOPSOIL MUST BE REASONABLY REMOVED FROM SITE.

## **BUILDING MATERIAL STOCKPILING**

SUFFICIENT AREA MUST BE ALLOCATED WITHIN THE SITE FOR SUCH STORAGE OF BUILDING MATERIALS, DEMOLITION WASTE, WASTE CONTAINERS, ETC. AS WILL BE REQUIRED.

A SEDIMENT FENCE SHOULD BE LOCATED ALONG THE DOWNSLOPE BOUNDARY(S) OF THE SITE. ON THE CONSTRUCTION SIDE OF THE TURF FILTER STRIP OR NATIVE VEGETATION, AND AROUND ALL STOCKPILES OF MATERIAL ON THE SITE.

### DUST CONTROL

ALL TRUCKS/UTES MUST COVER THEIR LOADS AT ALL TIMES. APPROPRIATE METHODS ARE TO BE EMPLOYED TO PREVENT BLOWING DUST CREATING AN UNACCEPTABLE HAZARD OR NUISANCE ON THE SITE OR DOWN WIND. PRODUCTION OF DUST CAN BE MINIMISED BY LIMITING AREA OF EARTHWORKS, WATERING AND PROGRESSIVE VEGETATION. WHERE DUST IS CREATED AS A RESULT WORKS AND/OR SOIL EXPOSURE, THE BARE SOIL AREAS MUST BE WATERED, DURING AND/OR AT THE END OF EACH DAY TO LAY THE DUST. EARTH MOVING ACTIVITIES SHOULD BE AVOIDED WHERE WINDS ARE SUFFICIENTLY STRONG ENOUGH TO RAISE VISIBLE

## **EROSION & SEDIMENT CONTROLS**

APPROPRIATE EROSION AND SEDIMENT CONTROLS MUST BE IMPLEMENTED ON ALL SITES THAT INVOLVE SOIL DISTURBANCE. THE MEASURES MUST BE IN PLACE PRIOR TO THE COMMENCEMENT OF WORK. THOSE CONTROLS ARE TO BE MONITORED AND MAINTAINED IN ORDER TO SERVE THEIR INTENDED FUNCTION FOR THE DURATION OF THE WORKS OR UNTIL SUCH TIME AS THE SITE IS FULLY STABILISED. IF ANY CONTROLS ARE DAMAGED OR BECOME INEFFECTIVE DURING THE COURSE OF THE WORKS THEY ARE TO BE REINSTATED OR REPLACED IMMEDIATELY. SUFFICIENT ACCESS TO THESE CONTROLS MUST BE PROVIDED IN CASE OF THE NEED TO REPAIR.

# SEDIMENT TRAPS


WHERE A SEDIMENT FENCE IS NOT USED APPROPRIATE SEDIMENT TRAPS SHOULD BE LOCATED AT ALL POINTS WHERE STORMWATER LEAVES THE CONSTRUCTION SITE OR LEAVES THE GUTTER AND ENTERS THE DRAINAGE SYSTEM. A COMMON TECHNIQUE IS THE GRAVEL SAUSAGE

## **DIVERSION CHANNELS**


A DIVERSION CHANNEL IS AN EXCAVATED EARTH DITCH OR PATH. THESE STRUCTURES ARE JSED TO INTERCEPT AND DIRECT RUN-OFF TO A DESIRED LOCATION WHERE POSSIBLE. ALL STORMWATER RUN-OFF FLOWING ONTO DISTURBED AREAS, INCLUDING STOCKPILES, MUST BE INTERCEPTED, DIVERTED AND/OR SAFELY DISPOSED OF. THIS CAN BE ACHIEVED BY CONSTRUCTING A TEMPORARY EARTH BANK AROUND THE UPSLOPE EXTENT OF THE CONSTRUCTION SITE WHERE THE DIVERSION DOES NOT AFFECT THE NEIGHBOURING


# VEHICLE MOVEMENTS

TO LIMIT DISTURBANCE TO THE SITE AND TRACKING OF MATERIAL ONTO THE STREET ALL VEHICLES AND PLANT EQUIPMENT ARE TO USE A SINGLE ENTRY/EXIT POINT UNLESS COUNCIL HAS APPROVED ALTERNATIVE ARRANGEMENTS. ACCESS POINTS AND PARKING AREAS ARE TO BE STABILISED WITH COMPACTED SUB-GRADE ASAP AFTER THEIR FORMATION. IF SPILLAGE DOES OCCUR IT IS TO BE CONTAINED IMMEDIATELY AND CAREFULLY REMOVED. THE AREA AFFECTED IS TO BE RESTORED TO A STANDARD EQUAL TO OR BETTER THAN ITS PREVIOUS CONDITION. ALL VEHICLES ARE TO BE WASHED PRIOR TO EXISTING THE SITE. THIS SERVES THE PURPOSE OF REMOVING SITE MATERIAL ON THE VEHICLE AND PREVENTS IT FROM BEING DEPOSITED ON THE ROAD NETWORK ADJACENT TO THE SITE AND THUS, THE STORMWATER SYSTEM. NO VEHICLE ASSOCIATED WITH THE WORK IS TO BE PARKED ON A FOOTPATH OR PUBLIC RESERVE. ALL VEHICLES VISITING THE SITE DURING DEMOLITION, EXCAVATION AND/OR CONSTRUCTION WORKS, ARE TO COMPLY WITH THE PARKING REQUIREMENTS IN THAT AREA.



# **EROSION & SEDIMENT CONTROL / WASTE MANAGEMENT PLAN**





# TRUE NORTH:



- All structures including stormwater & drainage to engineer's details
  Do not obtain dimensions by scaling drawings.
  All dimensions are to be checked on site prior to starting work.
- These drawings are to be read in conjunction with all other consultant's drawings and
- All workmanship & materials shall be in accordance with the requirements of current editions

- cluding ametiuments of the transfer of the council requirements.

  New materials are to be used throughout unless otherwise noted.


  Concrete footings, slab, structural beams or any other structural members are to be designed by a practicing engineer


JJ Drafting
174 Garden St, North Narrabeen, NSW, 210

J	J	$\mathcal{O}$
Garden St, North	Narrabeer	n, NSW, 2101
PO Box 687, De	ee Why, NS	SW, 2099
Mob. 04	14 717 541	1
Email. jjdra	ft@tpg.con	n.au
www.jjdra	afting.com.a	au

REV:	DATE:	DESCRIPTION:
Α	29.09.20	GYM MEZZANINE. EXTEND UPPER BALC.
В	19.11.20	EXTEND WIP.
С	09.12.20	UPDATE SURVEY
D	16.12.20	BALCONY DIMS
E	11.01.21	TREES REFLECT SURVEY
F	22.03.21	CHANGES TO DA DRAWINGS

1	PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 10 TAMINGA STREET, BAYVIEW NSW 2104	DATE: JULY/20	DRAWN BY:	SCALE: 1:200 @ A3
1	DRAWING TITLE: EROSION & SEDIMENT CONTROL / WASTE MANAGEMENT PLAN	JOB No: 815/20	CHECKED BY:	DRAWING No: DA.19





SHADOW DIAGRAM JUNE 21 9:00 am 1:200

# TRUE NORTH:

NOTES (E & OE)

• All structures including stormwater & drainage to engineer's details.

• Do not obtain dimensions by scaling drawings.

• All dimensions are to be checked on site prior to starting work.

• These drawings are to be read in conjunction with all other consultant's drawings and

specifications.


• All workmanship & materials shall be in accordance with the requirements of current editions


 New materials are to be used throughout unless otherwise noted.
 Concrete footings, slab, structural beams or any other structural members are to be designed. by a practicing engineer.

# JJ Drafting

1	REV:	DATE:	DESCRIPTION:
1	Α	29.09.20	GYM MEZZANINE. EXTEND UPPER BALC.
1	В	19.11.20	EXTEND WIP.
1	C 09.12.20		UPDATE SURVEY
1	D	16.12.20	BALCONY DIMS
1	E	11.01.21	TREES REFLECT SURVEY
1	F	22.03.21	CHANGES TO DA DRAWINGS
- 1			

PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 10 TAMINGA STREET, BAYVIEW NSW 2104	DATE: JULY/20	DRAWN BY:	SCALE: 1:200 @ A3
DRAWING TITLE: SHADOW DIAGRAM JUNE 21 9:00 am	JOB No: 815/20	CHECKED BY:	DRAWING No: DA.20





SHADOW DIAGRAM JUNE 21 12 noon 1:200

# TRUE NORTH:

NOTES (E & OE)

• All structures including stormwater & drainage to engineer's details.

• Do not obtain dimensions by scaling drawings.

• All dimensions are to be checked on site prior to starting work.

• These drawings are to be read in conjunction with all other consultant's drawings and

specifications.

• All workmanship & materials shall be in accordance with the requirements of current editions


New materials are to be used throughout unless otherwise noted.
 Concrete footings, slab, structural beams or any other structural members are to be designed.


by a practicing engineer.

JJ Drafting

REV:	DATE:	DESCRIPTION:
Α	29.09.20	GYM MEZZANINE. EXTEND UPPER BALC.
В	19.11.20	EXTEND WIP.
С	09.12.20	UPDATE SURVEY
D	16.12.20	BALCONY DIMS
E	11.01.21	TREES REFLECT SURVEY
F	22.03.21	CHANGES TO DA DRAWINGS

PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 10 TAMINGA STREET, BAYVIEW NSW 2104	DATE: JULY/20	DRAWN BY:	SCALE: 1:200 @ A3
DRAWING TITLE: SHADOW DIAGRAM JUNE 21 12 noon	JOB No: 815/20	CHECKED BY:	DRAWING No: DA.21





SHADOW DIAGRAM JUNE 21 3:00 pm 1:200

# TRUE NORTH:

- NOTES (E & OE)

   All structures including stormwater & drainage to engineer's details.

   Do not obtain dimensions by scaling drawings.

   All dimensions are to be checked on site prior to starting work.

   These drawings are to be read in conjunction with all other consultant's drawings and
- specifications.

   All workmanship & materials shall be in accordance with the requirements of current editions Naw monthlainship a finaterials start bethin accordance with one requirements or current evident including amendments of the National Construction Code, relevant Australian Standards & loca council requirements.
   New materials are to be used throughout unless otherwise noted.
   Concrete footings, slab, structural beams or any other structural members are to be designed.
- by a practicing engineer.
- JJ Drafting 174 Garden St, North Narrabeen, NSW, 2101

PO Box 687, Dee Why, NSW, 2099 Mob. 0414 717 541 Email. jjdraft@tpg.com.au www.jjdrafting.com.au

	REV:	DATE:	DESCRIPTION:
	Α	29.09.20	GYM MEZZANINE. EXTEND UPPER BALC.
	В	19.11.20	EXTEND WIP.
	С	09.12.20	UPDATE SURVEY
	D	16.12.20	BALCONY DIMS
	E	11.01.21	TREES REFLECT SURVEY
	F	22.03.21	CHANGES TO DA DRAWINGS
-			

PROJECT DETAILS: PROPOSED ALTERATIONS AND ADDITIONS 10 TAMINGA STREET, BAYVIEW NSW 2104	DATE: JULY/20	DRAWN BY:	SCALE: 1:200 @ A3
DRAWING TITLE: SHADOW DIAGRAM JUNE 21 3:00 pm	JOB No: 815/20	CHECKED BY:	DRAWING No: DA.22