

NORTHERN SYDNEY Seascape Suite 7 22-27 Fisher Rd

Dee Why NSW 2099

BLUE MOUNTAINS Shop 1 274 Macquarie Rd Springwood NSW 2777 TAYLORCONSULTING.NET.AU

CONSULTING ENGINEERS
Civil
Structural
Stormwater & Flood

14 April 2025

Chief Executive Officer Northern Beaches Council 725 Pittwater Road DEE WHY NSW 2099

Address of the Project: 5 Lalchere Street, Curl Curl

Description of Project: Flood Assessment - Alterations & Additions

This letter is to advise that I have reviewed the architectural details for the proposed alterations and additions with respect to the Council's Flood Information Report dated 08 October 2020 (also attached).

The very northern end of the site has only a minor affectation with respect to the 1 in 100-year flood event.

The proposed works will be carried out outside and above the extents of the 1 in 100-year flood, and as such, the works do not require special flood proofing or freeboard-related measures. In particular, the development is in compliance with Northern Beaches Council's Warringah DCP section E11 for Low Flood Risk Precinct.

Consequently the proposed works are considered satisfactory with respect to flooding of the site, and it is considered that a site-specific Flood Risk Management Plan is not considered warranted in this instance.

Should you require any further information, please contact the undersigned.

Yours faithfully TAYLORCONSULTING.NET.AU

Sel

D.M.Schaefer - Director B.E Civil (Hons) M.I.E. Aust. N.E.R.



TAYLOR Page 1 of 1



FLOOD INFORMATION REQUEST - BASIC

Property: 5 Lalchere Street CURL CURL NSW 2096

Lot DP: Lot 11 DP 25959 **Issue Date:** 08/10/2020

Flood Study Reference: Dee Why and Curl Curl Lagoons Floodplain Risk

Management Study and Plan 2005

Flood Information for lot 1:

Flood Risk Precinct - See Map A

Flood Planning Area - See Map A

Maximum Flood Planning Level (FPL) 2, 3, 4: 3.96 m AHD

1% AEP Flood - See Flood Map B

1% AEP Maximum Water Level ^{2, 3}: 3.66 m AHD

1% AEP Maximum Peak Depth from natural ground level³: N/A m

1% AEP Maximum Velocity: N/A m/s

1% AEP Hydraulic Categorisation: N/A See Flood Map D

Probable Maximum Flood (PMF) - See Flood Map C

PMF Maximum Water Level 4: 5.69 m AHD

PMF Maximum Depth from natural ground level: 1.73 m

PMF Maximum Velocity: N/A m/s

Flood Life Hazard Category - See Map E

Issue Date: 08/10/2020 Page **1** of **10**


- ¹ The flood information does not take into account any local overland flow issues nor private stormwater drainage systems.
- ² Overland flow/mainstream water levels may vary across a sloping site, resulting in variable minimum floor/ flood planning levels across the site. The maximum Flood Planning Level may be in a different location to the maximum 1% AEP flood level.
- ³ Intensification of development in the former Pittwater LGA requires the consideration of climate change impacts which may result in higher minimum floor levels.
- ⁴ Vulnerable/critical developments require higher minimum floor levels using the higher of the PMF or FPL.

General Notes:

- All levels are based on Australian Height Datum (AHD) unless otherwise noted.
- This is currently the best available information on flooding; it may be subject to change in the future.
- Council recommends that you obtain a detailed survey of the above property and surrounds to AHD by
 a registered surveyor to determine any features that may influence the predicted extent or frequency of
 flooding. It is recommended you compare the flood level to the ground and floor levels to determine the
 level of risk the property may experience should flooding occur.
- Development approval is dependent on a range of issues, including compliance with all relevant provisions of Northern Beaches Council's Local Environmental Plans and Development Control Plans.
- Please note that the information contained within this letter is general advice only as a detail survey of
 the property as well as other information is not available. Council recommends that you engage a
 suitably experienced consultant to provide site specific flooding advice prior to making any decisions
 relating to the purchase or development of this property.
- The Flood Studies on which Council's flood information is based are available on Council's website.

Issue Date: 08/10/2020 Page **2** of **10**

FLOOD MAP A: FLOOD RISK PRECINCT MAP



Notes:

- Low Flood Risk precinct means all flood prone land not identified within the High or Medium flood risk precincts.
- **Medium Flood Risk precinct** means all flood prone land that is (a) within the 1% AEP Flood Planning Area; and (b) is not within the high flood risk precinct.
- **High Flood Risk precinct** means all flood prone land (a) within the 1% AEP Flood Planning Area; and (b) is either subject to a high hydraulic hazard, within the floodway or subject to significant evacuation difficulties (H5 or H6 Life Hazard Classification)
- The **Flood Planning Area** extent is equivalent to the Medium Flood Risk Precinct extent, and includes the High Flood Risk Precinct within it. The mapped extent represents the 1% annual Exceedance Probability (AEP) flood event + freeboard.
- None of these mapped extents include climate change.

Issue Date: 08/10/2020 Page **3** of **10**

FLOOD MAP B: FLOODING - 1% AEP EXTENT



Notes:

- Extent represents the 1% annual Exceedance Probability (AEP) flood event.
- Flood events exceeding the 1% AEP can occur on this site.
- Extent does not include climate change.
- Cadastre Lines (Source: NSW Government Land and Property Information), flood levels/extents (Source:) and aerial photography (Source: NearMap 2014) are indicative only.

Issue Date: 08/10/2020 Page **4** of **10**

FLOOD MAP C: PROBABLE MAXIMUM FLOOD EXTENT



Notes:

- Extent represents the Probable Maximum Flood (PMF) flood event.
- Extent does not include climate change.
- Cadastre Lines (Source: NSW Government Land and Property Information), flood levels/extents (Source:) and aerial photography (Source: NearMap 2014) are indicative only.

Issue Date: 08/10/2020 Page **5** of **10**

FLOOD MAP D: 1% AEP FLOOD HYDRAULIC CATEGORY EXTENT MAP


NA

Notes:

- Extent represents the 1% annual Exceedance Probability (AEP) flood event.
- Extent does not include climate change.
- Cadastre Lines (Source: NSW Government Land and Property Information), flood levels/extents (Source:) and aerial photography (Source: NearMap 2014) are indicative only.

Issue Date: 08/10/2020 Page **6** of **10**

FLOOD MAP E: FLOOD LIFE HAZARD CATEGORY



Notes:

- For additional information on Flood Life Hazard Categories, refer to 'Flood Emergency Response Planning for Development in Pittwater Policy' and Pittwater 21 DCP Control B3.13.
- Cadastre Lines (Source: NSW Government Land and Property Information), flood levels/extents (Source:) and aerial photography (Source: NearMap 2014) are indicative only.

Issue Date: 08/10/2020 Page **7** of **10**

GUIDELINES for Preparing a Flood Management Report

Introduction

These guidelines are intended to provide advice to applicants on preparing a Flood Management Report. The purpose of a Flood Management Report is to help applicants measure and manage the flood risk to life and property on their site.

When is a Flood Management Report required?

A Flood Management Report must be submitted with any Development Application on flood prone land, for Council to consider the potential flood impacts and controls. For Residential or Commercial development, it is required for development on land identified within the Medium or High Flood Risk Precinct. For Vulnerable or Critical development, it is required if it is within any Flood Risk Precinct.

Note that the flood extents shown on the mapping are indicative only. It is recommended that flood levels are compared to registered ground survey to more accurately determine the flood extent.

There are some circumstances where a Flood Management Report undertaken by a professional engineer may not be required. However, the relevant parts of the DCP and LEP would still need to be addressed, so as to demonstrate compliance. Examples where this may apply include:

- If all proposed works are located outside the relevant Flood Risk Precinct extent
- First floor addition only, where the floor level is above the Probable Maximum Flood level
- Internal works only, where habitable floor areas below the Flood Planning Level are not being increased

Note that development on flood prone land will still be assessed for compliance with the relevant DCP and LEP, and may still be subject to flood related development controls.

What is in a Flood Management Report?

The aim of a Flood Management Report is to demonstrate how a proposed development will comply with the flood related development controls outlined in the relevant LEP and DCP clauses. The report must detail the design, measures and controls needed to achieve compliance, following the steps outlined below.

A Flood Management Report should reflect the size, type and location of the development, proportionate to the scope of the works proposed, and considering its relationship to surrounding development. The report should also assess the flood risk to life and property.

Technical requirements of a Flood Management Report

The technical requirements of a Flood Management Report should include (where relevant):

1. Description of development

The description of development should identify:

- Outline of the proposed development, with plans if necessary for clarity
- Use of the building, hours of operation, proposed traffic usage or movement
- Type of use, ie, critical, vulnerable, subdivision, residential, business, industrial, recreational, environmental or concessional

2. Flood analysis

The flood analysis should include:

- Predicted 1 in 100 year flood level
- Flood Planning Level (FPL)
- Probable Maximum Flood (PMF) level
- Flood Risk Precinct, ie High, Medium or Low
- Flood Life Hazard Category (in former Pittwater Council area only)
- Mapping of relevant extents
- Flood characteristics for the site, eg depth, velocity, hazard and hydraulic category, and the impact these have on the proposed development

Note that if the property is affected by estuarine flooding or other coastal issues, these need to be addressed separately under the relevant DCP.

Issue Date: 08/10/2020 Page **8** of **10**

3. Assessment of impacts

The assessment of impacts should address the various elements of the relevant LEP and DCP. A simple compliance table should be provided, similar to the table one below.

	Compliance		
	Not Applicable	Yes	No
A Flood effects caused by Development			
B Drainage Infrastructure & Creek Works			
C Building Components & Structural			
D Storage of Goods			
E Flood Emergency Response			
F Floor Levels			
G Car Parking			
H Fencing			
I Pools			

Further details of what is required for each of these categories can be found in the *Development Control Plan for Flood Prone Land*.

For any of these categories which are applicable, the assessment should demonstrate how the development complies, or if it doesn't, provide an explanation of why the development should still be considered.

Reporting requirements for a Flood Management Report

The Flood Management Report should include:

- a) Executive summary
- b) Location plan, at an appropriate scale, that includes geographical features, street names and identifies all waterways and Council stormwater pipes, pits and easements
- c) Plan of the proposed development site showing the extent of the predicted 100 year, any high hazard or floodway conditions and the PMF flood event
- d) Development recommendations and construction methodologies
- e) Calculation formulae (particularly for flood storage)
- f) Clear referencing using an accepted academic referencing system (eg. Harvard)
- g) Analysis of development against relevant State Environmental Planning Policies
- h) Analysis of development against relevant Local Environment Plan and Policies
- i) Conclusion detailing key points
- j) Standard Hydraulic Certification (Form A/A1)
- k) Qualifications of author
- I) Any flood advice provided by Council
- m) Any other details which may be relevant

NOTE: Qualifications of Author

Council requires that the Flood Management Report be prepared by a suitably qualified Engineer with experience in flood design / management who has, or is eligible for, membership to the Australian Institute of Engineers.

For further information please contact Stormwater and Floodplain Team on 1300 434 434 or via email at floodplain@northernbeaches.nsw.gov.au

Issue Date: 08/10/2020 Page **9** of **10**

Attachment A

NORTHERN BEACHES COUNCIL STANDARD HYDRAULIC CERTIFICATION FORM

FORM A/A1 – To be submitted with Development Ap	pplication		
Development Application for			
Address of site:			
Declaration made by hydraulic engineer or professio management as part of undertaking the Flood Management	· · · · · · · · · · · · · · · · · · ·		
I, on behalf of			
(Insert Name)	(Trading or Business/ Company Name)		
on this the(Date)	certify that I am engineer or a		
issue this document and to certify that the organisati policy of at least \$2 million.	am authorised by the above organisation/ company to on/ company has a current professional indemnity		
Flood Management Report Details:			
Report Title:			
•			
Author:			
Author's Company/Organisation:			
l:			
(Insert Name)			
Please tick all that are applicable (more than one bo	x can be ticked)		
\Box have obtained and included flood information from Council (must be less than 12 months old) (This is mandatory)			
$\hfill \Box$ have followed Council's Guidelines for Preparing	a Flood Management Report		
☐ have requested a variation to one or more of the provided in the <i>Flood Management Report</i> .	flood related development controls. Details are		
Signature			
Name			

Issue Date: 08/10/2020 Page **10** of **10**