





NOTE- PIABLE BUILDING MEMBRANE INSTALLED MUST COMPLY WITH AS/NZS4200.1 AND INSTALLED IN ACCORDANCE WITH AS4200

NOTE- HARD WIRED PHOTOELECTRIC SMOKE ALARMS TO BE INSTALLED IN ACCORDANCE WITH NCC2022 VOLUME 2 PART H3D6 & AS3786

NOTE - EXHAUST SYSTEM INSTALLED IN THE KITCHEN, BATHROOM, ANITARY COMPARTMENTS OR LAUNDRY MUST COMPLY WITH MINIMUM FLOW RATES AS SPECIFIED IN NCC2022 PART 2 H4P5. BATHROOM, SANITARY COMPARTMENTS & LAUNDRIES MUST BE DISHARGED DIRECTLY VIA SHAFT OR DUCT TO OUTDOOR AIR OR TO A VENTILATED ROOF SPACE COMPLYING WITH NCC2022 VOLUME 2 PART H4D7





NOTES

All work is to comply with the Building Code of Australia, the equirements of the local council, the requirements of the legally onstituted Authorities for services and the relevant standards by th itandards Association of Australia.

he Builder is to give all notices, obtain all permits and pay all fees.

inished ground levels on the plan are subject to site conditions.

Do not scale from drawings. Use figured dimensions only and report any discrepancies to the designer prior to commencement.

All figured dimensions to be checked on site,

BASIX INFORMATION REQUIREMENTS:

minimum of 40% of all new or altered light fixtures are to be fluorescent mpact fluorescent or LE.D. lamps

VATER COMMITMENTS

All new Shower heads, toilets and taps shall have a minimum 3 Star rating

th the Basix certificate

SULATION REQUIREMENTS

The external walls shall be framed (weatherboard) and sha meet minimum R1.70 (including construction)

The susupended floor with enclosed subfloor shall be frar and meet miniumum R1.30 (including construction)

The new flat ceiling/pitched roof ceilings shall meet minimum R3.00 (up).

The roof shall have foil/sarking and be of medium colour (solar absorption 0.475 - 0.70)

/INDOWS, GLAZED DOORS:

ll window & door numbers shown on the window/door schedule correspond matching window/door numbers shown in the Basix certificate.

The total area of plazing for each window/door

certificate

Shading devices shall be installed in accordance with the Basix certificate

omes and glazing: Frame and glazing types shall meet the requirement of the Basix certificate



OPYRIGHT

This plan is the exclusive property of JAH Design Services and must not be used, reproduced or copied without written

MR. & MS. D'URSO

PROPOSED ALTERATIONS + ADDITIONS 147 FRENCHS FOREST ROAD WEST

LOT 25, DP 30837

FRENCHS FOREST NSW 2086




ABN 22 630 690 834

PH. 0410 410 064 EMAIL julie@jahdesigns.com.ar

PROPOSED FLOOR PLAN

1:100 @ A3		APRIL 2025	
Status:	DA submission	Checked By:	JAH
Project No:		Drawing No.:	
	2428		DA03



onstituted Authorities for services and the relevant standards by th





D. C. AM.		D : N		
	DA submission		JAH	
Status:		Checked By:		
Scale:	1:100 @ A3	Date:	APRIL 2025	
c 1		D :		

