

CERTIFICATE OF COMPLIANCE

January 2015

Alspec Bushfire Compliant Product Range

The following window & door products supplied by Alspec have been tested by an independent testing authority to AS1530.8.1 (BAL40) achieving a pass result.

The following products tested for compliance are below:

(Test Report Number: FSZ1662A)

- McArthur Fixed Lite Frame
- ProTilt Awning/Casement Window
- Swan Hinge Door
- ASW44 Top Hung Awning Window
- ASW44 Awning/Casement Window
- ViewMax Sliding Window
- AS85 Awning.Casement Window
- Hunter Evo Fixed Lite Frame
- Hawkesbury Bi-Fold
- Breezway Louvre & Invisi-Gard Screens

(Test Report Number: FSZ1663A)

- ProGlide Commercial Sliding Door

The requirements under AS3959-2009 standard for screening of openable parts of "windows" shall still apply to tested systems. Clause 3.8

Note: All door types tested do not require openable screening.

Further detailed information and test report can be obtained from Alspec upon request.



Aluminium Specialties Group Pty Ltd

3 Alspec Place, Eastern Creek NSW 2766
PO Box 262, Horsley Park NSW 2175
Phone: 02 9834 9500 | Sales: 1300 ALSPEC
Fax: 02 9834 9532
www.alspec.com.au
ABN: 63 001 252 259

alspec
ALUMINIUM SYSTEMS
SPECIALISTS