

FINAL S96

DA

PROCESSED

AND

SCANNED

APPROVED

Business Hours:

8.00am to 6.00pm, Monday to Thursday

8.00am to 5.00pm, Friday

S96 No: N0302/12/S96/1

8 March 2017

GUY JOHN TRELOAR
3 BILGOLA TERRACE
BILGOLA BEACH NSW 2107

Dear Sir/Madam


N0302/12/S96/1 Modification of consent N0302/12 for alterations and additions to the existing dwelling and a new secondary dwelling at 3 BILGOLA TERRACE BILGOLA BEACH NSW 2107.

Your request for modification has been considered by Council and it has been agreed to modify the Consent.

Please find attached the consent as modified.

If there are any matters that require further clarification, please do not hesitate to contact me.

Yours faithfully



Nick Armstrong
PLANNER

MODIFICATION OF DEVELOPMENT CONSENT NO: N0302/12

ENVIRONMENTAL PLANNING & ASSESSMENT ACT, 1979

NOTICE TO APPLICANT OF DETERMINATION

OF A DEVELOPMENT APPLICATION

Applicant's Name and Address:

**GUY JOHN TRELOAR
3 BILGOLA TERRACE BILGOLA BEACH NSW 2107
PO BOX 1122 MONA VALE NSW 1660**

Being the applicant in respect of S96 Modification Application No N0302/12/S96/1

Pursuant to section 81 of the Act, notice is hereby given of the determination by Northern Beaches Council, as the consent authority, of this Development Application for: -

N0302/12/S96/1 Modification of consent N0302/12 for alterations and additions to the existing dwelling and a new secondary dwelling

At:-

**Lot 7 DP 822263
3 BILGOLA TERRACE
BILGOLA BEACH NSW 2107**

Decision:

The Development Application has been determined by the granting of consent based on information provided by the applicant in support of the application, including the Statement of Environmental Effects, and in accordance with

Drawing No. A-00, A-01, A-02, A-03 and A-04 all Issue A all prepared by Gartner Trovato Architects all dated 16.10.12, Report on Geotechnical Investigation for Alterations and Additions at 3 Bilgola Terrace Bilgola Project 2012-217 prepared by Crozier Geotechnical Consultants dated October 2012;

As further amended by:

Architectural Drawing 1231 – A-02, Issue A, prepared by Gartner Trovato Architects, dated 01/02/2017;

as amended in red (shown clouded) or as modified by any conditions of this consent.


The reason for the imposition of these conditions is to ensure that the development consented to is carried out in such a manner as to achieve the objectives of the Environmental Planning and Assessment Act, pursuant to section 5(a) of the Act, having regard to the relevant matters for consideration contained in section 79C of the Act and the Environmental Planning Instruments applying to the land, as well as section 80A of the Act which authorises the imposing of the consent conditions.

Note: For ease of reference, all of the previous conditions have been re-listed. Those conditions amended or deleted have been highlighted.

Endorsement of date of consent 4/03/2013, **Modified 8 March 2017**

Mark Ferguson
INTERIM GENERAL MANAGER

Per:



1 Belgrave Street
Manly NSW 2095
ABN 57 284 295 198
t. 02 9976 1500 f. 02 9976 1400

Civic Centre, 725 Pittwater Road
Dee Why NSW 2099
ABN 57 284 295 198
t. 02 9942 2111 f. 02 9971 4522

Village Park, 1 Park Street
Mona Vale NSW 2103
ABN 57 284 295 198
t. 02 9970 1111 f. 02 9970 1200

Conditions of Approval

This consent is not an approval to commence building work. The works associated with this consent can only commence following the issue of the Construction Certificate.

Note: Persons having the benefit of development consent may appoint either a council or an accredited certifier as the principal certifying authority for the development or for the purpose of issuing certificates under Part 4A of the Environmental Planning and Assessment Act. When considering engaging an accredited certifier a person should contact the relevant accreditation body to ensure that the person is appropriately certified and authorised to act in respect of the development.

A. Prescribed Conditions:

1. All works are to be carried out in accordance with the requirements of the Building Code of Australia.
 2. In the case of residential building work for which the *Home Building Act 1989* requires there to be a contract of insurance in force in accordance with Part 6 of that Act, there is to be such a contract in force.
 3. Critical stage inspections are to be carried out in accordance with clause 162A of the *Environmental Planning & Assessment Regulation 2000*. To allow a Principal Certifying Authority or another certifying authority time to carry out critical stage inspections required by the Principal Certifying Authority, the principal contractor for the building site or the owner-builder must notify the Principal Certifying Authority at least 48 hours before building work is commenced and prior to further work being undertaken.
 4. A sign must be erected in a prominent position on any site on which building work, subdivision work or demolition work is being carried out:
 - a. showing the name, address and telephone number of the Principal Certifying Authority for the work, and
 - b. showing the name of the principal contractor (if any) for any building work and a telephone number on which that person may be contacted outside working hours, and
 - c. stating that unauthorised entry to the work site is prohibited.
- Any such sign is to be maintained while the building work, subdivision work or demolition work is being carried out, but must be removed when the work has been completed.
5. Residential building work within the meaning of the *Home Building Act 1989* must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council) has given the Council written notice of the following information:
 - a. in the case of work for which a principal contractor is required to be appointed:
 - i. The name and licence number of the principal contractor, and
 - ii. The name of the insurer by which the work is insured under Part 6 of that Act.
 - b. in the case of work to be done by an owner-builder:
 - i. The name of the owner-builder, and
 - ii. If the owner-builder is required to hold an owner-builder permit under that Act, the number of the owner-builder permit.

6. If arrangements for doing the residential building work are changed while the work is in progress so that the information notified under subclause (2) becomes out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council) has given the Council written notice of the updated information.
7. The hours of construction are restricted to between the hours of 7.00am and 5.00pm Monday - Friday and 7.00am to 1.00pm on Saturdays. No works are to be carried out on Sundays or Public Holidays. Internal building work may be carried out at any time outside these hours, subject to noise emissions from the building or works not being audible at any adjoining boundary.

B. Matters to be incorporated into the development and maintained over the life of the development:

1. The internal driveway finish is:
 - a. to be a stable surface for all weather conditions
 - b. to be constructed of materials that blend with the environment and are of dark or earthy tones or natural materials.
2. If any Aboriginal Engravings or Relics are unearthed all work is to cease immediately and the Metropolitan Local Aboriginal Land Council (MLALC) and Department of Environment & Climate Change (DECC) are to be notified.
3. Domestic pet animals are to be kept from entering wildlife habitat areas at all times. Dogs and cats are to be kept in an enclosed area or on a leash such that they cannot enter areas of bushland or foreshore, unrestrained, on the site or on surrounding properties or reserves. Ferrets and rabbits are to be kept in a locked hutch/run at all times.
4. Prior to the completion of works, all declared noxious weeds are to be removed/controlled in accordance with the Noxious Weeds Act 1993. Environmental weeds are to be removed and controlled. Refer to Pittwater Council website http://www.pittwater.nsw.gov.au/environment/noxious_weeds for noxious/environmental weed lists.
5. No environmental weeds are to be planted on the site. Refer to Pittwater Council website http://www.pittwater.nsw.gov.au/environment/noxious_weeds for environmental weed lists.
6. Screen planting shall be planted on the southern side of the proposed garage, for the length of the garage. This screen planting shall be maintained at a height between 2 and 2.5 metres for the life of the development.
7. Screen planting is to be provided, which after three years will, in conjunction with existing vegetation and canopy planting, screen at least 50% of the built form when viewed from the street and/or neighbouring properties. Species selection is to incorporate locally native species. The screen planting is to be maintained for the life of the development and is to be replaced if any part of it dies or is destroyed or removed.
8. In accordance with Pittwater Councils Tree Preservation Order, all existing trees as indicated in the Survey Plan and/or approved Landscape Plan shall be retained except where Council's prior written consent has been obtained, as trees stand within the envelope of approved development areas. For all other tree issues not related to a

development application, applications must be made to Council's Tree Management Officers.

9. This approval/consent relates only to the new work nominated on the approved consent plans and does not approve or regularise any existing buildings or structures within the property boundaries or within Council's road reserve.

10. DELETED.

11. No water pollution shall result from the operation of any plant or equipment or activity carried out.
12. Noise from the operation of any plant or equipment at the premises shall comply with the noise provisions of the Protection of the Environment Operations Act, 1997.
13. No odour nuisance to the public or any adjoining premises shall be created by the operation of any plant or equipment or any procedure carried out at the premises.
14. No emissions causing air pollution shall be created by the operation of any plant equipment or any procedure carried out at the premise.
15. The operation of any plant or equipment or any procedure carried out at the premises shall not cause land pollution.
16. The reflectivity index (expressed as a percentage of the reflected light falling upon any surface) of all external glazing is to have a maximum reflectivity index of 25%. Written confirmation of the reflectivity index of material is to be submitted with the Construction Certificate.
- (Note: the reflectivity index of glazing elements can be obtained from glazing manufacturers. Glass with mirrored or reflective foil finishes is unlikely to achieve compliance with this requirement. This is to ensure that excessive glare or reflectivity nuisance from glazing does not occur as a result of the development).
17. Materials and colour schemes are to be in accordance with the following: Roof - Custom Orb in "Woodland Grey"; External Walls - Rendered masonry walls in Resene "Concord" and timber weatherboards in Resene "Westar".
18. Roofs to all structures are to be of dark or mid grey, brown and/or green tones only. No white or light coloured roofs are permitted.
19. Timber log retaining walls are not permitted and are not to be included in the proposed development.
20. The commitments identified in the BASIX Certificate and on the plans or specifications are to be fulfilled and maintained for the life of the development.

- 21. The lower ground floor is not to be used for the purposes of separate habitation.**

C. Matters to be satisfied prior to the issue of the Construction Certificate:

Note: All outstanding matters referred to in this section are to be submitted to the accredited certifier together. Incomplete Construction Certificate applications / details cannot be accepted.

1. Prior to issue of the Construction Certificate, Form 2 of the *Geotechnical Risk Management Policy for Pittwater* (Appendix 5 of P21 DCP) is to be completed and submitted to the Principal Certifying Authority.
2. Plans and details demonstrating that the following issues have been addressed are to be submitted to the Accredited Certifier with the Construction Certificate application.
 - a. Driveway profiles must be obtained from Council for all access driveways across the public road verge to road edge. The driveway profiles provided by Council must be incorporated into and attached to design plans for the access driveway and internal driveway.
 - b. A Deed of Agreement indemnifying Council must be entered into for construction of a cosmetic access driveway across the public road verge (i.e. other than a plain concrete finish).
 - c. All construction of the access driveway across the public road verge must be undertaken by a Council authorised contractor.
 - d. Council's Fees and Charges apply to driveway profiles and Deed of Agreement for Access Driveway.
3. Applicants will be required to obtain prior to the issue of a Construction Certificate, a Section 139 Consent for Works on a Public Road Reserve issued by the Council under the provisions of Section 138 of the *Roads Act 1993* for the design and construction of any works located on the road reserve including Access Driveways.
4. Civil engineering details of the proposed excavation/landfill are to be submitted to the Accredited Certifier or Council with the Construction Certificate application. Each plan/sheet is to be signed by a qualified practising Civil Engineer who has corporate membership of the Institution of Engineers Australia (M.I.E) or who is eligible to become a corporate member and has appropriate experience and competence in the related field.
5. A landscape plan prepared by a suitably qualified person shall be submitted to the Principal Certifying Authority prior to the issue of the Construction Certificate. The plan shall include the landscaping of the garden areas shown on the Site and Ground Floor Plan Drawing A-01 Issue A prepared by Gartner Trovato Architects dated 16.10.12 and the condition B6 for screen planting along the southern side of the garage. The garden areas must be planted with locally native vegetation where possible to replace the vegetation to be removed. A species list can be found online at www.pittwater.nsw.gov.au/environment/species_lists
6. Submission of construction plans and specifications and documentation which are consistent with the approved Development Consent plans, the requirements of Building Code of Australia and satisfy all conditions shown in Part B above are to be submitted to the Principal Certifying Authority.
7. The Accredited Certifier or Council must be provided with a copy of plans that a Quick Check agent/Sydney Water has stamped before the issue of any Construction Certificate.
8. Structural Engineering details relating to the approved works are to be submitted to the Accredited Certifier or Council prior to release of the Construction Certificate. Each

plan/sheet is to be signed by a qualified practising Structural Engineer with corporate membership of the Institute of Engineers Australia (M.I.E), or who is eligible to become a corporate member and has appropriate experience and competence in the related field.

9. The obscure glass balustrade proposed to the northern side of the upper ground floor deck shall be clear glass in order to retain views through the structure. The construction plans shall be amended to reflect this requirement prior to the issue of the Construction Certificate.
10. The windows on the northern elevation of the dining room on the ground floor shall be provided with a fixed vertical louvered screen with maximum openings of 25% as viewed perpendicular to the northern wall of the dwelling (adjacent to the dining room). The louvres are to be set at such an angle as to minimise overlooking of the southern terrace at No. 2 Bilgola Terrace Bilgola Beach. The construction plans shall be amended to reflect this requirement prior to the issue of the Construction Certificate.
11. Plans and details demonstrating that the commitments identified in the BASIX Certificate that apply to the construction certificate or complying development plans and specifications are fulfilled.

D. Matters to be satisfied prior to the commencement of works and maintained during the works:

Note: It is an offence to commence works prior to issue of a Construction Certificate.

1. All excavated material is to be removed from the site.
2. All excavations and backfilling associated with the erection or demolition of a building must be executed safely and in accordance with appropriate professional standards.
3. All excavations associated with the erection or demolition of a building must be properly guarded and protected to prevent them from being dangerous to life or property.
4. Where excavations extend below the level of the base of the footings of a building on an adjoining allotment of land, the person causing the excavation must preserve and protect the building from damage and, if necessary, underpin and support the adjoining building in an approved manner.
5. Temporary sedimentation and erosion controls are to be constructed prior to commencement of any work to eliminate the discharge of sediment from the site.
6. Adequate measures shall be undertaken to remove clay from vehicles leaving the site so as to maintain public roads in a clean condition.
7. No works are to be carried out in Council's Road Reserve without the written approval of the Council.
8. No skip bins or materials are to be stored on Council's Road Reserve.
9. A clearly legible *Site Management Sign* is to be erected and maintained throughout the course of the works. The sign is to be centrally located on the main street frontage of the site and is to clearly state in legible lettering the following:

- The builder's name, builder's telephone contact number both during work hours and after hours.
- That no works are to be carried out in Council's Road Reserve without the written approval of the Council.
- That a Road Opening Permit issued by Council must be obtained for any road openings or excavation within Council's Road Reserve associated with development of the site, including stormwater drainage, water, sewer, electricity, gas and communication connections. During the course of the road opening works the Road Opening Permit must be visibly displayed at the site.
- That no skip bins or materials are to be stored on Council's Road Reserve.
- That the contact number for Pittwater Council for permits is 9970 1111.

10. Any proposed demolition works shall be carried out in accordance with the requirements of AS2601-2001 *The Demolition of Structures*.

Amongst others, precautions to be taken shall include compliance with the requirements of the WorkCover Authority of New South Wales, including but not limited to:

1. Protection of site workers and the general public.
2. Erection of hoardings where appropriate.
3. Asbestos handling and disposal where applicable.
4. Any disused service connections shall be capped off.

Council is to be given 48 hours written notice of the destination/s of any excavation or demolition material. The disposal of refuse is to be to an approved waste disposal depot.

11. A stamped copy of the approved plans is to be kept on the site at all times, during construction.
12. Toilet facilities are to be provided in a location which will not detrimentally affect the amenity of any adjoining residents at or in the vicinity of the work site during the duration of the development.
13. Demolition works must be carried out in compliance with WorkCovers *Short Guide to Working with Asbestos Cement* and Australian Standard AS 2601 2001 *The Demolition of Structures*.

The site must be provided with a sign containing the words **DANGER ASBESTOS REMOVAL IN PROGRESS** measuring not less than 400mm x 300mm and be erected in a prominent visible position on the site. The sign is to be erected prior to demolition work commencing and is to remain in place until such time as all asbestos cement has been removed from the site and disposed to a lawful waste disposal facility.

All asbestos laden waste, including flat, corrugated or profiled asbestos cement sheets must be disposed of at a lawful waste disposal facility. Upon completion of tipping operations the applicant must lodge to the Principal Certifying Authority, all receipts issued by the receiving tip as evidence of proper disposal.

E. Matters to be satisfied prior to the issue of Occupation Certificate:

Note: Prior to the issue of an Occupation Certificate the principal certifying authority is to ensure that Council's assets, including road, kerb and gutter and drainage facilities adjacent or near to the site have not been damaged as a result of the works. Where such damage has occurred, it is to be repaired to Council's written satisfaction prior to the issue of an Occupation Certificate or suitable arrangements put in place to effect those repairs at a future date to Council's written satisfaction. Should this process not be followed, Council will pursue action against the principal accredited certifier in relation to the recovery of costs to effect such works.

Note: It is an offence to occupy the building or part thereof to which this consent relates prior to the issue of an Occupation Certificate.

1. Prior to issue of the Occupation Certificate, Form 3 of the *Geotechnical Risk Management Policy* (Appendix 5 of P21 DCP) is to be completed and submitted to the Principal Certifying Authority.
2. An Occupation Certificate application stating that the development complies with the Development Consent, the requirements of the Building Code of Australia and that a Construction Certificate has been issued must be obtained before the building is occupied or on completion of the construction work approved by this Development Consent.
3. All existing and /or proposed dwellings/sole occupancy units are to have approved hard-wired smoke alarms installed and maintained over the life of the development. All hard-wired smoke alarms are to be Australian Standard compliant and must be installed and certified by any appropriately qualified electrician prior to the issue of any Occupation Certificate.
4. Certification is to be provided that the commitments identified in the BASIX Certificate have been fulfilled.
5. Certification from a suitably qualified person shall be provided that the landscape plan as required by Condition C5 of this consent has been implemented.

F. Matters to be satisfied prior to the issue of Subdivision Certificate:

Nil.

G. Advice:

1. Failure to comply with the relevant provisions of the *Environmental Planning and Assessment Act, 1979* (as amended) and/or the conditions of this Development Consent may result in the serving of penalty notices (on-the-spot fines) under the summary offences provisions of the above legislation or legal action through the Land and Environment Court, again pursuant to the above legislation.
2. The applicant is also advised to contact the various supply and utility authorities, i.e. Sydney Water, Sydney Electricity, Telstra etc. to enquire whether there are any underground utility services within the proposed excavation area.
3. It is the Project Managers responsibility to ensure that all of the Component Certificates/certification issued during the course of the project are lodged with the Principal Certifying Authority. Failure to comply with the conditions of approval or lodge

the Component Certificates/certification will prevent the Principal Certifying Authority issuing an Occupation Certificate.

4. In accordance with Section 95(1) of the Act, this consent will lapse if the development, the subject of this consent, is not physically commenced within 5 years after the date from which this consent operates.
5. To ascertain the date upon which the determination becomes effective and operates, refer to Section 83 of the *Environmental Planning and Assessment Act, 1979* (as amended).
6. Should any of the determination not be acceptable, you are entitled to request reconsideration under Section 82A of the *Environmental Planning and Assessment Act, 1979*. Such request to Council must be made in writing, together with appropriate fees as advised at the time of lodgement of such request, within 1 year from the date of determination.
7. If you are dissatisfied with this decision, Section 97 of the *Environmental Planning and Assessment Act, 1979*, gives you a right of appeal to the Land and Environment Court within 6 months of the date of endorsement of this Consent.
8. The approved plans must be submitted to a Sydney Water Quick Check agent or Customer Centre to determine whether the development will affect Sydney Waters sewer and water mains, stormwater drains and/or easements, and if further requirements need to be met. The approved plans will be appropriately stamped. For Quick Check agent details please refer to the web site at www.sydneywater.com.au then see Building Developing and Plumbing then Quick Check, or telephone 13 20 92.