Certificate number: 0004266383 Certificate Date: 10 Oct 2019 ★ Star rating: 5.6





#### Assessor details

Accreditation

number: 20390 Name: Fadi Sweis

Organisation: Energy Ratings Australia Pty Ltd Email: fsweis@eraservices.com.au

Phone: **1800 372 669** 

Declaration None

of interest:

Software: **BERS Pro v4.3.0.2d (3.13)** 

AAO: ABSA

# Overview

# **Dwelling details**

Street: **Proposed Road**Suburb: **Warriewood** 

State: NSW Postcode: 2102
Type: New Dwelling NCC Class: 1A

NatHERS climate zone: **56** 

Lot/DP number: 215/- Exposure: Suburban

#### Key construction and insulation materials

(see following pages for details)

Construction: Brick Veneer

**Roof Tiles** 

**Suspended Timber Floor** 

Insulation: R2.0 wall insulation

R3.5 ceiling insulation
No floor insulation

Glazing: ALM-002-01 A Aluminium B SG Clear

#### Net floor area (m<sup>2</sup>)

 Conditioned:
 173.0

 Unconditioned:
 31.0

 Garage:
 20.0

 TOTAL:
 204.0


# Annual thermal performance loads (MJ/m²)

Heating: **32.7**Cooling: **25.0**TOTAL: **57.6** 

#### Plan documents

Plan ref/date: A008108

Prepared by: FL



#### **Ceiling penetrations**

(see following pages for details)

Sealed: 29
Unsealed: 0
TOTAL:\*\* 29

\*\*NOTE: This total is the maximum number of ceiling penetrations allowed to a ceiling (under a roof) for this certificate. If this number is exceded in construction then this certificate IS NOT VALID and a new certificate is required. Loss of ceiling insulation for the penetrations listed has been taken into account with the rating.

Principle downlight type: **LED** 

# Window selection - default windows only

Note on allowable window values: Only a 5% tolerance to the nominated SHGC window values shown on page 2 can be used with this rating.

Note: Only a +/- 5% SHGC tolerance is allowed with this rating.

NB: This tolerance ONLY applies to SHGC, the U-value can always be lower but not higher than the values stated on page 2.

If any of windows selected are outside the 5% tolerance then this certificate is no longer valid and the dwelling will need to be rerated to confirm compliance.

Scan to access this certificate online and confirm this is valid.



<sup>\*</sup> Nationwide House Energy Rating Scheme (NatHERS) is an initiative of the Australian, state and territory governments. For more details see www.nathers.gov.au

Certificate number: 0004266383 Certificate Date: 10 Oct 2019 ★ Star rating: 5.0



# **Building features**

Window ID	Window type	U-value	SHGC
ALM-002-01 A	ALM-002-01 A Aluminium B SG Clear	6.7	0.70
ALM-001-01 A	ALM-001-01 A Aluminium A SG Clear	6.7	0.57

#### Window schedule

Location	Window ID	Window no.	Height (mm)	Width (mm)	Orientation	Outdoor shade
Lounge	ALM-002-01 A	n/a	1500	1800	NW	No Shading
Ldry	ALM-002-01 A	n/a	2100	820	SW	No Shading
Kitchen/Living	ALM-002-01 A	n/a	2300	700	NE	No Shading
Kitchen/Living	ALM-002-01 A	n/a	2300	700	NE	No Shading
Kitchen/Living	ALM-002-01 A	n/a	2300	1800	SE	No Shading
Kitchen/Living	ALM-002-01 A	n/a	2300	1500	SW	No Shading
Kitchen/Living	ALM-002-01 A	n/a	2300	2600	SE	No Shading
Kitchen/Living	ALM-001-01 A	n/a	2300	700	SW	No Shading
Kitchen/Living	ALM-001-01 A	n/a	2300	700	SW	No Shading
Bedroom 1	ALM-002-01 A	n/a	600	2000	NE	No Shading
ENS	ALM-002-01 A	n/a	343	1930	NE	No Shading
Bath	ALM-002-01 A	n/a	1200	1200	NE	No Shading
Bedroom 2	ALM-002-01 A	n/a	2100	2100	NW	No Shading
Bedroom 3	ALM-001-01 A	n/a	600	1800	NW	No Shading
Bedroom 4	ALM-002-01 A	n/a	1200	1400	SE	No Shading
Media	ALM-002-01 A	n/a	1300	700	SW	No Shading
Media	ALM-002-01 A	n/a	1200	1200	SW	No Shading
WC (Ens)	ALM-001-01 A	n/a	1600	600	SE	No Shading

ID	VAC I form				III a contrar	01100
ID	Window type				U-value	SHGC
None Present						
Roof window	and skylight sch	edule				
Location	ID	Roof	A === (=== 2)	Orientation	Outdoor shade	Indoor

ID	Wall type		Insulation		Wal	I wrap or foil
EW-1	Brick Venee	Brick Veneer		Bulk Insulation R2		
EW-2	Brick Venee	Brick Veneer		No insulation		
EW-3	Cavity Brick		No insulation		No	
EW-4	Weatherboard Cavity Panel Direct Fix		Bulk Insulation R2		No	
External wa	III schedule					
Location	ID	Width (mm)	Height (mm)	Orientation	Fixed Shade	Eaves (mm)

Certificate number: 0004266383 Certificate Date: 10 Oct 2019 ★ Star rating: 5.6



Building features continued						
Lounge	EW-1	1900	2600	NE	No	1400
Lounge	EW-1	3695	2600	SW	No	50
Lounge	EW-1	4000	2600	NW	No	1250
Ldry	EW-1	1990	2600	SW	No	50
Kitchen/Living	EW-1	8745	2600	NE	No	50
Kitchen/Living	EW-1	4250	2600	SE	No	50
Kitchen/Living	EW-1	2400	2600	SW	No	4500
Kitchen/Living	EW-1	3900	2600	SE	No	2950
Kitchen/Living	EW-1	7245	2600	SW	No	50
Entry	EW-1	1290	2600	NW	No	3150
Garage 1	EW-2	195	2675	NW	No	3150
Garage 1	EW-3	850	2675	SW	No	5550
Garage 1	EW-3	3500	2675	NW	No	50
Garage 1	EW-2	5550	2675	NE	No	50
Garage 1	EW-2	850	2675	SE	No	50
Bedroom 1	EW-4	4040	2450	NE	No	650
ENS	EW-4	2640	2450	NE	No	650
WIR	EW-4	2095	2450	SE	No	600
WIR	EW-4	3445	2450	SW	No	600
Bath	EW-4	3190	2450	NE	No	650
Bedroom 2	EW-4	1050	2450	NE	No	4250
Bedroom 2	EW-4	3695	2450	SW	No	650
Bedroom 2	EW-4	4000	2450	NW	No	650
Bedroom 3	EW-4	3595	2450	NW	No	650
Bedroom 3	EW-4	3395	2450	NE	No	650
Bedroom 4	EW-4	3850	2450	SE	No	650
Bedroom 4	EW-4	4145	2450	SW	No	650
Media	EW-4	4040	2450	SW	No	650
WC (Ens)	EW-4	995	2450	NE	No	650
WC (Ens)	EW-4	1645	2450	SE	No	600

Internal wall type				
Wall type	Area (m²)	Insulation	Wall wrap or foil	
IW-1 - Cavity wall, direct fix plasterboard, single gap	35.0	Bulk Insulation, No Air Gap R2	No	
IW-2 - Cavity wall, direct fix plasterboard, single gap	119.0	No insulation	No	

Floors						
Location	Construction	Area (m²)	Sub floor ventilation	Added insulation	Covering	
Lounge	Waffle pod slab 300 mm 100mm	14.5	None	Waffle Pod 300mm	Ceramic Tiles 8mm	
Ldry	Waffle pod slab 300 mm 100mm	4.5	None	Waffle Pod 300mm	Ceramic Tiles 8mm	
WC	Waffle pod slab 300 mm 100mm	1.3	None	Waffle Pod 300mm	Ceramic Tiles 8mm	

<sup>\*</sup> Nationwide House Energy Rating Scheme (NatHERS) is an initiative of the Australian, state and territory governments. For more details see www.nathers.gov.au

Certificate number: 0004266383 Certificate Date: 10 Oct 2019 ★ Star rating:



# **Building features continued**

Kitchen/Living	Waffle pod slab 300 mm 100mm	65.2	None	Waffle Pod 300mm	Ceramic Tiles 8mm
Entry	Waffle pod slab 300 mm 100mm	7.1	None	Waffle Pod 300mm	Ceramic Tiles 8mm
Garage 1	Waffle pod slab 225 mm 100mm	20.0	None	Waffle Pod 225mm	Bare
Bedroom 1/Kitchen/Living	Timber Above Plasterboard 19mm	13.7		No Insulation	Carpet 10mm
ENS/Kitchen/Living	Timber Above Plasterboard 19mm	5.0		No Insulation	Ceramic Tiles 8mm
WIR/Kitchen/Living	Timber Above Plasterboard 19mm	6.3		No Insulation	Carpet 10mm
Bath/Kitchen/Living	Timber Above Plasterboard 19mm	2.2		No Insulation	Ceramic Tiles 8mm
Bath/Garage 1	Timber Above Plasterboard 19mm	4.5		No Insulation	Ceramic Tiles 8mm
Bedroom 2/Lounge	Timber Above Plasterboard 19mm	13.8		No Insulation	Carpet 10mm
Bedroom 3/Entry	Timber Above Plasterboard 19mm	3.2		No Insulation	Carpet 10mm
Bedroom 3/Garage	Timber Above Plasterboard 19mm	7.5		No Insulation	Carpet 10mm
Bedroom 3	Suspended Timber Floor 19mm	1.2	Totally Open	No Insulation	Carpet 10mm
Bedroom 4/Kitchen/Living	Timber Above Plasterboard 19mm	15.4		No Insulation	Carpet 10mm
Media/Lounge	Timber Above Plasterboard 19mm	0.6		No Insulation	Carpet 10mm
Media/Ldry	Timber Above Plasterboard 19mm	4.6		No Insulation	Carpet 10mm
Media/WC	Timber Above Plasterboard 19mm	1.5		No Insulation	Carpet 10mm
Media/Kitchen/Livi	Timber Above Plasterboard 19mm	10.6		No Insulation	Carpet 10mm
Media/Entry	Timber Above Plasterboard 19mm	4.2		No Insulation	Carpet 10mm
WC (Ens)/Kitchen/Living	Timber Above Plasterboard 19mm	1.5		No Insulation	Ceramic Tiles 8mm

Ceiling type				
Location	Construction	Added insulation	Roof space above	
Lounge	Timber Above Plasterboard	No Insulation	No	
Ldry	Timber Above Plasterboard	No Insulation	No	
WC	Timber Above Plasterboard	No Insulation	No	
Kitchen/Living	Plasterboard	Bulk Insulation R3.5	Yes	
Kitchen/Living	Timber Above Plasterboard	No Insulation	No	
Entry	Timber Above Plasterboard	No Insulation	No	
Garage 1	Plasterboard	No insulation	Yes	
Garage 1	Timber Above Plasterboard	No Insulation	No	
Bedroom 1	Plasterboard	Bulk Insulation R3.5	Yes	

<sup>\*</sup> Nationwide House Energy Rating Scheme (NatHERS) is an initiative of the Australian, state and territory governments. For more details see www.nathers.gov.au





# **Building features continued**

ENS	Plasterboard	Bulk Insulation Yes
2110	T lastorboard	R3.5
WIR	Plasterboard	Bulk Insulation Yes R3.5
Bath	Plasterboard	Bulk Insulation Yes R3.5
Bedroom 2	Plasterboard	Bulk Insulation Yes R3.5
Bedroom 3	Plasterboard	Bulk Insulation Yes R3.5
Bedroom 4	Plasterboard	Bulk Insulation Yes R3.5
Media	Plasterboard	Bulk Insulation Yes R3.5
WC (Ens)	Plasterboard	Bulk Insulation Yes R3.5

Ceiling penetrations						
Location	Number	Туре	Diameter (mm)	Sealed/unsealed		
Lounge	4	Downlights - LED	150	Sealed		
WC	1	Exhaust Fans	300	Sealed		
Kitchen/Living	24	Downlights - LED	150	Sealed		

Ceiling fans			
Location	Number	Diameter (mm)	
None Present			

Construction	Added Roof colour insulation
Corrugated Iron	Foil, Gap Above, Medium Reflective Side Down, Anti-glare Up
Roof Tiles	Foil, Gap Above, Medium Reflective Side Down, Anti-glare Up
Roof Tiles	Foil, Gap Above, Dark Reflective Side Down, Anti-glare Up



Additional information	

# **Explanatory notes**

#### **About this report**

Residential energy ratings address the quality of the building fabric i.e. walls, windows, floors and roof/ceilings. Ratings do not cover the energy or water efficiency of appliances including heating and cooling, hot water, dishwashers, ovens, fridges, TVs etc. or solar panel or water tank requirements. The efficiency or specification of these items is generally covered by other regulations, standards or guidelines.

#### **General Information**

A NatHERS House Energy Rating is a comprehensive, dynamic computer modelling evaluation of the floorplans, elevations and specifications to predict an energy load of a home. Not all of us use our homes in the same way, so ratings are generated using standard assumptions. This means homes can be compared across the country.

The actual energy consumption of your home may vary significantly from the predicted energy load figures in the report depending on issues such as the size of your household and your personal preferences, e.g. in terms of heating or cooling.

While the figures are an indicative guide to energy use, they can be used as a reliable guide for comparative purposes between different house designs and for demonstrating that the design meets the required regulatory compliance.

Homes that are energy efficient use less energy, are warmer in winter, cooler in summer and cost less to run. The higher the star rating the more energy efficient.

This NatHERS House Energy Rating report was carefully prepared by your assessor on the basis of comprehensive modelling using standard procedures to rate your home using the underlying engine developed by the Australian Commonwealth Scientific and Industrial Research Organisation (CSIRO).

All information relating to energy loads presented in this report is based on a range of standard assumptions in order to allow for comparisons with reports prepared for other homes and to demonstrate minimum regulatory compliance.

The standard assumptions include figures for occupancy, indoor air temperature and are based on a unique climate file for your region.

#### **Accredited Assessors**

To ensure you get a high-quality, professional NatHERS House Energy Rating report, you should always use an accredited assessor, accredited assessors are members of a professional body called an Assessor Accrediting Organisation (AAO).

AAOs have specific quality assurance processes in place and continuing professional development requirements to maintain a high and consistent standard of assessments across the country. Non-accredited assessors do not have this level of quality assurance or any on-going training requirements.

If you have any questions or concerns about this report, please direct them to your assessor in the first instance.

If your assessor is unable to address your questions or concerns, please contact their AAO listed under 'assessor details'. You can also find a range of information about accredited assessors on the AAO websites.

#### **Disclaimer**

The energy values quoted are for comparison purposes only; they are not a prediction of actual energy use. This rating only applies to the floor plan, construction details, orientation and climate as submitted and included in the attached drawing set that bears a stamp with the same number as this certificate. Changes to any of these details could affect the rating.

### **Contact**

For more information on the Nationwide House Energy Rating Scheme (NatHERS), visit www.nathers.gov.au For more information on energy efficient design and insulation visit www.yourhome.gov.au

<sup>\*</sup> Nationwide House Energy Rating Scheme (NatHERS) is an initiative of the Australian, state and territory governments. For more details see www.nathers.gov.au