

Building Sustainability Index www.basix.nsw.gov.au

Multi Dwelling

Certificate number: 1250181M

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at www.basix.nsw.gov.au

Secretary

Date of issue: Friday, 10 December 2021

To be valid, this certificate must be lodged within 3 months of the date of issue.



Project summary				
Project name	4 Delmar Parade and 812 Pittwater Road DEE WHY			
Street address	4 Delmar Parade DEE WHY 2099			
Local Government Area	Northern Beaches Council			
Plan type and plan number	strata 32071/2			
Lot no.	СР			
Section no.	-			
No. of residential flat buildings	2			
No. of units in residential flat buildings	230			
No. of multi-dwelling houses	0			
No. of single dwelling houses	0			
Project score				
Water	✓ 40 Target 40			
Thermal Comfort	✓ Pass Target Pass			
Energy	✓ 32 Target 25			

Certificate Prepared by

Name / Company Name: Senica Consultancy Group Pty Ltd

ABN (if applicable): 48612864249

BASIX Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 1/35

Description of project

BASIX

Project address	
Project name	4 Delmar Parade and 812 Pittwater Road DEE WHY
Street address	4 Delmar Parade DEE WHY 2099
Local Government Area	Northern Beaches Council
Plan type and plan number	strata 32071/2
Lot no.	СР
Section no.	-
Project type	
No. of residential flat buildings	2
No. of units in residential flat buildings	230
No. of multi-dwelling houses	0
No. of single dwelling houses	0
Site details	
Site area (m²)	7736
Roof area (m²)	4706
Non-residential floor area (m²)	434.0
Residential car spaces	317
Non-residential car spaces	19

Common area landscape					
Common area lawn (m²)	162.0				
Common area garden (m²)	870.0				
Area of indigenous or low water use species (m²)	520.0				
Assessor details					
Assessor number	DMN/14/1658				
Certificate number	HR-6DIV8O-01				
Climate zone	56				
Ceiling fan in at least one bedroom	No				
Ceiling fan in at least one living room or other conditioned area	No				
Project score					
Water	✓ 40	Target 40			
Thermal Comfort	✓ Pass	Target Pass			
Energy	✓ 32	Target 25			

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 2/35

Description of project

The tables below describe the dwellings and common areas within the project

Residential flat buildings - 4 Delmar Parade, 123 dwellings, 6 storeys above ground

Dwelling no.	No. of hedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)
A.20	1 1	46.6	4.3	0.0	0.0
A.206	3 1	46.6	4.3	0.0	0.0
A.30	5 2	80.2	4.2	0.0	0.0
A.402	2 1	51.6	4.3	0.0	0.0
A.407	7 2	73.0	3.8	0.0	0.0
A.504	12	69.0	5.7	0.0	0.0
B.102	2 2	75.6	4.7	0.0	0.0
B.20′	1 1	50.2	5.6	0.0	0.0
B.206	3 1	49.1	5.6	0.0	0.0
B.30	5 2	76.8	3.9	0.0	0.0
B.404	12	78.6	4.2	0.0	0.0
B.503	3 3	92.0	3.8	0.0	0.0
C.102	2 3	102.2	2 3.7	0.0	0.0
C.20	3 3	104.5	3.7	0.0	0.0
C.30	3 3	104.5	3.7	0.0	0.0
C.40	3 3	104.5	3.7	0.0	0.0
C.503	3 3	88.2	4.2	0.0	0.0
D.10	3 2	100.3	3 4.2	0.0	0.0

BASIX

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
A.202	2 2	84.3	3.8	0.0	0.0
A.30	1 1	46.6	4.3	0.0	0.0
A.306	3 2	69.0	5.7	0.0	0.0
A.403	3 1	51.7	4.3	0.0	0.0
A.408	3 1	46.6	4.3	0.0	0.0
A.50	5 2	63.8	6.6	0.0	0.0
B.103	3 2	86.0	4.0	0.0	0.0
B.202	2 2	72.2	3.8	0.0	0.0
B.30	1 1	50.2	5.6	0.0	0.0
B.306	3 1	49.1	5.6	0.0	0.0
B.40	5 2	76.8	3.9	0.0	0.0
B.504	12	70.0	3.2	0.0	0.0
C.10	3 1	58.5	4.0	0.0	0.0
C.20	4 1	58.6	5.5	0.0	0.0
C.304	4 1	58.6	5.5	0.0	0.0
C.40	4 1	58.6	5.5	0.0	0.0
C.504	4 1	50.5	3.8	0.0	0.0
D.20	1 3	45.5	4.3	0.0	0.0

Dwelling no.	No. of hedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
A.203	3 2	80.2	4.2	0.0	0.0
A.302	2 1	51.6	4.3	0.0	0.0
A.307	7 2	73.0	3.8	0.0	0.0
A.404	12	73.0	3.8	0.0	0.0
A.501	1	68.3	3.6	0.0	0.0
A.506	3 2	63.8	6.6	0.0	0.0
B.104	12	84.5	4.3	0.0	0.0
B.203	3 3	107.4	4.1	0.0	0.0
B.302	2 2	72.2	3.8	0.0	0.0
B.401	1	50.2	5.6	0.0	0.0
B.406	3 1	49.1	5.6	0.0	0.0
B.505	5 2	76.8	3.9	0.0	0.0
C.104	12	79.2	5.2	0.0	0.0
C.205	52	79.2	5.2	0.0	0.0
C.30	52	79.2	5.2	0.0	0.0
C.40	52	79.2	5.2	0.0	0.0
C.505	52	79.2	5.2	0.0	0.0
D.202	2 1	59.5	5.6	0.0	0.0

Dwelling no.	No. of hedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
A.204	12	69.0	5.7	0.0	0.0
A.303	3 1	51.7	4.3	0.0	0.0
A.308	3 1	46.6	4.3	0.0	0.0
A.40	5 2	80.2	4.2	0.0	0.0
A.502	2 2	96.4	4.3	0.0	0.0
A.507	7 1	46.1	4.3	0.0	0.0
B.10	5 2	72.3	5.2	0.0	0.0
B.204	12	78.6	4.2	0.0	0.0
B.303	3 3	107.4	4.1	0.0	0.0
B.402	2 2	72.2	3.8	0.0	0.0
B.50 ²	1 1	50.2	5.6	0.0	0.0
B.506	3 1	49.1	5.6	0.0	0.0
C.20	1 2	72.8	3.8	0.0	0.0
C.30	1 2	72.8	3.8	0.0	0.0
C.40	1 2	72.8	3.8	0.0	0.0
C.50	1 2	72.8	3.8	0.0	0.0
D.10	1 2	96.6	4.1	0.0	0.0
D.20	3 3	100.3	3 4.2	0.0	0.0

Dwelling no.	No. of hedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
A.20	5 2	73.0	3.8	0.0	0.0
A.304	12	73.0	3.8	0.0	0.0
A.40	1 1	46.6	4.3	0.0	0.0
A.406	3 2	69.0	5.7	0.0	0.0
A.503	3 3	80.2	4.2	0.0	0.0
B.10	1 2	60.1	4.4	0.0	0.0
B.106	3 2	78.6	4.5	0.0	0.0
B.20	5 2	76.8	3.9	0.0	0.0
B.304	12	78.6	4.2	0.0	0.0
B.403	3 3	107.4	1 4.1	0.0	0.0
B.502	2 2	72.2	3.8	0.0	0.0
C.10	1 3	100.7	4.2	0.0	0.0
C.202	2 2	77.2	3.9	0.0	0.0
C.30	2 2	77.2	3.9	0.0	0.0
C.402	2 2	77.2	3.9	0.0	0.0
C.502	2 2	73.3	3.8	0.0	0.0
D.10	2 2	59.5	5.6	0.0	0.0
D.20	4 1	44.3	5.1	0.0	0.0

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 3/35

Dwelling no.	No. of hedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
D.20	5 1	44.3	5.1	0.0	0.0
D.302	2 1	59.5	5.6	0.0	0.0
D.30	7 2	68.8	3.8	0.0	0.0
D.404	4 1	47.8	5.1	0.0	0.0
D.50	1 3	96.6	4.1	0.0	0.0
D.500	62	74.8	4.5	0.0	0.0
D.603	3 2	71.0	4.2	0.0	0.0

Dwelling no.	No. of hedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)
D.206	3 2	69.5	3.8	0.0	0.0
D.30	3 3	100.3	4.2	0.0	0.0
D.308	3 1	45.5	4.3	0.0	0.0
D.40	5 1	47.8	5.1	0.0	0.0
D.502	2 1	46.6	5.6	0.0	0.0
D.507	7 2	68.8	3.8	0.0	0.0
D.604	12	77.9	4.3	0.0	0.0

Dwelling no.	No. of hedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
D.20	7 2	68.8	3.8	0.0	0.0
D.304	4 1	47.8	5.1	0.0	0.0
D.40	1 3	96.6	4.1	0.0	0.0
D.400	3 2	74.8	4.5	0.0	0.0
D.503	3 2	84.1	3.8	0.0	0.0
D.508	3 1	45.5	4.3	0.0	0.0
D.60	5 3	108.1	3.8	0.0	0.0

Dwelling no.	No. of hedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)
D.208	3 1	45.5	4.3	0.0	0.0
D.30	5 1	47.8	5.1	0.0	0.0
D.402	2 1	59.5	5.6	0.0	0.0
D.40	7 2	68.8	3.8	0.0	0.0
D.504	4 1	46.2	6.1	0.0	0.0
D.60	1 3	113.6	3 4.5	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)
D.30	1 3	96.6	4.1	0.0	0.0
D.306	32	74.8	4.5	0.0	0.0
D.403	3 3	100.3	3 4.2	0.0	0.0
D.408	3 1	45.5	4.3	0.0	0.0
D.50	5 1	46.2	6.1	0.0	0.0
D.602	2 3	102.2	2 3.8	0.0	0.0

Residential flat buildings - 812 Pittwater Road, 107 dwellings, 8 storeys above ground

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
E.10	1 3	74.4	3.8	0.0	0.0
E.106	3 1	47.3	3.8	0.0	0.0
E.204	1 1	49.2	3.8	0.0	0.0
E.208	3 2	73.9	3.8	0.0	0.0
E.302	2 2	73.8	4.2	0.0	0.0
E.307	7 2	66.2	6.0	0.0	0.0
E.40	1 1	48.4	8.5	0.0	0.0
E.406	3 2	74.0	3.8	0.0	0.0

BASIX

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
E.102	2	97.4	11.3	0.0	0.0
E.107	' 1	61.5	4.2	0.0	0.0
E.205	2	73.5	3.9	0.0	0.0
E.209	2	70.5	4.1	0.0	0.0
E.303	3 2	73.9	3.7	0.0	0.0
E.308	3 2	70.4	3.9	0.0	0.0
E.402	2	73.8	4.2	0.0	0.0
E.407	' 2	66.2	6.0	0.0	0.0

Dwelling no.	No. of hedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
E.103	3 1	52.3	3.9	0.0	0.0
E.20	1 2	73.6	4.3	0.0	0.0
E.20	5 2	76.3	4.5	0.0	0.0
E.21′	1 2	44.6	5.8	0.0	0.0
E.304	12	70.1	3.9	0.0	0.0
E.309	9 2	68.9	8.0	0.0	0.0
E.403	3 2	73.9	3.7	0.0	0.0
E.408	3 2	70.4	3.9	0.0	0.0

Dwelling no.	No. of hedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)
E.104	1 1	70.0	3.9	0.0	0.0
E.202	2 2	81.2	4.3	0.0	0.0
E.206	3 2	76.3	4.5	0.0	0.0
E.212	2 1	61.6	4.2	0.0	0.0
E.30	5 1	48.8	4.3	0.0	0.0
E.310	1 (44.6	5.8	0.0	0.0
E.404	12	70.1	3.9	0.0	0.0
E.409	9 2	68.9	8.0	0.0	0.0

Dwelling no.	No. of hedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
E.105	2	45.0	5.8	0.0	0.0
E.203	1	50.8	4.3	0.0	0.0
E.207	1	50.5	5.6	0.0	0.0
E.301	1	48.4	8.5	0.0	0.0
E.306	2	74.0	3.8	0.0	0.0
E.311	1	47.4	3.8	0.0	0.0
E.405	1	48.8	4.3	0.0	0.0
E.410	2	44.6	5.8	0.0	0.0

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 4/35

Dwelling no.	No. of hedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
E.411	1 2	47.7	3.8	0.0	0.0
E.505	5 1	48.8	4.3	0.0	0.0
E.510	1	44.6	5.8	0.0	0.0
E.604	12	60.0	4.0	0.0	0.0
E.609	1	60.0	4.0	0.0	0.0
F.301	1	44.6	5.8	0.0	0.0
F.306	3 1	45.3	4.4	0.0	0.0
F.403	3 1	46.4	3.8	0.0	0.0
F.408	3 2	69.1	5.5	0.0	0.0
F.505	5 1	53.1	4.7	0.0	0.0
F.602	2 1	60.0	4.0	0.0	0.0
F.701	3	91.5	3.9	0.0	0.0
F.706	3	97.8	4.0	0.0	0.0
F.805	5 3	112.7	6.7	0.0	0.0

BASIX

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)
E.50 ²	1 1	48.4	8.5	0.0	0.0
E.506	3 2	74.0	3.8	0.0	0.0
E.51	1 1	47.4	3.8	0.0	0.0
E.60	5 2	60.0	4.0	0.0	0.0
F.201	l 1	46.1	3.8	0.0	0.0
F.302	2 2	47.4	3.8	0.0	0.0
F.307	7 2	71.0	4.6	0.0	0.0
F.404	1 1	44.9	4.3	0.0	0.0
F.50′	l 1	44.2	5.7	0.0	0.0
F.506	3 1	45.3	4.4	0.0	0.0
F.603	3 1	60.0	4.0	0.0	0.0
F.702	2 1	51.5	3.9	0.0	0.0
F.80 ²	۱3	91.5	3.9	0.0	0.0
F.806	3	101.8	98.8	0.0	0.0

Dwelling no.	No. of hedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
E.502	2 2	73.8	4.2	0.0	0.0
E.507	7 2	66.2	6.0	0.0	0.0
E.60 ²	1 3	60.0	4.0	0.0	0.0
E.606	3 2	60.0	4.0	0.0	0.0
F.202	2 1	49.4	4.4	0.0	0.0
F.303	3 1	44.2	5.7	0.0	0.0
F.308	3 2	69.1	5.5	0.0	0.0
F.405	5 1	53.1	4.7	0.0	0.0
F.502	2 2	76.1	3.8	0.0	0.0
F.507	7 2	71.0	4.6	0.0	0.0
F.604	! 1	60.0	4.0	0.0	0.0
F.703	3 1	49.7	4.8	0.0	0.0
F.802	2 1	51.5	3.9	0.0	0.0

Dwelling no.	No. of hedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
E.503	3 2	73.9	3.7	0.0	0.0
E.508	3 2	70.4	3.9	0.0	0.0
E.602	2 1	60.0	4.0	0.0	0.0
E.607	7 1	60.0	4.0	0.0	0.0
F.203	3 1	71.0	4.6	0.0	0.0
F.304	11	44.9	4.3	0.0	0.0
F.401	l 1	44.2	5.7	0.0	0.0
F.406	3 1	45.3	4.4	0.0	0.0
F.503	3 1	46.4	3.8	0.0	0.0
F.508	3 2	69.1	5.5	0.0	0.0
F.605	5 2	60.0	4.0	0.0	0.0
F.704	11	45.3	4.4	0.0	0.0
F.803	3 1	49.7	4.8	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)
E.504	12	70.14	₹ 3.9	0.0	0.0
E.509	9 2	68.9	8.0	0.0	0.0
E.603	3 2	60.0	4.0	0.0	0.0
E.608	3 1	60.0	4.0	0.0	0.0
F.204	12	49.9	4.9	0.0	0.0
F.30	5 1	53.1	4.7	0.0	0.0
F.402	2 2	76.1	3.8	0.0	0.0
F.407	7 2	71.0	4.6	0.0	0.0
F.504	11	44.9	4.3	0.0	0.0
F.60 ²	1 3	60.0	4.0	0.0	0.0
F.606	3 1	60.0	4.0	0.0	0.0
F.70	5 3	112.7	6.7	0.0	0.0
F.804	11	45.3	4.4	0.0	0.0

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 5/35

Description of project

The tables below describe the dwellings and common areas within the project

Common areas of unit building - 4 Delmar Parade

Common area	Floor area (m²)
Lift car (No.1)	-
Lift car (No.4)	-
Bin Compactor Room 1	15.0

Common area	Floor area (m²)
Lift car (No.2)	-
Commercial Bin Room	42.0
Bin Compactor Room 3	32.0

Common area	Floor area (m²)
Lift car (No.3)	-
Bin Compactor Room 2	17.0
Bulky Storage Room	44.0

Common areas of unit building - 812 Pittwater Road

Common area	Floor area (m²)
Lift car (No.5)	-
Storage 10	34.7
Storage 13	22.7

Common area	Floor area (m²)
Lift car (No.6)	-
Storage 11	34.7

Common area	Floor area (m²)
Storage 9	115.0
Storage 12	50.2

Common areas of the development (non-building specific)

Common area	Floor area (m²)					
Basement 1	4122.2					
Main Switch Room 01	11.8					
Comms Room 02	4.1					
Bin Compactor Room 5	12.5					
Garbage room (No. 10)	12.5					
Carpark Exhaust 1	15.4					
Fire Pump Room 01	16.4					
Carpark Supply 02	13.2					
Storage 1	77.2					
Storage 4	110.0					

BASIX

Common area	Floor area (m²)				
Basement 2	4729.0				
Sub Board Switch Room 01	6.1				
Substation	12.4				
Waste Collection Room	12.5				
Garbage room (No. 11)	12.5				
Carpark Supply 1	13.2				
CP Supply 02	15.2				
Grease Arrestor 01	7.6				
Storage 2	75.2				
Storage 5	34.5				

Common area	Floor area (m²)						
Comms Room	5.8						
Sub Board Switch Room 02	4.1						
Bin Compactor Room 4	12.5						
Garbage room (No. 9)	12.5						
CP Supply 01	15.2						
Cold Water Pump Room	11.9						
Carpark Exhaust 2	15.4						
Grease Arrestor 02	8.1						
Storage 3	75.2						
Storage 6	45.1						

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 6/35

Common area	Floor area (m²)
Storage 7	44.0

BASIX

Common area	Floor area (m²)				
Storage 8	75.2				

Common area Floor area (m²)

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 7/35

Schedule of BASIX commitments

- 1. Commitments for Residential flat buildings 4 Delmar Parade
 - (a) Dwellings
 - (i) Water
 - (ii) Energy
 - (iii) Thermal Comfort
 - (b) Common areas and central systems/facilities
 - (i) Water
 - (ii) Energy
- 2. Commitments for Residential flat buildings 812 Pittwater Road
 - (a) Dwellings
 - (i) Water
 - (ii) Energy
 - (iii) Thermal Comfort
 - (b) Common areas and central systems/facilities
 - (i) Water
 - (ii) Energy
- 3. Commitments for multi-dwelling houses
- 4. Commitments for single dwelling houses
- 5. Commitments for common areas and central systems/facilities for the development (non-building specific)
 - (i) Water
 - (ii) Energy

BASIX Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 8/35

Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carried out. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

1. Commitments for Residential flat buildings - 4 Delmar Parade

(a) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifie check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	~	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		~	~
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		~	V
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		✓	-
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		✓	-
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	V	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		✓	
(g) The pool or spa must be located as specified in the table.	V	✓	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	V

BASIX Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 9/35

	Fixtures				Appliances Indivi			ividual pool		Individual spa				
Dwelling no.	All shower- heads	All toilet flushing systems	All kitchen taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
All dwellings	3 star (> 6 but <= 7.5 L/min)	4 star	4 star	4 star	no	-	4 star	-	-	-	-	-	-	-

		Alternative water source							
Dwelling no.	Alternative water supply systems	Size	Configuration	Landscape connection	Toilet connection (s)	Laundry connection	Pool top-up	Spa top-up	
None	-	-	-	-	-	-	-	-	

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifie check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.	~	~	~
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.		~	V
(d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.		~	~
(e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting.		~	~

BASIX Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 10/35

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.	~	~	~
(g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must:			
(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and		✓	
(bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump.		✓	
(h) The applicant must install in the dwelling:			
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		✓	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		✓	V
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		~	
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		~	

	Hot water	Bathroom ventilation system		Kitchen ventilation system		Laundry ventilation system	
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control
All dwellings	central hot water system 1	individual fan, ducted to façade or roof	interlocked to light	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	interlocked to light

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 11/35

	Coo	ling	Hea	ting			Artificial	lighting			Natural lig	ghting
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bedrooms &/or study	No. of living &/or dining rooms	Each kitchen	All bathrooms/ toilets	Each laundry	All hallways	No. of bathrooms &/or toilets	Main kitchei
A.507	1-phase airconditioning 4 Star (old label)	-	1-phase airconditioning 4 Star (old label)	-	2 (dedicated)	2 (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	0	yes
All other dwellings	1-phase airconditioning 4 Star (old label)	-	1-phase airconditioning 4 Star (old label)	-	2 (dedicated)	1 (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	0	yes

	Individual po	ool	Individual s	ра			Appliance	es & other effic	iency meas	ures		
Dwelling no.	Pool heating system	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Refrigerator	Well ventilated fridge space	Dishwasher	Clothes washer	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	-	-	-	-	gas cooktop & electric oven	-	yes	4 star	-	2 star	no	no

(iii) Thermal Comfort	Show on DA plans	Show on CC/CDC plans & specs	Certifie check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	~		

BASIX Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 12/35

iii) Thermal Comfort	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		~	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	~
(g) Where there is an in-slab heating or cooling system, the applicant must:	V	~	V
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	~	~	V

		Thermal loads
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
A.201	11.8	20.3
A.202	15.1	24.2
A.203	11.6	22.3
A.204	20.6	17.0
A.205	5.3	22.4
A.206	11.9	23.3
A.301	12.1	19.7
A.302	11.2	15.4
A.303	11.0	17.4
A.304	4.4	26.4
A.305	8.4	25.2

BASIX Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 13/35

		Thermal loads
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
A.306	21.2	16.7
A.307	6.6	21.7
A.308	12.3	22.8
A.401	14.3	14.4
A.402	13.8	11.5
A.403	13.0	13.8
A.404	6.4	21.3
A.405	10.3	24.9
A.406	24.7	12.0
A.407	9.3	16.6
A.408	15.3	19.1
A.501	28.7	22.8
A.502	38.0	16.2
A.505	38.0	19.6
A.506	34.8	20.0
A.507	24.5	29.0
B.101	34.1	20.9
B.102	39.6	13.5
B.103	25.4	19.9
B.104	20.2	17.6
B.105	27.6	19.8
B.106	43.2	13.5
B.201	24.5	29.2
B.202	15.3	16.3
B.203	10.2	12.9
B.204	18.2	16.9
B.205	2.7	27.5

BASIX Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 14/35

		Thermal loads					
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)					
B.206	12.6	19.3					
B.301	25.3	28.2					
B.302	15.9	16.1					
B.303	10.7	12.7					
B.304	18.7	16.6					
B.305	3.0	26.7					
B.306	13.3	18.5					
B.401	29.7	23.9					
B.402	18.9	13.9					
B.403	13.1	10.2					
B.404	22.2	12.8					
B.405	5.0	23.8					
B.406	17.7	13.8					
B.501	42.8	28.0					
B.502	32.8	20.8					
B.503	31.6	19.3					
B.504	31.8	18.0					
B.505	18.6	24.8					
B.506	31.4	16.9					
C.101	41.5	11.3					
C.102	19.3	14.4					
C.103	18.5	21.4					
C.104	42.8	13.7					
C.201	35.5	28.6					
C.202	4.0	26.0					
C.203	10.2	24.7					
C.204	16.1	21.6					

BASIX Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 15/35

		Thermal loads
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
C.205	24.9	16.4
C.301	27.9	23.8
C.302	4.4	25.7
C.303	10.8	24.3
C.304	16.9	21.2
C.305	20.0	24.1
C.401	32.8	19.5
C.402	6.7	22.2
C.403	13.9	19.3
C.404	21.5	15.7
C.405	23.2	15.8
C.501	43.6	24.7
C.502	21.7	25.4
C.503	29.0	29.2
C.504	34.6	17.4
C.505	37.9	22.3
D.101	27.5	15.0
D.102	26.2	24.9
D.103	21.7	17.9
D.201	7.1	28.2
D.202	10.8	19.8
D.203	16.8	16.9
D.204	35.1	24.2
D.205	33.9	25.2
D.206	37.7	16.4
D.207	20.2	20.2
D.208	2.7	26.8

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 16/35

	Thermal loads							
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)						
D.301	11.2	19.6						
D.302	16.7	23.5						
D.303	17.3	16.4						
D.304	21.2	18.0						
D.305	20.6	20.5						
D.306	37.3	16.2						
D.307	20.3	20.0						
D.308	2.8	25.9						
D.401	13.9	16.5						
D.402	20.7	17.1						
D.403	20.7	12.7						
D.404	25.7	15.0						
D.405	24.9	14.3						
D.406	42.4	13.2						
D.407	24.7	17.3						
D.408	3.7	18.6						
D.501	18.8	15.2						
D.502	14.0	24.4						
D.503	29.1	14.4						
D.504	28.7	14.6						
D.505	22.0	13.4						
D.506	44.7	12.7						
D.507	24.3	17.6						
D.508	1.3	18.0						
D.601	26.9	25.3						
D.602	42.2	20.3						
D.603	37.1	18.6						

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 17/35

		Thermal loads				
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)				
D.604	44.2	16.7				
D.605	26.1	11.6				
All other dwellings	28.4	27.3				

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 18/35

(b) Common areas and central systems/facilities

BASIX

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		<u> </u>	V
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	~	~	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	V	•	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		<u> </u>	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		<u> </u>	V
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		V	V

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	4 star	4 star	no common laundry facility

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	~
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	~	~	-

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 19/35

	Common area	entilation system	Common area lighting				
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/BMS		
Lift car (No.1)	-	-	compact fluorescent	connected to lift call button	No		
Lift car (No.2)	-	-	compact fluorescent	connected to lift call button	No		
Lift car (No.3)	-	-	compact fluorescent	connected to lift call button	No		
Lift car (No.4)	-	-	compact fluorescent	connected to lift call button	No		
Commercial Bin Room	ventilation exhaust only	-	fluorescent	motion sensors	No		
Bin Compactor Room 2	ventilation exhaust only	-	fluorescent	motion sensors	No		
Bin Compactor Room 1	ventilation exhaust only	-	fluorescent	motion sensors	No		
Bin Compactor Room 3	ventilation exhaust only	-	fluorescent	motion sensors	No		
Bulky Storage Room	ventilation exhaust only	-	fluorescent	motion sensors	No		

Central energy systems	Туре	Specification
Central hot water system (No. 1)	gas instantaneous	Piping insulation (ringmain & supply risers): (b) Piping internal to building: R1.0 (~38 mm)
Lift (No. 1)	gearless traction with V V V F motor and regenerative drive	Number of levels (including basement): 7
Lift (No. 2)	gearless traction with V V V F motor and regenerative drive	Number of levels (including basement): 7
Lift (No. 3)	gearless traction with V V V F motor and regenerative drive	Number of levels (including basement): 7
Lift (No. 4)	gearless traction with V V V F motor and regenerative drive	Number of levels (including basement): 8

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 20/35

2. Commitments for Residential flat buildings - 812 Pittwater Road

(a) Dwellings

BASIX

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	~	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		~	V
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		~	V
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		•	V
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		•	-
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	V	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		•	
(g) The pool or spa must be located as specified in the table.	•	✓	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 21/35

	Fixtures			Appliances Indivi		ividual pool		Individual spa						
Dwelling no.	All shower- heads	All toilet flushing systems	All kitchen taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
All dwellings	3 star (> 6 but <= 7.5 L/min)	4 star	4 star	4 star	no	-	4 star	-	-	-	-	-	-	-

	Alternative water source							
Dwelling no.	Alternative water supply systems	Size	Configuration	Landscape connection	Toilet connection (s)	Laundry connection	Pool top-up	Spa top-up
None	-	-	-	-	-	-	-	-

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.	~	~	~
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.		~	V
(d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.		~	~
(e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting.		~	~

BASIX Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 22/35

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.	~	~	~
(g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must:			
(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and		~	
(bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump.		✓	
(h) The applicant must install in the dwelling:			
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		✓	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		✓	V
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		~	
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		V	

	Hot water	Bathroom ventilation system		Kitchen ventilation system		Laundry ventilation system	
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control
All dwellings	central hot water system 2	individual fan, ducted to façade or roof	interlocked to light	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	interlocked to light

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 23/35

	Coo	ling	Hea	ting			Artificial	lighting			Natural lig	ghting
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bedrooms &/or study	No. of living &/or dining rooms	Each kitchen	All bathrooms/ toilets	Each laundry	All hallways	No. of bathrooms &/or toilets	Main kitche
All dwellings	1-phase airconditioning 2.5 Star (old label)	1-phase airconditioning 2.5 Star (old label)	1-phase airconditioning 4 Star (old label)	-	2 (dedicated)	1 (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	0	yes

	Individual po	ool	Individual s	ра			Appliance	es & other effic	iency meas	ures		
Dwelling no.	Pool heating system	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Refrigerator	Well ventilated fridge space	Dishwasher	Clothes washer	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	-	-	-	-	gas cooktop & electric oven	-	yes	4 star	-	2 star	no	no

(iii) Thermal Comfort	Show on DA plans	Show on CC/CDC plans & specs	Certifie check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	~		
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		~	

BASIX Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 24/35

(iii) Thermal Comfort	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	¥
(g) Where there is an in-slab heating or cooling system, the applicant must:	~	~	-
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	~	V	~

	Thermal loads				
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)			
E.101	20.6	24.5			
E.102	39.4	13.6			
E.103	37.0	15.5			
E.104	39.8	10.0			
E.105	28.4	17.6			
E.106	37.6	22.6			
E.107	32.1	13.2			
E.201	3.1	16.1			
E.202	30.7	18.0			
E.203	25.5	20.0			
E.204	32.6	20.6			
E.205	25.5	21.1			
E.205	31.2	12.1			
E.206	34.2	19.5			

BASIX Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 25/35

		Thermal loads
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
E.207	40.6	12.2
E.211	33.0	26.8
E.212	9.0	15.7
E.301	5.8	18.8
E.302	8.1	17.0
E.303	28.8	18.1
E.304	25.6	12.9
E.305	35.5	26.1
E.306	41.9	19.2
E.307	19.2	19.8
E.308	18.6	17.8
E.309	11.0	18.4
E.310	12.2	21.6
E.311	31.5	29.0
E.401	8.3	16.0
E.402	7.9	28.0
E.403	33.8	15.4
E.404	30.0	10.8
E.405	42.3	21.3
E.406	41.6	16.4
E.407	23.4	17.9
E.408	22.8	15.0
E.409	13.6	17.8
E.410	13.0	16.8
E.411	32.8	25.8
E.501	8.8	15.5
E.502	8.1	27.8

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 26/35

	Thermal loads					
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)				
E.503	27.4	19.2				
E.504	25.8	11.8				
E.505	39.4	26.5				
E.506	39.4	18.4				
E.507	24.1	17.4				
E.508	23.4	15.0				
E.509	14.0	17.4				
E.510	13.4	16.3				
E.511	33.8	25.8				
E.601	24.7	19.3				
E.602	36.0	19.1				
E.603	45.3	11.9				
E.604	36.9	22.7				
E.605	34.4	13.7				
E.606	17.2	15.4				
E.607	17.6	15.6				
E.608	42.6	26.5				
E.609	18.2	18.5				
F.201	35.0	26.0				
F.202	14.7	22.8				
F.203	26.3	15.0				
F.204	26.9	27.0				
F.301	20.8	27.0				
F.302	33.3	25.9				
F.303	33.7	29.1				
F.304	14.6	23.0				
F.305	21.8	26.9				

BASIX Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 27/35

	Thermal loads					
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)				
F.306	9.6	26.3				
F.307	13.8	15.4				
F.308	21.1	19.3				
F.401	26.8	20.4				
F.402	39.8	22.8				
F.403	40.6	19.8				
F.404	18.0	14.9				
F.405	18.0	23.1				
F.406	13.1	22.3				
F.407	15.4	14.7				
F.408	25.6	16.6				
F.501	27.6	20.0				
F.502	40.7	22.4				
F.503	41.5	19.4				
F.504	19.5	14.5				
F.505	18.5	23.1				
F.506	13.6	21.8				
F.507	16.0	14.2				
F.508	26.2	15.9				
F.601	43.2	20.8				
F.602	39.5	15.7				
F.603	23.3	9.6				
F.604	15.9	23.4				
F.605	16.1	14.5				
F.606	38.3	19.5				
F.701	44.0	20.7				
F.702	40.2	15.1				

BASIX Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 28/35

		Thermal loads
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
F.703	12.8	13.3
F.704	14.8	22.2
F.705	29.9	11.2
F.706	37.6	17.2
F.801	42.6	27.5
F.802	44.0	20.9
F.803	25.9	14.9
F.804	27.3	22.0
F.805	41.2	13.0
F.806	38.3	24.0
All other dwellings	23.5	16.2

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 29/35

(b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		<u> </u>	V
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	~	~	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	V	•	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		<u> </u>	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		<u> </u>	V
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		V	V

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	4 star	4 star	no common laundry facility

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	¥
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	V	V	~

BASIX Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 30/35

Common area ventilation system			Common area lighting		
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/BMS
Lift car (No.5)	-	-	compact fluorescent	connected to lift call button	No
Lift car (No.6)	-	-	compact fluorescent	connected to lift call button	No
Storage 9	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No
Storage 10	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No
Storage 11	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No
Storage 12	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No
Storage 13	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No

Central energy systems	Туре	Specification
Central hot water system (No. 2)	gas instantaneous	Piping insulation (ringmain & supply risers): (b) Piping internal to building: R1.0 (~38 mm)
Lift (No. 5)	gearless traction with V V V F motor and regenerative drive	Number of levels (including basement): 8
Lift (No. 6)	gearless traction with V V V F motor and regenerative drive	Number of levels (including basement): 10

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 31/35

5. Commitments for common areas and central systems/facilities for the development (non-building specific)

(b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		~	V
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	~	~	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	V	~	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		V	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	V
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		V	V

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	4 star	4 star	no common laundry facility

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	~
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	V	~	~

BASIX Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 32/35

	Common area ventilation system		Common area lighting		
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/BMS
Basement 1	ventilation (supply + exhaust)	carbon monoxide monitor + VSD fan	fluorescent	zoned switching with motion sensor	No
Basement 2	ventilation (supply + exhaust)	carbon monoxide monitor + VSD fan	fluorescent	zoned switching with motion sensor	No
Comms Room	ventilation supply only	none ie. continuous	fluorescent	motion sensors	No
Main Switch Room 01	ventilation supply only	none ie. continuous	fluorescent	motion sensors	No
Sub Board Switch Room 01	ventilation supply only	none ie. continuous	fluorescent	motion sensors	No
Sub Board Switch Room 02	ventilation supply only	none ie. continuous	fluorescent	motion sensors	No
Comms Room 02	ventilation supply only	none ie. continuous	fluorescent	motion sensors	No
Substation	ventilation supply only	none ie. continuous	fluorescent	motion sensors	No
Bin Compactor Room 4	ventilation exhaust only	-	fluorescent	motion sensors	No
Bin Compactor Room 5	ventilation exhaust only	-	fluorescent	motion sensors	No
Waste Collection Room	ventilation exhaust only	-	fluorescent	motion sensors	No
Garbage room (No. 9)	ventilation exhaust only	-	fluorescent	motion sensors	No
Garbage room (No. 10)	ventilation exhaust only	-	fluorescent	motion sensors	No
Garbage room (No. 11)	ventilation exhaust only	-	fluorescent	motion sensors	No
CP Supply 01	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No
Carpark Exhaust 1	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No
Carpark Supply 1	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No
Cold Water Pump Room	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No
Fire Pump Room 01	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No
CP Supply 02	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No
Carpark Exhaust 2	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No
Carpark Supply 02	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No
Grease Arrestor 01	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No
Grease Arrestor 02	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No
Storage 1	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No

BASIX Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 33/35

	Common area	Common area ventilation system		Common area lighting		
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/BMS	
Storage 2	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No	
Storage 3	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No	
Storage 4	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No	
Storage 5	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No	
Storage 6	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No	
Storage 7	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No	
Storage 8	ventilation exhaust only	none ie. continuous	fluorescent	motion sensors	No	

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 34/35

Notes

- 1. In these commitments, "applicant" means the person carrying out the development.
- 2. The applicant must identify each dwelling, building and common area listed in this certificate, on the plans accompanying any development application, and on the plans and specifications accompanying the application for a construction certificate / complying development certificate, for the proposed development, using the same identifying letter or reference as is given to that dwelling, building or common area in this certificate.
- 3. This note applies if the proposed development involves the erection of a building for both residential and non-residential purposes (or the change of use of a building for both residential and non-residential purposes). Commitments in this certificate which are specified to apply to a "common area" of a building or the development, apply only to that part of the building or development to be used for residential purposes.
- 4. If this certificate lists a central system as a commitment for a dwelling or building, and that system will also service any other dwelling or building within the development, then that system need only be installed once (even if it is separately listed as a commitment for that other dwelling or building).
- 5. If a star or other rating is specified in a commitment, this is a minimum rating.
- 6. All alternative water systems to be installed under these commitments (if any), must be installed in accordance with the requirements of all applicable regulatory authorities. NOTE: NSW Health does not recommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for human consumption in areas with potable water supply.

Legend

BASIX

- 1. Commitments identified with a " in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).
- 2. Commitments identified with a " in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.
- 3. Commitments identified with a " in the "Certifier check" column must be certified by a certifying authority as having been fulfilled. (Note: a certifying authority must not issue an occupation certificate (either interim or final) for a building listed in this certificate, or for any part of such a building, unless it is satisfied that each of the commitments whose fulfillment it is required to monitor in relation to the building or part, has been fulfilled).

Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_18_5 Certificate No.: 1250181M Friday, 10 December 2021 page 35/35