



northern
beaches
council

Business Hours:

8.00am to 5.30pm, Monday to Thursday

8.00am to 5.00pm, Friday

DA No: N0440/17

27 February 2018

**Braden Carter
21 Hillside Road
NEWPORT NSW 2106**

Dear Sir/Madam

Development Application for Construction of a garage with secondary dwelling on top and associated works at 21 Hillside Road, Newport.

I am pleased to advise that this application has been approved and I attach for your assistance a copy of the Development Consent, the conditions of approval and a copy of the approved plans.

If building works are involved, prior to proceeding with the proposal, it will be necessary for you to lodge a Construction Certificate Application with either Council or an accredited Certifier.

I take this opportunity to direct your attention to Section C of the Consent which details the matters to be satisfied prior to issue of the Construction Certificate.

Additionally, for your reference, please find enclosed Information Sheets that will assist in providing information you will need to consider for the processes following on from receiving this consent.

If there are any matters relating to this approval which require further explanation, please contact me prior to commencing work on the site.

Enquiries relating to the Construction Certificate application should be directed to Council's Customer Service or your private certifier.

Yours faithfully

**Christopher Nguyen
PLANNER**



northern
beaches
council

CONSENT NO: N0440/17
ENVIRONMENTAL PLANNING & ASSESSMENT ACT, 1979 (AS AMENDED)
NOTICE TO APPLICANT OF DETERMINATION
OF A DEVELOPMENT APPLICATION

Applicant's Name and Address:

BRADEN CARTER
21 HILLSIDE ROAD
NEWPORT NSW 2016

Being the applicant in respect of Development Application No N0440/17

Pursuant to section 80(1) of the Act, notice is hereby given of the determination by Northern Beaches Council, as the consent authority, of Development Application No **N0440/17** for:

Construction of a garage with secondary dwelling ontop and associated works

At: 21 Hillside Road, NEWPORT NSW 2106 (Lot 13 DP 9224)

Decision:

The Development Application has been determined by the granting of consent based on information provided by the applicant in support of the application, including the Statement of Environmental Effects, and in accordance with

- **Architectural drawings prepared by John Haines Draftsman, CARTER 1 sheet 3 of 3, not dated**
- **BASIX Certificate, 855609S, dated 10/09/2017**
- **Bushfire Risk Management Report, prepared by Bushfire Planning and Design, dated 17/05/2017**
- **Geotechnical Risk Management Addendum, prepared by Taylor Geotechnical Engineering, dated 22/09/2017**

as amended in red (shown clouded) or as modified by any conditions of this consent.

The reason for the imposition of the attached conditions is to ensure that the development consented to is carried out in such a manner as to achieve the objectives of the Environmental Planning and Assessment Act 1979 (as amended), pursuant to section 5(a) of the Act, having regard to the relevant matters for consideration contained in section 79C of the Act and the Environmental Planning Instruments applying to the land, as well as section 80A of the Act which authorises the imposing of the consent conditions.

Endorsement of date of consent 27-Feb-2018

Mark Ferguson
CHIEF EXECUTIVE OFFICER

Per:



Conditions of Approval

This consent is not an approval to commence building work. The works associated with this consent can only commence following the issue of the Construction Certificate.

Note: Persons having the benefit of development consent may appoint either a council or an accredited certifier as the principal certifying authority for the development or for the purpose of issuing certificates under Part 4A of the Environmental Planning and Assessment Act. When considering engaging an accredited certifier a person should contact the relevant accreditation body to ensure that the person is appropriately certified and authorised to act in respect of the development.

A. Prescribed Conditions:

- ~~1. All works are to be carried out in accordance with the requirements of the Building Code of Australia.~~
2. In the case of residential building work for which the Home Building Act 1989 requires there to be a contract of insurance in force in accordance with Part 6 of that Act, that such a contract of insurance is in force before any building work authorised to be carried out by the consent commences.
3. A sign must be erected in a prominent position onsite only showing:
 - a) the name, address and telephone number of the Principal Certifying Authority for the work, and
 - b) the name of the principal contractor or the person responsible for the works and a telephone number on which that person may be contacted outside working hours, and
 - c) that unauthorised entry to the work site is prohibited.The sign must to be maintained while the building work, subdivision work or demolition work is being carried out, but must be removed when the work has been completed.
4. Residential building work within the meaning of the Home Building Act 1989 must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council) has given the Council written notice of the following information:
 - a) in the case of work for which a principal contractor is required to be appointed:
 - i) The name and licence number of the principal contractor, and
 - ii) The name of the insurer by which the work is insured under Part 6 of that Act.
 - b) in the case of work to be done by an owner-builder:
 - i) The name of the owner-builder, and
 - ii) If the owner-builder is required to hold an owner-builder permit under that Act, the number of the owner-builder permit.
 - c) If arrangements for doing the residential building work are changed while the work is in progress so that the information notified under a or b above becomes out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council) has given the Council written notice of the updated information



5. If arrangements for doing the residential building work are changed while the work is in progress so that the information notified under subclause (2) becomes out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council) has given the Council written notice of the updated information.
6. This approval/consent relates only to the new work nominated on the approved consent plans and does not approve or regularise any existing buildings or structures within the property boundaries or within Council's road reserve.
7. Any building work in relation to the development consent is to be carried out in accordance with the requirements of the Building Code of Australia.

B. Matters to be incorporated into the development and maintained over the life of the development:

1. The commitments identified in the BASIX Certificate and on the plans or specifications are to be fulfilled and maintained for the life of the development.
2. The secondary dwelling (including the staircase) is to be set back a minimum of 1.0m from each side boundary (north-west and south-east side boundaries)
3. If any Aboriginal Engravings or Relics are unearthed all work is to cease immediately and the Aboriginal Heritage Office (AHO) and Office of Environment and Heritage (OEH) are to be notified.
4. The recommendation of the risk assessment required to manage the hazards as identified in Geotechnical Report prepared by Taylor Geotechnical Engineering are to be incorporated into the construction plans.
5. No environmental weeds are to be planted on the site. Refer to Council website http://www.pittwater.nsw.gov.au/environment/noxious_weeds for environmental weed lists.
6. No building materials or other materials are to be placed on Bushland vegetation. Sediment is not to leave the site or enter areas of Bushland vegetation, and the appropriate sediment fencing is to be installed.
7. As part of an integrated on-site stormwater management system, stormwater is to be discharged by direct connection into the nearest Council's pit.
8. The internal driveway finish is:
 - a) to be a stable surface for all weather conditions
 - b) to be constructed of materials that blend with the environment and are of dark or earthy tones or natural materials.



9. In accordance with Pittwater 21 DCP Control B4.22 Protection of Trees and Bushland Vegetation, all existing trees as indicated in the Survey Plan and/or approved Landscape Plan shall be retained except where Council's prior written consent has been obtained, for trees that stand within the envelope of approved development areas and removal is approved through an arborist report. For all other tree issues not related to a development application, applications must be made to Council's Tree Management Officers.
10. A minimum of 200mm clearance is to always be maintained to the tree trunk from proposed bearers, joists and decking.

C. Matters to be satisfied prior to the issue of the Construction Certificate:

Note: All outstanding matters referred to in this section are to be submitted to the accredited certifier together. ~~Incomplete Construction Certificate applications / details cannot be accepted.~~

1. Submission of construction plans and specifications and documentation which are consistent with the approved Development Consent plans, the requirements of Building Code of Australia and satisfy all conditions shown in Part B above are to be submitted to the Principal Certifying Authority.
2. The Principal Certifying Authority must be provided with a copy of plans that a Quick Check agent/Sydney Water has stamped before the issue of any Construction Certificate.
3. The person having the benefit of this consent is required to notify the Principal Certifying Authority to ensure that the following critical stage inspections are undertaken, as required under clause 162A(4) of the Environmental Planning and Assessment Regulation 2000:
 - a) after excavation for, and prior to the placement of, any footings, and
 - b) prior to pouring any in-situ reinforced concrete building element, and
 - c) prior to covering of the framework for any floor, wall, roof or other building element, and
 - d) prior to covering waterproofing in any wet areas, and
 - e) prior to covering any stormwater drainage connections, and
 - f) after building work has been completed and prior to any occupation certificate being issued in relation to the building.

To allow a Principal Certifying Authority to carry out critical stage inspections, at least 48 hours notice must be given before building work is commenced and prior to further work being undertaken.

4. Construction works approved by this consent must not commence until:
 - a) Construction Certificate has been issued by a Principal Certifying Authority
 - b) a Principal Certifying Authority has been appointed and Council has been notified in writing of the appointment, and
 - c) at least 2 days notice, in writing has been given to Council of the intention to



commence work.

5. In accordance with section 34 of the Building and Construction Industry Long Service Payments Act 1986, the applicant must pay a long service levy at the prescribed rate of 0.0035 of the total cost of the work to either the Long Service Payment Corporation or Council for any work costing \$25,000 or more.
 6. A Schedule of Works prepared by a qualified practising Structural Engineer with corporate membership of the Institute of Engineers Australia (M.I.E), or who is eligible to become a corporate member and has appropriate experience and competence in the related field is to be submitted to the Accredited Certifier or Council in respect of the following items:
 - a) The details and location of all intercept drains, provided uphill of the excavation, to control runoff through the cut area.
 - b) ~~The proposed method of disposal of collected surface waters is to be clearly detailed~~
 - c) Procedures for excavation and retention of cuts, to ensure the site stability is maintained during earthworks.
 7. Plans and details demonstrating that the commitments identified in the BASIX Certificate that apply to the construction certificate or complying development plans and specifications are fulfilled.
 8. Prior to issue of the Construction Certificate, Form 2 of the Geotechnical Risk Management Policy for Pittwater (Appendix 5 of P21 DCP) is to be completed and submitted to the Accredited Certifier.
 9. Drainage plans including specifications and details showing the site stormwater management for the development has been designed in accordance with Taylor Geotechnical Engineering report dated 25 January 2010 clause 6.7 "Site Drainage" are to be submitted to the Accredited Certifier with the Construction Certificate application. Such details are to be accompanied by a certificate from a qualified practicing Civil Engineer with corporate membership of the Institute of Engineers Australia (M.I.E), or who is eligible to become a Corporate member and has appropriate experience and competence in the related field, that the stormwater management system complies with the requirements of section 3.1.2 Drainage of the Building Code of Australia Housing Provision and AS/NZS 3500.3.2 - Stormwater Drainage. The details shall include disposal of site stormwater (if the site is in a known slip area the stormwater disposal system must comply with the recommendations of a Geotechnical Engineers Report).
- Note: Where Council is the Principal Certifying Authority 3 sets of plans/specifications are to be submitted.
10. All structures are to be located clear of any Northern Beaches Council's pipeline or easement located adjacent to the north western boundary. Footings of any structure adjacent to an easement or pipeline are to be designed in accordance with Council's Policy Building Over or Adjacent to Constructed Council Drainage Systems and Easements.

Structural details prepared by a suitably qualified Civil Engineer demonstrating compliance are to be submitted to the Certifying Authority for approval prior to the issue of the Construction Certificate



11. Detailed landscape working drawings and specification, which comply in all respects with the conditions of development consent, are to be submitted to the Accredited Certifier or Council with the Construction Certificate application. Each plan/sheet is to be certified by a qualified landscape architect, landscape designer/environmental designer or horticulturist, confirming that the plans/details for the works to be carried out will achieve the relevant conditions of the development consent.

In particular, the landscape working drawing is to provide full details of the following:

- a) The usage of the dominant native tree species growing in the area or locally indigenous species;
- b) All existing trees and vegetation to be retained, removed and/or proposed, including canopy spread, trunk location and condition. This should incorporate the findings and recommendations of the associated arborist report if applicable;
- c) A planting schedule including stratum, species/common names, species quantities, pot sizes (particularly for trees) and staking details;
- d) A schedule of materials (including such elements as turfing, edging, walling paving and fencing);
- e) Plans for weed control prior to commencement of landscaping works where applicable.
- f) The proposed finished treatment of garden areas, including soil depth and mulching details;
- g) The location of underground/overhead services;
- h) At least two (2) locally indigenous canopy trees within the front yard and one (1) locally indigenous canopy tree in the rear yard of the residential allotment, which at maturity will achieve a canopy height greater than 8.5 metres to visually reduce the height, bulk and scale of the development;
- i) Understorey planting of locally indigenous species which after three years will in conjunction with the canopy planting, screen 50% of the built form when viewed from the street.
- j) 1 x *Angophora costata* and 1 x *Eucalyptus botryoides* is to be planted between the granny flat and the main dwelling. These trees shall be planted at a minimum size of 25 litres and shall be maintained for the life of the development.
- k) 2 x *Banksia integrifolia* planted at the rear of the property. These trees shall be planted at a minimum size of 25 litres and shall be maintained for the life of the development.

12. The finished surface materials, including colours and texture of any building, shall blend with the surrounding and/or natural materials. Colours and materials shall be non-glare of low reflectivity. A satisfactory specification which achieves this shall be submitted to the Accredited Certifier or Council with the Construction Certificate application in the form of a *Schedule of Finishes*.

D. Matters to be satisfied prior to the commencement of works and maintained during the works:



Note: It is an offence to commence works prior to issue of a Construction Certificate.

1. The hours of construction are restricted to between the hours of 7.00am and 5.00pm Monday - Friday and 7.00am to 1.00pm on Saturdays. No works are to be carried out on Sundays or Public Holidays. Internal building work may be carried out at any time outside these hours, subject to noise emissions from the building or works not being audible at any adjoining boundary.

Note: This condition does not apply in relation to Crown building work that is certified, in accordance with Section 116G of the Act, to comply with the technical provisions of the States building laws.

2. Any proposed demolition works shall be carried out in accordance with the requirements of AS2601-2001 The Demolition of Structures.

~~Amongst others, precautions to be taken shall include compliance with the requirements of the WorkCover Authority of New South Wales, including but not limited to:~~

- a) Protection of site workers and the general public.
- b) Erection of hoardings where appropriate.
- c) Asbestos handling and disposal where applicable.
- d) Any disused service connections shall be capped off.

Council is to be given 48 hours written notice of the destination/s of any excavation or demolition material. The disposal of refuse is to be to an approved waste disposal depot.

3. A stamped copy of the approved plans is to be kept on the site at all times, during construction.

4. The following facilities must be provided on the site:

- a) toilet facilities in accordance with WorkCover NSW requirements, at a ratio of one toilet per every 20 employees, and
- b) a garbage receptacle for food scrapes and papers, with a tight fitting lid.

Toilet facilities are to be provided in a location which will not detrimentally affect the amenity of any adjoining residents at or in the vicinity of the work site during the duration of the development.

5. Where excavations extend below the level of the base of the footings of a building on an adjoining allotment of land, the person causing the excavation must give the owner of the adjoining property at least seven (7) days written notice of their intention to excavate below the level of the base of the footing and furnish the adjoining property owner with particulars of the proposed work.

6. Protection fencing measures (including sedimentation fences) are to be installed in accordance with all approved plans including those specified in the Arborist Report and/or Ecological Sustainability Plan or Bushland Management Plan. Protection measures are to be maintained for the duration of the works. Protection fencing that is no longer required is to be removed once all works are completed.



7. Waste materials generated through demolition, excavation and construction works are to be minimised by re-use on site, recycling or where re-use or recycling is not practical, disposal at an appropriate authorised waste facility.

All waste dockets and receipts regarding demolition, excavation and construction waste are to be retained on site to confirm which facility received the material for recycling or disposal.

The ongoing operation of Recycling and Waste Management Services is to be undertaken in accordance with the Waste Management Plan.

8. The site must be fenced throughout construction and must comply with WorkCover New South Wales requirements and be a minimum of 1.8m in height.
9. A site fence and silt and sediment control fence is to be erected and maintained during the course of works along any street boundary and park/reserve boundary to the site.
10. A clearly legible *Site Management Sign* is to be erected and maintained throughout the course of the works. The sign is to be centrally located on the main street frontage of the site and is to clearly state in legible lettering the following:
 - a) The builder's name, builder's telephone contact number both during work hours and after hours.
 - b) That no works are to be carried out in Council's Road Reserve without prior application and approval of a Road Opening Permit from Council.
 - c) That a Road Opening Permit issued by Council must be obtained for any road openings or excavation within Council's Road Reserve associated with development of the site, including stormwater drainage, water, sewer, electricity, gas and communication connections. During the course of the road opening works the Road Opening Permit must be visibly displayed at the site.
 - d) That no skip bins or materials are to be stored on Council's Road Reserve.
 - e) That the contact number for Northern Beaches Council for permits is 9970 1111.
11. As there are existing trees to be retained within 5 metres of proposed development works, all recommendations as outlined in the supplied arborist report by Growing My Tree Tree Services, dated September 2010 are required to be complied with before and throughout the development period, particularly with regard to the following:
 - a) Works, erection/demolition of structures, excavation or changes to soil levels within 5 metres of existing trees are not permitted unless part of the development as approved, and the storage of spoil, building materials, soil or the driving and parking of any vehicle or machinery within 5 metres of the trunk of a tree to be retained is not permitted;
 - b) Where specified, tree guards are to be provided to all trees as indicated in the report, and are to be installed prior to the commencement of any work on the site. Tree guard materials and dimensions are specified in the arborist report;



- c) All works within 5 metres of existing trees including demolition, excavation, civil works, fencing and the like must be carried out by hand and under the supervision of an experienced and suitably qualified arborist. In the event that major structural or feeder roots are encountered, the arborist is to advise the builder to carry out appropriate action to ensure the retention of the tree.
- d) Signage is to be erected advising all contractors and visitors to the site that no works or storage are to take place within the dripline of existing trees.
- e) Any changes or alterations made to the tree management recommendations as outlined by the arborist report due to the discovery of new structural roots or underground services during development works must be reported to the Principal Certifying Authority prior to works recommencing.

12. The project manager is to erect signs advising all contractors and visitors to the site that no works or storage are to take place within the dripline of existing trees.

13. All works within 5 metres of the existing trees to be retained including pruning, demolition, excavation, civil works, fencing and the like must be carried out by hand under the supervision of an experienced and qualified Arborist. Should roots larger than 50mm be encountered all excavation works are to cease immediately and a qualified Arborist is to advise on the impacts of the roots removal on the tree's survival and report to the Principal Certifying Authority prior to works recommencing. If tree roots are present a pier and beam method of footing construction is to be adopted so as to bridge/span any identified lateral roots.

E. Matters to be satisfied prior to the issue of Occupation Certificate:

Note: Prior to the issue of an Occupation Certificate the principal certifying authority is to ensure that Council's assets, including road, kerb and gutter and drainage facilities adjacent or near to the site have not been damaged as a result of the works. Where such damage has occurred, it is to be repaired to Council's written satisfaction prior to the issue of an Occupation Certificate or suitable arrangements put in place to effect those repairs at a future date to Council's written satisfaction. Should this process not be followed, Council will pursue action against the principal accredited certifier in relation to the recovery of costs to effect such works.

Note: It is an offence to occupy the building or part thereof to which this consent relates prior to the issue of an Occupation Certificate.

1. An Occupation Certificate application stating that the development complies with the Development Consent, the requirements of the Building Code of Australia and that a Construction Certificate has been issued must be obtained before the building is occupied or on completion of the construction work approved by this Development Consent.
2. All existing and /or proposed dwellings/sole occupancy units are to have approved hard-wired smoke alarms installed and maintained over the life of the development. All hard-wired smoke alarms are to be Australian Standard compliant and must be installed and certified by any appropriately qualified electrician prior to the issue of any Occupation Certificate.
3. Certification is to be provided that the commitments identified in the BASIX Certificate have been fulfilled.



4. Prior to issue of the Occupation Certificate, Form 3 of the Geotechnical Risk Management Policy (Appendix 5 of P21 DCP) is to be completed and submitted to the Accredited Certifier.
5. Certification is to be provided to a Principal Certifying Authority by an experienced Water/Environmental/Civil Engineer who is NPER accredited by the Institution of Engineers, Australia that the stormwater harvesting and reuse scheme has been completed in accordance with the engineering plans and specifications required under this consent.
6. All structures are to be located clear of any Northern Beaches Council pipeline or easement located adjacent to the north western boundary. Footings of any structure adjacent to an easement or pipeline are to be designed in accordance with Council's Policy Building Over or Adjacent to Constructed Council Drainage Systems and Easements.

A statement of compliance is to be prepared by a suitably qualified Civil Engineer and submitted to the Certifying Authority for approval prior to the issue of the Occupation Certificate.

7. A Certificate is to be submitted to the Principal Certifying Authority for internal driveways and car spaces by a qualified practising Civil Engineer with corporate membership of the Institute of Engineers Australia (M.I.E), or who is eligible to become a Corporate member and has appropriate experience and competence in the related field confirming to the satisfaction of the Private Certifying Authority that the driveway has been constructed in accordance with AS/NZS 2890.1:2004 and relevant conditions of Development Consent.
8. Prior to issue of an Occupation Certificate photographic evidence of the condition of the street trees and road reserve and area adjoining the site after the completion of all construction, must be submitted to the Principal Certifying Authority showing that no damage has been done and if damage has been done that it has been fully remediated. The photographs shall be accompanied by a statement that no damage has been done (or where damage has been remediated that Council has approved that work). In this regard Council's written agreement that all restorations have been completed satisfactorily must be obtained prior to the issue of any Occupation Certificate.
9. A certificate is to be submitted to the Principal Certifying Authority with the Occupation Certificate application by a qualified practising landscape architect, landscape/environmental designer or horticulturalist, certifying that the proposed automatic watering system and/or subsoil drainage and any associated waterproofing membrane have been installed in accordance with details shown on the approved landscape working drawing and/or the manufacturers specification.



10. A landscape practical completion report is to be prepared by the consultant landscape architect/designer and submitted to the Principal Certifying Authority with the Occupation Certificate application. This report is to certify that all landscape works have been completed in accordance with the landscape working drawings and specifications.

G. Advice:

1. Failure to comply with the relevant provisions of the *Environmental Planning and Assessment Act, 1979* (as amended) and/or the conditions of this Development Consent may result in the serving of penalty notices (on-the-spot fines) under the summary offences provisions of the above legislation or legal action through the Land and Environment Court, again pursuant to the above legislation.
2. ~~Dial before you dig~~ Prior to excavation the applicant is advised to contact Australia's National Referral Service for Information on Underground Pipes and Cables telephone 1100 or www.1100.com.au
3. It is the Project Managers responsibility to ensure that all of the Component Certificates/certification issued during the course of the project are lodged with the Principal Certifying Authority. Failure to comply with the conditions of approval or lodge the Component Certificates/certification will prevent the Principal Certifying Authority issuing an Occupation Certificate.
4. In accordance with Section 95(1) of the EPA Act 1979, this development consent lapses 5 years after the date from which this consent operates if the development is not commenced.
5. To ascertain the date upon which a consent operates, refer to Section 83 of the *Environmental Planning and Assessment Act, 1979* (as amended).
6. Should any of the determination not be acceptable, you are entitled to request reconsideration under Section 82A of the *Environmental Planning and Assessment Act, 1979*. Such request to Council must be made in writing, together with appropriate fees as advised at the time of lodgement of such request, within 6 months of the determination.
7. If you are dissatisfied with this decision, Section 97 of the *Environmental Planning and Assessment Act, 1979*, gives you a right of appeal to the Land and Environment Court within 6 months of the date of endorsement of this Consent.
8. The approved plans must be submitted to a Sydney Water Quick Check agent or Customer Centre to determine whether the development will affect Sydney Waters sewer and water mains, stormwater drains and/or easements, and if further requirements need to be met. The approved plans will be appropriately stamped. For Quick Check agent details please refer to the web site at www.sydneywater.com.au then see Building Developing and Plumbing then Quick Check, or telephone 13 20 92.
9. This approval does not prejudice any action in respect of upgrading the building pursuant to the provisions of the Section 121B of the *Environmental Planning and Assessment (Amendment) Act, 1997*.



northern
beaches
council

10. No bush rock is to be removed from site or destroyed without prior approval from NSW Department of Environment Climate Change and Water (DECCW) and Northern Beaches Council. The removal or destruction of bush rock has been listed as a Key Threatening Process by the Threatened Species Conservation Act 1995. Bush rock within an approved building footprint is to be re-used elsewhere onsite as a habitat feature.
11. Gravel used onsite must be inert material such as quartz or sandstone. No blue metal or granite or other igneous material should be used as these release nutrients that can pollute waterways and contribute to weed plumes.