KEEYUEN DESIGN PTY LTD

Suite 1302/87-89 Liverpool Street,

Sydney, NSW, 2000

ABN: 24 615 308 284

M: 0423 506 196 E: gretta@keeyuen.com.au www.keeyuen.com.au



PROJECT NAME

Manly Sushi

PROJECT ADDRESS

Retail Shop 2, 38 The Corso, Manly, NSW 2095

DESIGNER

GRETTA.L

ISSUE DATE

27th March , 2023

JOB NUMBER: AB20230302 PROJECT NAME: MANLY SUSHI

PROJECT ADDRESS: Retail Shop 2, 38 The Corso, Manly, NSW 2095

DWG NO.		SIZE	ISSUE			NOTE
CP-01	COVER PAGE	A3	Α			
GN-01	GENERAL NOTES	A3	Α			
3D-01~07	3D-VIEW-01~07	A3	Α			
MA-01	MATERIAL SCHEDULE 01	A3	Α			
MA-02	LIGHTING SCHEDULE 02	A3	Α			
PL-00	LOCATION PLAN	A3	Α			
PL-01	EXISTING FLOOR PLAN	A3	Α			
PL-02	DEMOLITION FLOOR PLAN	A3	Α			
PL-03	PROPOSED FLOOR PLAN	A3	Α			
PL-04	DIMENSION PLAN	A3	Α			
PL-05	REFLECTED CEILING PLAN	A3	Α			
PL-06	ELECTRICAL AND LIGHT SWITCH PLAN	A3	Α			
PL-07	HYDRAULICS PLAN	A3	Α			
PL-08	FINISH PLAN	A3	Α			
PL-09	ELEVATION INDICATION PLAN	A3	Α			
EL-01	SHOP FRONT ELEVATION	A3	Α			
EL-02	ELEVATION 1	A3	Α			
EL-03	ELEVATION 2	A3	Α			
EL-04	ELEVATION 3	A3	Α			
EL-05	HANGING DISPLAY CABINET PLAN	A3	Α			
EL-06	ELEVATION 4	A3	Α			
EL-07	ELEVATION 5	A3	Α			
EL-08	ELEVATION 6	A3	Α			
EL-09	COUNTER PLAN	A3	Α			
EL-10	PICK UP LIGHT BOX	A3	Α			



IMPORTANT NOTE	REV	DATE	NOTES
Do not scale drawings, figured dimensions are to be followed. All works to be in accordance with the building code of Australia and local authority requirements.			
 All winds to be in the confirmed on site prior to construction. In the event of any discrepancies on these drawings, the contractor to contact the designer prior to manufacture. Measurements for the fabrication of secondary components are to be taken on site to suit. Contractor's resconsibility to obtain accrowast from authorities including local council and water board orior to construction. 			
Contractor to liaise with third party suppliers to confirm exact requirements. Including electrical data comms. Hydraulics and any other related requirements Contractor to ensure structural integrity and feasibility of all units/components prior to fabrication. All structural components shall be read in accordance to details and			
specifications prepared by a structural engineer. • All architectural documentations are to be read in conjunction with other consultant's drawings/specification and all other related documents. • Copyright of these drawings and related documents are reserved by Keeyuen. Any reproduction or distribution of any parts of these drawings and documents are prohibited without ceremission from Keevuen.			
without permission from Keeyuen.		1	

CLIENT:	PROJECT NO:	DESIGNER:	DRAFT BY:	CHECK BY:
Manly Sushi		Gretta.L		Gretta.L
PROJECT ADRESS: Retail Shop 2, 38 The Corso, Manly, NSW 2095	DRAWING TITLE: COVER	PAGE		SCALE @ A3:
,	DRAWING NUMBER: CP-01			ISSUE DATE: 27/03/2022

GENERAL NOTES

CODES & AUTHORITIES

MATERIALS AND FORMS OF CONSTRUCTION SHALL COMPLY WITH THE REQUIREMENTS OF ALL RELEVANT CODES AND AUTHORITIES HAVING JURISDICTION AND SPECIFICALLY WITH THE FOLLOWING:

- Ø BUILDING CODE OF AUSTRALIA (BCA)
- Ø AS 1661 PART I (FIRE AND SMOKE CONTROL) AND PART II (VENTILATION)
- Ø AS 2107 (ACOUSTICS)
- Ø AS 3000 (SAA WIRING RULES)
- Ø SYDNEY WATER
- Ø NSW HEALTH ACT
- Ø HB40 -1992 CODE OF GOOD PRACTICE Ø CFC'S/ NSW OZONE ACT AND LEGISLATION
- Ø COUNCIL AND PRIVATE CERTIFIER CONDITIONS OF DEVELOPMENT AND CONSTRUCTION CERTIFICATE APPROVAL
- Ø FIRE BRIGADE, BOARD OF FIRE COMMISSIONERS

ALL FLOOR PENETRATIONS TO BE EXECUTED IN ACCORDANCE WITH CLAUSE C3.15. FLOOR OPENINGS, SHAFTS, SERVICE INSTALLATIONS OF ANY OPENINGS AND CONSTRUCTION JOINTS TO BE PROTECTED AND EXECUTED IN ACCORDANCE WITH

EGRESS PROVISIONS TO COMPLY WITH PART D1 OF THE BCA, SUBJECT TO APPROVAL OF THE AUTHORITY

ALL EXIT DOORS TO BE IN ACCORDANCE WITH CLAUSE D1.6 OF THE BCA

ALL AUTOMATIC DOORS (POWER OPERATED) WILL COMPLY WITH CLAUSE D2.19 OF THE

DOORS TO HAVE AT LEAST 850mm OF CLEARANCE.

BY A SINGLE HANDED DOWNWARD ACTION ON A SINGLE DEVICE WHICH IS LOCATED BETWEEN 900MM AND 1.2M ABOVE THE FLOOR, IN ACCORDANCE WITH CLAUSE D2.21 OF

DISABLED ACCESS, FACILITIES AND CIRCULATION SPACE WILL COMPLY WITH PART D3 OF THE BCA, AS 1428.1 AND AS 1428.4

ALL ELECTRICAL DISTRIBUTION BOARDS, OR TELECOMMUNICATION DISTRIBUTION BOARDS LOCATED WITHIN THE PATHS OF TRAVEL, TO BE ENCLOSED IN NON-COMBUSTIBLE CONSTRUCTION OR A FIRE PROTECTIVE COVERING, WITH DOORS PROVIDED WITH SMOKE SEALS IN ACCORDANCE WITH CLAUSE D2.7 OF THE BCA. ALL GLAZING REQUIREMENTS TO COMPLY WITH AS 1288 - 1994, AS 1288.1-2006, AS 2047 AND AS 1170.1.

MATERIALS, LININGS AND FINISHES OF ANY SURFACES USED IN THE BUILDING TO COMPLY WITH THE FIRE HAZARD PROPERTIES IN ACCORDANCE WITH SPECIFICATION C1.10 AND C1.10A OF THE BCA.

FIRE DETECTION AND ALARM SYSTEM TO BE PROVIDED AND INSTALLED IN ACCORDANCE WITH SPECIFICATION E2.2A OF THE BCA AND AS 1670. EMERGENCY LIGHTING AND EXIT SIGNS WILL BE PROVIDED AND INSTALLED IN ACCORDANCE WITH CLAUSES E4.2 AND E4.4 OF THE BCA AND AS 2293.1, MAINTAINED IN ACCORDANCE WITH AS 2293.2

FIRE HOSE REEL (FHR) ENCLOSURE WILL COMPLY WITH BCA E1.4 AND AS 2441.2005. FIRE HYDRANT (FH) ENCLOSURE WILL COMPLY WITH BCA F1.3 AND AS 2419 1-2005 ALL BALUSTRADES AND HANDRAILS WILL COMPLY WITH CLAUSE D2.16- D2.18 OF THE BCA AND AS 1170

LIGHT AND VENTILATION WILL BE PROVIDED AND INSTALLED IN ACCORDANCE WITH PART F4 OF THE BCA

EXIT SIGNS AND EMERGENCY LIGHTING TO COMPLY WITH THE BCA ALL ARTIFICIAL LIGHTING ILLUMINATION POWER DENSITY TO COMPLY WITH CLAUSE J6.2B AND TABLE J6.2A OF THE BCA; SWITCH AND CONTROL DEVICE TO BE OPERATED IN ACCORDANCE WITH J6.3E OF THE BCA.

SPECIFICATIONS. MATERIALS AND WORKMANSHIP

WHERE REFERENCE IS MADE TO STANDARDS ASSOCIATION OF AUSTRALIA (SAA) AND STANDARD SPECIFICATIONS (AS), SHALL APPLY TO THE RELEVANT MATERIALS OR OPERATIONS AND BE DEEMED TO BE INCORPORATED IN THIS SPECIFICATION. NO SUBSTITUTION OF SPECIFIED MATERIALS IS TO BE MADE WITHOUT THE APPROVAL OF KEEYUEN.

DIMENSIONS

ANY DISCREPANCIES BETWEEN SETS OF DRAWINGS SHOULD NOTIFY. AND BROUGHT TO THE ATTENTION OF KEEYUEN DESIGN.

CONTRACTOR TO CONFIRM HEIGHT OF CEILING TO PREMISES PRIOR TO CONSTRUCTION OF WORKS AND ADVISE KEEYUEN OF ANY DISCREPANCIES PRIOR TO START.

COMPLETION

PRIOR TO COMPLETION OF FITOUT, BUILDER TO OBTAIN ALL REQUIRED CERTIFICATES OF COMPLIANCE FROM SUITABLE QUALIFIED PERSONS, INCLUDING BUT NOT LIMITED TO STRUCTURAL, GLAZING, MECHANICAL, FIRE SAFETY MEASURES, ETC FOR ISSUE AND ACKNOWLEDGEMENT OF CLIENT AND LANDLORD AT HANDOVER OF THE PREMISES. BEFORE THE ISSUE OF THE CERTIFICATE OF PRACTICAL COMPLETION, THE CONTRACTOR SHALL ARRANGE TO:

- Ø CLEAN ALL FLOORS AND WINDOWS
- Ø EASE AND OIL LOCKS AS SIMILAR WORKING PARTS
- \emptyset REMOVE ALL STAINS AND DROPPINGS OF PAINT AND MORTAR Ø LABEL AND HAND OVERALL KEYS NUMBERED AND TAGGED
- Ø TEST ALL SERVICES. FIXTURES AND EQUIPMENT
- Ø LEAVE THE PROJECT CLEAN, TIDY AND FIT FOR USE OR OCCUPANCY BY THE
- Ø PROVIDE INFORMATION FOR WARRANTIES AND GUARANTEES OF SERVICES AND FITTINGS
- Ø OBTAIN AND ISSUE ALL SERVICES MAINTENANCE MANUALS, CERTIFICATES OF COMPLIANCE

REFLECTED CEILING PLAN NOTES

LIGHTING LAYOUT TO TAKE REFERENCE OVER LOCATION OF OTHER SERVICES. ANY DISCREPANCIES TO BE BROUGHT TO THE ATTENTION OF KEEYUEN DESIGN BEFORE SERVICES INSTALLATION.

SECURITY MONITOR EQUIPMENT AND DEVICES TO BE DETERMINED BY CLIENT ON SITE. SYSTEM TO BE APPROVED BY CLIENT AND TO BE INSTALLED BY NOMINATED

ALL ACCESS PANELS TO BE FRAMELESS AND SET FLUSH WITH CEILING, AS REQUIRED. LOCATION AND DETAIL TO BE APPROVED BY CLIENT AND/OR KEEYUEN DESIGN. ALL LIGHT FITTINGS TO ANGLE TOWARD WALL FIXTURES BY CONTRACTOR AS INDICATED ON LIGHTING PLAN PRIOR TO STORE OPENING.

SMOKE DETECTORS TO BE INSTALLED TO SUIT LIGHTING LAYOUT AND/OR THE REQUIRE

AIR CONDITIONING UNIT TO HAVE SEPARATE CONTROL FOR FITTING ROOM AREAS. REFER TO LANDLORDS ENGINEERS DRAWINGS FOR MECHANICAL REQUIREMENT AND/OR APPROVAL FROM LANDLORD.

REFER TO LANDLORDS FIRE SERVICES ENGINEER FOR SPRINKLER LAYOUT AND OR/APPROVAL FROM LANDLORD. FIRE PROTECTION SYSTEM TO COMPLY WITH THE BCA. CONTRACTORS TO INCLUDE ALL MECHANICAL AND FIRE SERVICES WORK IN THE SCOPE

NEW SPEAKER SYSTEM TO BE INSTALLED IN ACCORDANCE WITH CLIENT'S SPECIFICATION AND/OR LANDLORD REQUIREMENT.

ELECTRICAL NOTES

ALL NECESSARY APPROVALS FOR THE WORKS MUST BE OBTAINED PRIOR TO COMMENCEMENT. LIAISE OF THE CLIENT AND/OR THE MAIN CONTRACTOR TO SETTLE ALL FEES. ALLOW FOR OUT OF NORMAL HOURS WORK COORDINATION AND POWER

SCOPE OF WORK

SCOPE OF WORK TO INCLUDE THE SUPPLY, DELIVERY, INSTALLATION, TESTING, COMMISSIONING. WARRANTY AND MAINTENANCE OF THE WORKS AS LISTED IN THE SPECIFICATION AND ALL ASSOCIATED DRAWINGS FOR THE PROJECT, AS WELL AS ANY OTHER ASSOCIATED MINOR INCIDENTAL WORKS.

EXIT AND EMERGENCY LIGHTING

REFER TO ELECTRICAL SUB-CONTRACTORS DRAWINGS

THE CONTRACTOR IS REQUIRED TO SUBMIT SCHEMATICS TO KEEYUEN FOR REVIEW AND APPROVAL BASED ON THE FOLLOWING DESIGN PARAMETERS:

SUBMIT SAMPLES OF ALL LUMINAIRES, SWITCHES, DIMMING PLATES, POWER OUTLETS ETC. FOR APPROVAL BY THE ARCHITECT AND LANDLORD MANAGEMENT PRIOR TO ORDERING AND INSTALLATION.

BUILDING PENETRATIONS

SEAL ALL PENETRATIONS TO COMPLY WITH BCA C3.15 AND AS3000 REQUIREMENTS.

ALL EQUIPMENT SHALL BE NEW, UNLESS SPECIFIED. ALL WORK TIMES AND ACCESS SHALL BE COORDINATED WITH THE MAIN CONTRACTOR AND/OR THE CLIENT.

ALLOW FOR MOVEMENT OF THE OUTLETS UP TO 2 METRES PRIOR TO INSTALLATION, WITHOUT COST VARIATION.

REDUNDANT LUMINAIRES & EQUIPMENT

SHALL BE $\overline{\text{RETURNED TO CLIENT UNLESS}}$ NOTED OTHERWISE. REMOVE REDUNDANT WIRING CAUSED BY ALTERATIONS TO GENERAL BASE BUILDING AREAS

FLOOR CHASING, DRILLING AND OTHER WORKS SHALL BE CARRIED OUT IN 'OUT OF NORMAL' HOURS WITH LANDLORDS APPROVAL, UNLESS SPECIFIED. ALL FITTINGS TO BE SUPPLIED AS SPECIFIED.

SWITCHBOARDS ARE TO BE INSTALLED IN ACCORDANCE WITH BCA-02.7

PARTITION NOTES

PARTITION PLAN SHALL BE READ IN CONJUNCTION WITH DETAIL DRAWINGS, WHICH INCLUDE ALL JOINERY, ELEVATIONS, SECTIONS, LARGE SCALE PLANS AND DETAILS. GLAZING SYSTEMS TO HAVE RECESSED NATURAL ANODISED SAPPHIRE ALUMINIUM CHANNELS AND TRIMS. OR OTHERS SUBJECT TO APPROVAL

PROVIDE INSULATION FOAM AND ACOUSTIC SEALANT TO ALL PARTITION JUNCTION OF THE EXISTING STRUCTURE AND CEILING. WHERE SOUND TRANSMISSION PREVENTION IS

WHERE POSSIBLE A SINGLE SHEET GLASS SHOULD BE FITTED INTO PROPRIETARY GLAZING CHANNELS INCLUDING ALL GASKETS TO ACHIEVE MAXIMUM WIDTH OF GLASSED WALL

IF MORE THAN ONE SHEET OF GLASS IS REQUIRED TO ACHIEVE WALL WIDTH, EQUAL LENGTH GLASS PANELS SHALL BE INSTALLED TO SUIT THE FULL LENGTH OF THE WALL. OTHERWISE SPECIFIED ALL GLASS EDGES SHALL BE ARRISED AND POLISHED AND JOINTS ACHIEVED LISING CLEAR SILICONE, SILICONE, JOINTS SHALL BE AS SLIM AS POSSIBLE AND ENSURE A SMOOTH CONSISTENT FINISH, SET FLUSH WITH GLASS FACE. INSTALLATION OF ALL STEEL FRAMING MUST BE IN ACCORDANCE WITH RELEVANT CODES AND STANDARDS AND ENSURE EARTHED.

ALLOW FOR FINISHES TO BE APPLIED TO ALL PARTITION WALLS, UNLESS OTHERWISE NOTED OR DETAILED.

PARTITIONS ARE TO BE BRACED TO BASE BUILDING STRUCTURE ABOVE AS NECESSARY, OR AS PER SPECIFICATION BY THE LANDLORD OR QUALIFIED PERSONS. MAIN CONTRACTOR TO PATCH AND MAKE GOOD TO EXISTING WALL, ENSURE FLUSH FINISH PRIOR TO PAINTING

INSULATION: DACRON ACQUISTIC INSULATION TO BE PROVIDED TO FULL HEIGHT OF WALLS. ALLOW TO FIT AROUND DUCTWORK AND SERVICES IN CEILING SPACE AND TO PROVIDE TRANSFER DUCTS FOR RETURN AIR AS DIRECTED BY MECHANICAL ENGINEER CORNICE TO BE SUPPLIED AND INSTALLED AS PER SPECIFICATION ON DRAWINGS.

JOINERY NOTES

DIMENSIONS

ALL DIMENSIONS TO BE TAKEN FROM FFL (FINISHED FLOOR LEVEL). ALL FIXINGS TO OPEN SHELVES AND CUPBOARDS SHALL BE ALIGNED WITHIN JOINERY AND CONCEALED FROM SIGHT IN FINISHED WORKS. VENEERS & LAMINATE FINISHES TO HAVE APPROPRIATE COMPENSATORY MATERIAL TO OTHER SIDE OF BOARD. SITE SPECIFIC DIMENSIONS TAKE PRECEDENCE OVER DETAIL DRAWINGS. INTERNAL CARCASE

UNLESS SPECIFIED, OTHERWISE ALL CARCASE INCLUDING ALL INTERNAL SURFACES AND DIVISIONS WITH 16MM WHITE MELAMINE FINISH TO ALL EXPOSED SURFACES & EDGES. UNLESS NOTED, OTHERWISE BACKS SHALL BE PRELAMINATED 6MM PARTICLE BOARD WHERE LOCATED AGAINST A PARTITION: EXPOSED BACKS OF 16MM PRELAMINATED PARTICLE BOARD. DOORS TO CUPBOARD & DRAWER FRONTS SHALL BE CONSTRUCTED OF 16MM THICK BOARD FOR UNDER BENCH AND OVERHEAD CUPBOARDS.

TIMBER

REFER TO FINISHES SCHEDULE FOR TIMBER FINISHING DETAILS.

SHELVES

UNLESS NOTED, OTHERWISE SHALL BE CONSTRUCTED OF 16MM THICK PRELAMINATED PARTICLE BOARD UP TO 800MM WIDE SPAN; AREAS OVER 800MM WIDE SPAN TO HAVE 25MM THICK PRE-LAMINATED PARTICLE BOARD. BENCHTOPS

UNLESS NOTED, OTHERWISE SHALL BE CONSTRUCTED OF 32MM THICK LAMINATE PARTICLE BOARD (HMR PARTICLE BOARD IN WET AREAS) WITH EDGE AS DETAILED. LAMINATE JOINTS AS PER SPECIFICATION ON DRAWINGS. NO OTHER JOINTS WILL BE ACCEPTED WITHOUT APPROVAL.

DRAWER LOCK

UNLESS NOTED, OTHERWISE HAFELE SYMO 200 LOCKING SYSTEM, SINGLE SIDED CD CENTRAL LOCKING SYSTEM OR EQUIVALENT. DRAWER RUNNERS

UNLESS NOTED, OTHERWISE CONCEALED, METAL & FULLY EXTENSION TYPE RUNNERS TO SUIT SIZE & WEIGHT OF DRAWERS - 'HAFELE WVA' OR 'HETTICH QUADRO' OR SIMILAR

CONTRACTOR TO REFER TO CLIENT REGARDING ANY RE-USE OF EXISTING DEMOLISHED ITEMS PRIOR TO THEIR DEMOLITION OR REMOVAL FROM ORIGINAL POSITION THE CONTRACTOR IS RESPONSIBLE FOR THE ACKNOWLEDGEMENT OF ALL EXISTING SERVICES ON THE SITE AND IS TO SATISFY THEMSELVES THAT THEY ALL HAVE BEEN DECOMMISSIONED PRIOR TO COMMENCING ANY WORKS.

CONTRACTOR TO ALLOW TO MAKE GOOD AND RE-PAINT TO ALL CEILING AND WALL SURFACES TO MATCH EXISTING UNLESS NOTED OTHERWISE

INSPECT AND ENSURE ALL EXISTING WALLS ARE SUITABLE FOR NEW PAINT FINISH-REMOVE ANY TIMBER LINING/ BOARDS AND REPLACE/REPATCH PLASTERBOARD AS NECESSARY TO ENSURE A CLEAN FLUSH FINISH.

POST REMOVAL OF ANY SERVICES, PENETRATIONS ARE TO BE PATCHED AND PREPARED FOR NEW WORKS

THE CONTRACTOR SHALL EXERCISE THE GREATEST CARE DURING THE PROGRESS OF THE WORK TO AVOID DAMAGE TO ANY UTILITY SERVICES INCLUDING GAS, WATER, SEWER, ELECTRIC POWER, TELEPHONE, ETC, WITHIN THE LIMIT OF THE WORK AND STILL BE HELD RESPONSIBLE FOR ANY SUCH DAMAGE CAUSED BY THE CONTRACTOR OR AGENTS OF THE CONTRACTOR DIRECTLY OR INDIRECTLY. ADHERE TO ALL AUTHORITIES RECOMMENDATIONS

REPLACE ANY MARKER TAPES OR PROTECTIVE COVERS DISTURBED DURING THE COURSE OF THE WORKS

SITE SUPERVISION/ CONSTRUCTION MANAGEMENT

BUILDING CONTRACTOR TO ENSURE APPROPRIATE PROTECTION MEASURES ARE CONSIDERED FOR ALL EXISTING SERVICES DURING DEMOLITION AND/OR BUILDING WORKS.

CONTRACTOR TO ALLOW FOR ANY PROPPING OR TEMPORARY SUPPORTS REQUIRED DURING DEMOLITION OF ANY INTERNAL STRUCTURE

UNLESS NOTED, OTHERWISE ALL EXISTING LIGHTING SHALL BE REMOVED EXISTING PATCH/REPAIR EXISTING CEILING AS REQUIRED TO SUIT NEW WORKS AS DOCUMENTED. OTHER RESPONSIBILITIES INCLUDED BUT NOT LIMITED TO:

Ø SITE DELIVERIES ACCEPTANCE AND SUPERVISION

Ø SITE RUBBISH REMOVAL SUPERVISION

Ø SITE SUPERVISION OF ALL OF OUT OF HOURS WORKS INCLUDING BELOW FLOOR TENANCIES AS OUTLINED IN THE CONTRACT SPECIFICATIONS AND DRAWINGS Ø SITE INDUCTIONS OF ALL TRADES

Ø SITE SUPERVISION OF ALL OCCUPATIONAL HEALTH AND SAFETY PROCEDURES Ø SITE SUPERVISION OF CONTRACTOR RISK MANAGEMENT FOR ALL TRADES Ø SITE SUPERVISION OF EMERGENCY PROCEDURES

Ø SITE FIRE WARDEN AND FIRST AID RESPONSIBILITIES AS PER THE NSW OHS AND I ANDI ORD RUI ES AND REGULATIONS Ø HOLD CURRENT ST JOHNS AMBULANCE OR EQUALLY APPROVED SENIOR FIRST

LEASE PLAN / FITOUT GUIDELINES NOTES

AID CERTIFICATE

DRAWINGS ARE TO BE READ IN CONJUNCTION WITH LANDLORD/ CENTRE MANAGEMENT LATEST ISSUED LEASE PLANS AND FITOUT GUIDELINES.

CLIENT

Manly Sushi

SIGNAGE /GRAPHIC NOTES

ALL SIGNAGE FONT, SIZE & CONTENT SHOWN IN THIS TENDER PACKAGE IS INDICATIVE ONLY. FONT TO BE CONFIRMED, REFER TO SEPARATE GRAPHIC DESIGN PACKAGE FOR

SIGNAGE CONSTRUCTOR TO SUBMIT FINAL SETOUT FOR KEEYUEN AND LANDLORD MANAGEMENT'S APPROVAL PRIOR TO PRODUCTION

SHOPFRONT ILLUMINATED SIGN TO BE CONNECT WITH A TIMER SET TO HOURS AS

REQUIREMENT BY LANDLORD/CENTRE MANAGEMENT. LAMINATED GRAPHIC SHALL HAVE FLAT AND SMOOTH SUBSTRATE AS BACKING BOARD SUCH AS MDF FOR GRAPHIC APPLICATION. CONTRACTOR MUST ALLOW IN QUOTATION

THICKNESS OF ACRYLIC AS REQUIRED. TO ALLOW SUFFICIENT RIGIDITY. (MINIMUM 6MM THK WITH 1.6MM THK ANODISED ALUMINIUM FLAT BAR AT PANEL JOINT UNLESS OTHERWISE NOTED. CONCEAL FIXED PANEL TO WALL WITH CLEAR SILICON AS REQUIRED. CONTRACTOR TO ENSURE NO SILICON OR GLUE MARKS SHALL APPEAR ON GRAPHIC FACE, METHOD AT THEIR OWN DISCRETION.

FOOD TENANCY FITOUT NOTES

CONTRACTOR TO ENSURE ALL INSTALLATION AND CONSTRUCTION OF SHOP TO COMPLY WITH THE LATEST EDITION OF ALL REGULATION AS FOLLOWING: Ø FOOD ACT 2003

Ø THE FOOD (GENERAL) REGULATION 2015

Ø COUNCIL'S FOOD PREMISES CODE AND REGULATION 2001

Ø AS 4674-2004 - DESIGN&CONSTRUCTION AND FIT-OUT OF FOOD PREMISES Ø AND/OR ANY OTHER RELEVANT STATUTORY REGULATIONS.

Ø COUNCIL'S CODE FOR WASTE HANDLING IN BUILDINGS

Ø ALL RELEVANT DA CONSENT CONDITIONS

LAMINATE JOINTS AS PER SPECIFICATION ON DRAWINGS. NO OTHER JOINTS WILL BE ACCEPTED WITHOUT APPROVAL

ALL FINISHES TO BE FREE OF CREVICES, ALL JOINTS TO BE SEALED & VERMIN PROOF TO COMPLY WITH "NATIONAL CODE FOR CONSTRUCTION & FITOUT OF FOOD PREMISES" (=NAT.FOOD CODE). ALL CONTRACTORS TO SUBMIT DETAILED DRAWINGS/SETTING OUT PRIOR CONSTRUCTION.

ENSURE THE PRODUCT EMPLOYED MUST MEETS REGULATORY REQUIREMENTS. PROVIDE COVING SKIRTING AS REQUIRED TO ALL WALL/FLOOR JUNCTION. FILL ALL CAVITIES AS REQUIRED TO COMPLY WITH ALL FOOD CODE OR ACT AS MENTIONED

FOR FOOD BUTCHER OR TENANCY WHICH INVOLVES DEALING OF FRESH MEAT PRODUCT, CONTRACTOR TO ENSURE ALL CONSTRUCTION MUST COMPLY WITH THE "SAFE FOOD PRODUCTION NSW FOR RETAIL MEAT AREA" AND THE "NSW STANDARD FOR CONSTRUCTION & HYGIENE OPERATION FOR RETAIL MEAT PREMISES", AND/OR ANY RELEVANT FOOD CODE AND ACT.

ANY FLOOR AND/OR ROOF SLABS PENETRATIONS MUST BE CONSTRUCTED WITH FIRE PREVENTION AND SHALL BE IN COMPLIANCE WITH RELEVANT CODES.

ALL FLOOR TILES MUST HAVE EPOXY GROUT AND BE LAID IN ACCORDANCE WITH **REQUIREMENT OF AS 3958.1**

CONTRACTOR TO PROVIDE ALL WATERPROOF MEMBRANE AND SEAL FOR ALL WALLS AND FLOORS, BETWEEN CONCRETE FLOOR SLABS AND NEW FLOOR FINISH AS REQUIRED, TO COMPLY WITH AUSTRALIAN STANDARD AND BCA (PROVIDE MINIMUM WATERPROOF MEMBRANE UPTURN OF 300MM ON TO WALL FROM FLOOR. SEAL AND WATERPROOF ALL PENETRATIONS TO THE FULL EXTENT OF TENANCY AS REQUIRED TO COMPLY WITH AUSTRALIAN STANDARD, BCA AND/OR OTHER REQUIREMENT FROM LANDLORD/CENTRE MANAGEMENT

PROVIDE WET EDGE TO ALL SINK AREA AS REQUIRED TO COMPLY WITH NATIONAL FOOD

SUBSTRATE NOTES (FOR FOOD & GENERAL RETAIL TENANCY):

ALL SUBSTRATE SURROUNDING COOKING AREA AS REQUIRED TO WITHSTAND/PREVENT HEAT TRANSFERS FROM ALL OTHER COOKING EQUIPMENT. ALL STAINLESS STEEL SUBSTRATE MUST HAVE FOLDED EDGE AS ONE PIECE AND ALL

JOINTS TO BE SEALED OR WELDED. ALL LAMINATE/VENEER AS SPECIFIED TO BE SUPPLIED WITH NEW SUBSTRATE TO SUIT

THE APPLICATION, UNLESS OTHERWISE NOTED. (NO CHIPBOARD PERMITTED).

OVERSEAS PROJECT NOTES

SPECIFICATIONS HAVE BEEN PREPARED BY KEEYUEN DESIGN GENERICALLY WITHOUT REFERENCE TO THE LOCAL GOVERNMENT LAWS AND REQUIREMENTS APPROPRIATELY QUALIFIED CONSULTANTS OFFSHORE SHOULD BE ENGAGED TO PERFORM THE NECESSARY WORKS. ALL PERSONS USING THESE DRAWINGS, PLANS & SPECIFICATIONS MUST REVIEW AND CHECK THE DETAILS TO ENSURE THE DETAIL COMPLY WITH ALL LAWS AND REQUIREMENTS OF THE LOCAL GOVERNMENT. KEEYUEN DESIGN WILL NOT ACCEPT ANY RESPONSIBILITY NOR LIABILITY AS A CONSEQUENCE OF ANYTHING IN THESE DRAWINGS, PLANS & SPECIFICATIONS UNCOMPLIANT WITH THE LAWS AND REQUIREMENTS OF LOCAL GOVERNMENT



T: 02 8957 2015 E: info@keeyuen.com.au IMPORTANT NOTE

Do not scale drawings, figured dimensions are to be followed.
 All works to be in accordance with the building code of Australia and local authority requirements.
 All dimensions are to be confirmed on site prior to construction. In the event of any discrepancies on these drawings, the contractor to contact the designer prior to may be a discontinuous are to be confirmed on site prior to may be a discontinuous and the provision from authorities including local county and water board prior to construction.
 Contractor is responsibility to obtain approvals from authorities including local county and water board prior to construction.
 Contractor is responsibility to obtain approvals from authorities including local county is finding and any other related requirements.
 Contractor to leave structural integrity and resability of all units components prior to fabrication. All structural components shall be read in accordance to details and accordance are consequent to a structural desirication.

NOTES

REV DATE

PROJECT ADRESS: Retail Shop 2, 38 The Corso, Manly, NSW 2095

DRAWING TITLE:

PROJECT NO

Gretta I **GENERAL NOTES**

DESIGNER


Gretta.L SCALE @ A3:

DRAWING NUMBER: **GN-01**

ISSUE DATE: 27/03/2022

CHECK BY







T: 02 8957 2015

E: info@keeyuen.com.au

KEEYUEN

A: Suite 1302, 87-89 Liverpool St, Sydney NSW 2000

IMPORTANT NOTE

Manly Sushi


NOTES

REV DATE

PROJECT ADRESS: Retail Shop 2, 38 The Corso, Manly, NSW 2095

CLIENT:

PROJECT NO: DRAFT BY: CHECK BY: DESIGNER : Gretta.L Gretta.L DRAWING TITLE: SCALE @ A3: 3D VIEW 01 DRAWING NUMBER: ISSUE DATE: 3D-01 27/03/2022








REV DATE NOTES

CLIENT: Manly Sushi

PROJECT ADRESS: Retail Shop 2, 38 The Corso, Manly, NSW 2095

PROJECT NO: DESIGNER: DRAFT BY: CHECK BY: Gretta.L Gretta.L DRAWING TITLE: SCALE @ A3: 3D VIEW 02 DRAWING NUMBER: ISSUE DATE: 3D-02 27/03/2022







REV DATE NOTES CLIENT: Manly Sushi

PROJECT ADRESS: Retail Shop 2, 38 The Corso, Manly, NSW 2095

PROJECT NO: DRAFT BY: CHECK BY: DESIGNER: Gretta.L Gretta.L DRAWING TITLE: SCALE @ A3: 3D VIEW 03 DRAWING NUMBER: ISSUE DATE: 3D-03 27/03/2022








Manly Sushi PROJECT ADRESS: Retail Shop 2, 38 The Corso, Manly, NSW 2095

CLIENT:

REV DATE NOTES

PROJECT NO: DESIGNER: DRAFT BY: CHECK BY: Gretta.L Gretta.L DRAWING TITLE: SCALE @ A3: 3D VIEW 04 DRAWING NUMBER: ISSUE DATE: 3D-04 27/03/2022







T: 02 8957 2015

E: info@keeyuen.com.au


KEEYUEN


A: Suite 1302, 87-89 Liverpool St, Sydney NSW 2000

IMPORTANT NOTE

REV DATE NOTES CLIENT: Manly Sushi PROJECT ADRESS: Retail Shop 2, 38 The Corso, Manly, NSW 2095 PROJECT NO: DESIGNER: DRAFT BY: CHECK BY: Gretta.L DRAWING TITLE: SCALE @ A3: 3D VIEW 05 DRAWING NUMBER: ISSUE DATE: 3D-05

27/03/2022







Manly Sushi

NOTES


REV DATE

PROJECT ADRESS: Retail Shop 2, 38 The Corso, Manly, NSW 2095

CLIENT:

PROJECT NO: DRAFT BY: CHECK BY: DESIGNER : Gretta.L Gretta.L DRAWING TITLE: SCALE @ A3: 3D VIEW 06 DRAWING NUMBER: ISSUE DATE: 3D-06 27/03/2022







Manly Sushi

NOTES

REV DATE

CLIENT:

PROJECT ADRESS: Retail Shop 2, 38 The Corso, Manly, NSW 2095

PROJECT NO: DRAFT BY: CHECK BY: DESIGNER : Gretta.L Gretta.L DRAWING TITLE: SCALE @ A3: 3D VIEW 07 DRAWING NUMBER: ISSUE DATE: 3D-07 27/03/2022

MATERIAL SCHEDULE								
ITEM	CODE	PHOTO REFERENCE	DESCRIPTION	SUPPLIER	LOCATION	NOTES		
PAINT	PT1	Natural White** SWIF4	NAME:NATURAL WHITE COLOR CODE: SW1F4	DULUX	CEILING			
PAINT	PT2		FEATURE PAINT NAME:MONTE BIANCO	FX AUSTRALIA	WALL			
PAINT	РТЗ		FEATURE PAINT NAME:MONTE CASTELLO	FX AUSTRALIA	WALL			
PAINT	PT4	Sell Out S37C3	2 PAC PAINT NAME:SELL OUT COLOR CODE: S37C3	DULUX	WALL			
STONE	ST1		NAME:DIAMOND WHITE SPEC:AC8123 SIZE:3040*1440*20MM FINISH:GLOSS	AC STONE	COUNTER TOP			
STONETHICA	ST2	TANK TO THE PARTY OF THE PARTY	NAME:STONETHICA CALACATTA HONED SIZE:3050*1580	SKHEME	SHOP FRONT			
TILE	(TL1)		NAME:JURA STONE BROWN MATT TILE CODE:02385 SIZE:500*500 FINISH:MATT	CHEAPESTILES	FLOOR			
TILE	TL2		SPEC: DARK GREY SIZE:300*300 FINISH: MATT R12 P5 GROUT:GREY	SHOPFITTER TO SOURCE	KITCHEN FLOOR			
TILE	TL3		NAME:SILK WHITE HONED TILE CODE:02509 SIZE:600*1200	CHEAPESTILES	WALL			
TILE	TL4	4.4.	NAME:WHITE MATT WALL TILE WALL TILE CODE:00191 SIZE:300*600	CHEAPESTILES	WALL			

ITEM	CODE	PHOTO REFERENCE	DESCRIPTION	SUPPLIER	LOCATION	NOTES
LAMINET	LM1		NAME:SMOKY SAPELLE NATURAL COLOR CODE: 480	LAMINEX	WALL	
LAMINET	LM2		NAME:CLASSIC OAK NUANCE COLOR CODE: 8537	LAMINEX	WALL	
LAMINET	LM3		METAL TEXTURE FILM	SHOPFITTER TO SOURCE	WALL	
LAMINET	LM4		NAME:PRIMED READY TO PAINT COLOR CODE: PR3	LAMINEX	DISPLAY CABINET	
LAMINET	LM5		NAME:WHITE FLINT COLOR CODE: 200	LAMINEX	DISPLAY CABINET	
ACRYLIC	AC1		AS SHOW ON PICTURE	SHOPFITTER TO SOURCE	DISPLAY CABINET	
METAL	MT1		AS SHOW ON PICTURE	SHOPFITTER TO SOURCE		
SKIRTING	SK1		SIZE:50H COLOR:BLACK	SHOPFITTER TO SOURCE	SKIRTING	



Do not scale drawings, figured dimensions are to be followed.
 All works to be in accordance with the building code of Australia and local authority requirements.
 All dimensions are to be confirmed on site prior to construction. In the event of any discrepancies on these drawings, the contractor to contact the designer prior to manufacture.
 Measurements for the fabrication of secondary components are to be taken on site to suit.
 Contractor is responsibility to obtain approvals from authorities including local council and water board prior to construction.
 Contractor to liaise with third party suppliers to confirm exact requirements. Including electrical data comms. Hydraulics and any other related requirements
 Contractor to ensure structural integrity and results integrity and results into grant properties of the structural components shall be read in accordance to details and specifications prepared by a structural engineer.
 All architectural documentations are to be read in conjunction with other consultant's drawings/specification and all other related documents.
 Copyright of heave drawings and related documents are reserved by Keeyuen. Any reproduction or distribution of any parts of these drawings and documents are reserved by Keeyuen.

REV DATE NOTES

Manly Sushi PROJECT ADRESS: Retail Shop 2, 38 The Corso, Manly, NSW 2095

CLIENT:

PROJECT NO: DRAWING TITLE: DRAWING NUMBER:

DESIGNER: Gretta.L MATERIAL SCHEDULE 1

MA-01

DRAFT BY: CHECK BY: Gretta.L SCALE @ A3:

ISSUE DATE:

27/03/2022

MATERIAL SCH	IEDULE						
ITEM	CODE	PHOTO REFERENCE	DESCRIPTIO	N	SUPPLIER	LOCATION	NOTES
BATTEN LIGHT	∠L1		NAME:SL9732/20 QTY:6	CW/HP	SAL	KITCHEN CEILING	
DOWN LIGHT	\(\lambda_2\)		CODE:S9141TC COLOR:WHITE POWER:9W SPEC:4000K QTY:16		SAL	CEILING	
PENDANT LIGHT	\(\lambda_3\)		NAME:CAROLINE FINISH:WHITE MATERIAL:FABRI QTY:16		ABOUT SPACE	CEILING	
LED STRIP	\(\lambda\)		LED STRIP COLOR TEMPER/ 4000K	ATURE:	SHOPFITTER TO SOURCE	REFER TO DWG	
			Do not so All works	TANT NOTE cale drawings, figured dimer to be in accordance with the	ssions are to be followed. e building code of Australia and local authorit s its night or construction. In the event of an	ty requirements. y discrepancies on these drawings, the contract	for to contact the decimar rules to manufe
<i>//////</i> / E:	: 02 8957 2015 info@keeyue	5 n.com.au 87-89 Liverpool St, Sydney	Measurer Contractc Contractc Contractc Contractc specificat	ments for the fabrication of or's responsibility to obtain a or to liaise with third party so or to ensure structural integrations prepared by a structur	secondary components are to be taken on site pprovals from authorities including local cou- ippliers to confirm exact requirements. Includity and feasibility of all units/components price	e to suit. ncil and water board prior to construction. ling electrical data comms. Hydraulics and any or to fabrication. All structural components shall	other related requirements be read in accordance to details and

ITEM	CODE	PHOTO REFERENCE	DESCRIPTION	SUPPLIER	LOCATION	NOTES



re.	REV	DATE	NOTES

Manly Sushi PROJECT ADRESS: Retail Shop 2, 38 The Corso, Manly, NSW 2095

CLIENT:

PROJECT NO: DRAWING TITLE: DRAWING NUMBER:


Gretta.L LIGHTING SCHEDULE 1

MA-02

DESIGNER:

Gretta.L SCALE @ A3: ISSUE DATE: 27/03/2022

DRAFT BY: CHECK BY:



Retail Shop 2, 38 The Corso, Manly, NSW 2095






IMPORTANT NOTE

REV DATE NOTES CLIENT: Manly Sushi PROJECT ADRESS: Retail Shop 2, 38 The Corso, Manly, NSW 2095

PROJECT NO: DESIGNER: DRAFT BY: CHECK BY: Gretta.L DRAWING TITLE: SCALE @ A3: LOCATION PLAN NTS DRAWING NUMBER: ISSUE DATE:

27/03/2022

PL-00



T: 02 8957 2015

E: info@keeyuen.com.au

KEEYUEN A: Suite 1302, 87-89 Liverpool St, Sydney NSW 2000

PROJECT ADRESS:

Manly, NSW 2095

Retail Shop 2, 38 The Corso,

DRAWING TITLE:

DRAWING NUMBER:

EXISTING FLOOR PLAN

PL-01

1. LEASE PLAN BY SHOPPING CENTRE SHOULD BE USED IN CONJUNCTION WITH DESIGN DRAWING DOCUMENTATION.

SCALE @ A3:

ISSUE DATE:


1:80

27/03/2022

2. ALL DIMENSIONS MUST BE CHECK ON SITE

3. ART WORK GRAPHIC DIMENSION SHOWN ON THE


BEFORE ANY FABRICATION.





1. LEASE PLAN BY SHOPPING CENTRE SHOULD BE USED IN


PL-02

27/03/2022











T: 02 8957 2015

E: info@keeyuen.com.au KEEYUEN A: Suite 1302, 87-89 Liverpool St, Sydney NSW 2000

• Do not scale drawings, figured dimensions are to be followed.
• All works to be in accordance with the building code of Australia and local authority requirements.
• All dimensions are to be confirmed on site prior to construction. In the event of any discrepancies on these drawings, the control.
• Measurements for the fabrication of secondary components are to be taken on site to suit.
• Contractor's responsibility to obtain approvals from authorities including local council and water board prior to construction.
• Contractor to liaise with thirt party suppliers to confirm exact requirements. Including electrical data comms. Hydraulics and any
• Contractor to ensure structural integrity and feasibility of all units/components prior to fabrication. All structural components shall be confirmed and the confirmed and the

NOTES

REV DATE

Manly Sushi PROJECT ADRESS: Retail Shop 2, 38 The Corso, Manly, NSW 2095

CLIENT:

PROJECT NO: DRAWING TITLE:

DESIGNER Gretta.L

scale 1:80

DRAFT BY CHECK BY : Gretta.L

27/03/2022

1. LEASE PLAN BY SHOPPING CENTRE SHOULD BE USED IN

CONJUNCTION WITH DESIGN DRAWING DOCUMENTATION.

2. ALL DIMENSIONS MUST BE CHECK ON SITE

3. ART WORK GRAPHIC DIMENSION SHOWN ON THE

DRAWING ARE ONLY FOR REFERENCE, BUILDER NEED TO CONFIRM ON SITE SIZE PRIOR FINAL

4. ALL EQUIPMENT CABINET AND COUNTER DETAILS

NEED TO BE CONFIRMED WITH CLIENT BEFORE

MANAGEMENT'S REQUIREMENTS REGARDING INTER-TENANCY WALL BEFORE INSTALLING

6. ALL SERVICES MUST BE COORDINATED AND APPROVED BY OPERATIONS MANAGER PRIOR TO COMMENCEMENT ON SITE.

EQUIPMENTS;OTHERWISE SHELVES AND EQUIPMENT

5. BUILDER SHOULD CHECK THE BUILDING

SHELVES OR WALL MOUNTED

HAVE TO BE SELF SUPPORTED.


BEFORE ANY FABRICATION


PRINTING.


FABRICATION.


SCALE @ A3: **DIMENSION PLAN** 1:80 DRAWING NUMBER: ISSUE DATE: **PL-04**


DIMENSION PLAN


















- 1. LEASE PLAN BY SHOPPING CENTRE SHOULD BE USED IN CONJUNCTION WITH DESIGN DRAWING DOCUMENTATION.
- 2. ALL DIMENSIONS MUST BE CHECK ON SITE BEFORE ANY FABRICATION.
 - 3. ART WORK GRAPHIC DIMENSION SHOWN ON THE DRAWING ARE ONLY FOR REFERENCE, BUILDER NEED TO CONFIRM ON SITE SIZE PRIOR FINAL PRINTING.
 - 4. ALL EQUIPMENT CABINET AND COUNTER DETAILS NEED TO BE CONFIRMED WITH CLIENT BEFORE FABRICATION.
 - 5. BUILDER SHOULD CHECK THE BUILDING MANAGEMENT'S REQUIREMENTS REGARDING INTER-TENANCY WALL BEFORE INSTALLING SHELVES OR WALL MOUNTED EQUIPMENTS;OTHERWISE SHELVES AND EQUIPMENT HAVE TO BE SELF SUPPORTED.
 - 6. ALL SERVICES MUST BE COORDINATED AND APPROVED BY OPERATIONS MANAGER PRIOR TO COMMENCEMENT ON SITE.
 - 7. SHOP DRAWING FOR ALL S/S WORK ARE REQUIRED; SHOPFITTER TO SUBMIT TO KEEYUEN DESIGN& RENOVATION AND LANDLORD FOR APPROVAL PRIOR TO MANUFACTURE.



AND SIZE OF ALL EXISTING COLUMNS ON SITE ASAP, PRIOR TO ANY WORK DONE. ADVISE DESIGNER ACCORDINGLY ON ANY MAJOR DISCREPANCIES. 2. SHOPFITTER TO CONFIRM LOCATION OF EXISTING EDB PRIOR TO ANY WORK DONE & ADVISE DESIGNER ACCORDINGLY. 3. SHOPFITTER TO CONFIRM SIZE & ADVISE BEST

LOCATION OF GAS METER, IF PROPOSED

LOCATION IS NOT IDEAL. PRIOR TO ANY WORK DONE & ADVISE DESIGNER ACCORDINGLY

1.SHOPFITTER TO CONFIRM QUANTITY, LOCATION

- ALL FURNITURE TYPE AND SPECIFICATION TO BE CONFIRMED WITH CLIENT PRIOR INSTALLATION.
 - EXHAUST HOOD TO HAVE MINIMUM 150MM
- OVERHANG AT FRONT AND SIDES, TO COMPLY TO AS





T: 02 8957 2015 E: info@keeyuen.com.au

IMPORTANT NOTE

Do not scale drawings, figured dimensions are to be followed.
 All works to be in accordance with the building code of Australia and local authority requirements.
 All dimensions are to be confirmed on site prior to construction. In the event of any discrepancies on these drawings, the contractor to contact.
 Measurements for the fabrication of secondary components are to be taken on site to suit.
 Contractor's responsibility to obtain approvals from authorities including local council and water board prior to construction.
 Contractor to liaise with third party suppliers to confirm exact requirements. Including electrical data comms. Hydraulics and any other related Contractor to ensure structural integrity and feasibility of all unitsform openions from to fabrication. All structural components shall be read in ac

NOTES

REV DATE

Manly Sushi PROJECT ADRESS: Retail Shop 2, 38 The Corso, Manly, NSW 2095

CLIENT:

ELECTRICITY METER

PROJECT NO: DRAWING TITLE:


DESIGNER Gretta.L


DRAFT BY : CHECK BY :

Gretta.L SCALE @ A3: 1:80


27/03/2022

FINISH PLAN DRAWING NUMBER: ISSUE DATE: **PL-08**













T: 02 8957 2015

E: info@keeyuen.com.au

A: Suite 1302, 87-89 Liverpool St, Sydney NSW 2000

IMPORTANT NOTE

COS

Manly Sushi

NOTES

REV DATE

PROJECT ADRESS: Retail Shop 2, 38 The Corso, Manly, NSW 2095

CLIENT:

PROJECT NO: DRAWING TITLE:


EL-01

DRAWING NUMBER:


DESIGNER : DRAFT BY: CHECK BY: Gretta.L Gretta.L SCALE @ A3: SHOP FRONT ELEVATION 1:30

ISSUE DATE:

27/03/2022



2 PLAN scale 1:250





IMPORTANT NOTE

• Do not scale drawings, figured dimensions a

Do not scale drawings, figured dimensions are to be followed.
 All works to be in accordance with the building code of Australia and local authority requirements.
 All dimensions are to be confirmed on site prior to construction. In the event of any discrepancies on these drawings, the contractor to contact the confirmed on site prior to construction.

Measurements for the fabrication of secondary components are to be taken on site to suit.
 Contractor's responsibility to obtain approvals from authorities including local council and water board prior to construction.
 Contractor to liaise with third party suppliers to confirm exact requirements. Including electrical data comms. Hydraulics and any other related requirements
 Contractor to leasure structural intentiry and feasibility of all unitsformoments bring it all structural components shall be read in accordance to details an

All architectural documentations are to be read in conjunction with other consultant's drawings/specification and all other related documents.
 Copyright of these drawings and related documents are reserved by Keeyuen. Any reproduction or distribution of any parts of these drawings and documents are prohibited without permission from Keeyuen.

REV DATE NOTES

CLIENT:

Manly Sushi

PROJECT ADRESS:

Retail Shop 2, 38 The Corso,

Manly, NSW 2095

PROJECT NO:

DESIGNER:
Gretta.L


DRAFT BY:
Gretta.L


DRAFT BY:
Gretta.L

SCALE @ A3:
1:50


DRAWING NUMBER:
EL-02


ISSUE DATE:
27/03/2022





PLAN scale 1:250






Gretta.L

27/03/2022

SCALE @ A3:


ISSUE DATE:





IMPORTANT NOTE


REV DATE NOTES CLIENT:


Manly Sushi PROJECT ADRESS: Retail Shop 2, 38 The Corso, Manly, NSW 2095 PROJECT NO: DESIGNER: DRAFT BY: CHECK BY: Gretta.L DRAWING TITLE: **ELEVATION 3** DRAWING NUMBER: EL-04




















Do not scale drawings, figured dimensions are to be followed.

All works to be in accordance with the building code of Australia and local authority requirements

Measurements for the fabrication of secondary components are to be taken on site to suit.

Contractor's responsibility to obtain approvals from authorities including local council and water board prior to construction.

Contractor's responsibility to obtain approvals from authorities including local council and water board prior to construction.

Contractor to liaise with third party suppliers to confirm exact requirements. Including electrical data comms. Hydraulics and any other related requirements
 Contractor to ensure structural integrity and feasibility of all units/components prior to fabrication. All structural components shall be read in accordance to details an specifications repeared by a structural engineer.

All architectural documentations are to be read in conjunction with other consultants drawings/specification and all other related documents.
 Copyright of these drawings and related documents are reserved by Keeyuen. Any reproduction or distribution of any parts of these drawings and documents are prohibite without permission from Keeyuen.

REV DATE NOTES

CLIENT:

Manly Sushi

PROJECT ADRESS:

Retail Shop 2, 38 T

Manly, NSW 2095

CLIENT:

Manly Sushi

PROJECT NO:

DESIGNER:
Gretta.L

DRAWING TITLE:

PICK UP LIGHT BOX

DRAWING NUMBER:

EL-10

DRAFT BY: CHECK BY:

Gretta.L

1:10

27/03/2022

SCALE @ A3:

ISSUE DATE: