BASIX™Certificate

Building Sustainability Index www.planningportal.nsw.gov.au/development-and-assessment/basix

Alterations and Additions

Certificate number: A1807514

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at www.planningportal.nsw.gov.au/definitions

Secretary

Date of issue: Thursday, 07 August 2025

To be valid, this certificate must be lodged within 3 months of the date of issue.



Due le et estatue es			
Project address			
Project name	1 Jenner Street, Seaforth		
Street address	1 JENNER Street SEAFORTH 2092		
Local Government Area	Northern Beaches Council		
Plan type and number	Deposited Plan DP5809		
Lot number	361		
Section number	-		
Project type			
Dwelling type	Dwelling house (detached)		
Type of alteration and addition	The estimated development cost for my renovation work is \$50,000 or more, and does not include a pool (and/or spa).		
N/A	N/A		
Certificate Prepared by (pleas	se complete before submitting to Council or PCA)		
Name / Company Name: Mr Mark Wils	on		
ABN (if applicable):			

BASIX Certificate number:A1807514 page 2/3

Fixtures and systems	Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check	
Lighting				
The applicant must ensure a minimum of 40% of new or altered light fixtures are fitted with fluorescent, compact fluorescent, or light-emitting-diode (LED) lamps.		~	~	
Fixtures				
The applicant must ensure new or altered showerheads have a flow rate no greater than 9 litres per minute or a 3 star water rating.		~	~	
The applicant must ensure new or altered toilets have a flow rate no greater than 4 litres per average flush or a minimum 3 star water rating.		~	~	
The applicant must ensure new or altered taps have a flow rate no greater than 9 litres per minute or minimum 3 star water rating.		~		

BASIX Certificate number:A1807514 page 3/3

Legend

In these commitments, "applicant" means the person carrying out the development.

Commitments identified with a in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).

Commitments identified with a in the "Show on CC/CDC plans & specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.

Commitments identified with a in the "Certifier check" column must be certified by a certifying authority as having been fulfilled, before a final occupation certificate for the development may be issued.