



Warringah Council

NOTICE OF DETERMINATION OF DEVELOPMENT APPLICATION

Development Application No: DA 2007/581

DEVELOPMENT APPLICATION DETAILS

Applicant Name: James Alan Pearce

Applicant Address: 41 Gilles Crescent Beacon Hill NSW 2100

Land to be developed (Address): Lot 32, DP 222326, 41 Gilles Crescent Beacon Hill

Proposed Development: Swimming pool & associated paving.

DETERMINATION

Made on (Date): 28th September 2007

Consent to operate from (Date): 28th September 2007

Consent to lapse on (Date): 28th September 2010

Details of Conditions

The conditions, which have been applied to the consent, aim to ensure that the Environmental Impacts of Development are minimised and the Health and Safety of the community is maintained in accordance with the relevant standards and the Building Code of Australia.

NOTE:

If the works are to be certified by a Private Certifying Authority, then it is the certifier's responsibility to ensure all outstanding fees and bonds have been paid to Council prior to the issue of the Construction Certificate or as otherwise specified by Consent conditions.

Pursuant to Section 95(2) of the Environmental Planning and Assessment Act 1979, Council has varied the provisions of Section 95(1) and advise that the consent will lapse 3 years from the date upon which the consent operates.

Section 95A of the Environmental Planning and Assessment Act 1979, allows for an extension of 1 year to the period in which the consent will lapse, except for complying development. Such an application must be made in accordance with Clause 114 of the Environmental Planning and Assessment Regulation 2000.

GENERAL CONDITIONS

CONDITIONS THAT IDENTIFY APPROVED PLANS

1. Approved Plans And Supporting Documentation

The development is to be carried out in compliance with the following plans and documentation listed below and endorsed with Council's stamp, except where amended by other conditions of consent:

Drawing No.	Drawing Title	Revision No.	Revision Date	Prepared By
07/15/1.A	Site plan & sediment barrier detail & notes/specification	n/a	07.06.07	R.Conway
0601-LP01/B	Site plan	B	23.07.07	Landscape Direct
0601-LP02/B	Sections & elevations & details	B	23.07.07	Landscape Direct

No construction works (including excavation) shall be undertaken prior to the release of the Construction Certificate.

Note: Further information on Construction Certificates can be obtained by contacting Council's Call Centre on 9942 2111, Council's website or at the Planning and Assessment Counter.

Reason: To ensure the work is carried out in accordance with the determination of Council and approved plans. **[A1 (1)]**

2. Plans on Site

A copy of all stamped approved plans, specifications and documents (including the Construction Certificate if required for the work incorporating certification of conditions of approval) shall be kept on site at all times so as to be readily available for perusal by any officer of Council or the Principal Certifying Authority.

Reason: To ensure that the form of the development undertaken is in accordance with the determination of Council, Public Information and to ensure ongoing compliance. **[A2]**

3. Approved Landscaping Plan

Landscaping works on the site are to be undertaken generally in accordance with the landscaping plan A (4) - Landscape Plans Drawing Nos. LP01 & 02 /A prepared by Landscape Direct dated 28/05/07

Reason: To ensure appropriate landscaped area and landscaping amenity at the final inspection stage of the development. **[A4]**

CONDITIONS THAT REQUIRE SUBSIDIARY MATTERS TO BE COMPLETED PRIOR TO ISSUE OF A CONSTRUCTION CERTIFICATE

4. Kerb Security Bond

A bond of \$550 shall be deposited with Council and inspection fees paid, prior to the issue of any construction certificate, against the potential for damage to Council's footpath and road reserve infrastructure during the construction process. (See Schedule)

Reason: *To ensure appropriate security is in place for the protection or repair of Public Infrastructure. [C16]*

5. Protection of Footpaths and Roadways

The public footways and roadways adjacent to the site shall be maintained at all times during the course of the work in a safe condition.

Reason: *Protection of footpath and roadways. [C22]*

6. Dilapidation Survey

A photographic survey of adjoining properties numbers 39 Gilles Crescent & 9 Carolyn Avenue, Beacon Hill, detailing the physical condition of those properties, both internally and externally, including such items as walls, ceilings, roof, structural members and other similar items, SHALL BE submitted to Council / Accredited Certifier prior to the issue of a Construction Certificate. This survey is to be prepared by an appropriately qualified and experienced independent person and submitted by the applicant to the owners of the adjoining properties and to Council prior to the issue of a Construction Certificate.

On completion of the demolition works and on completion of the excavation and building works and prior to occupation of the building, a certificate prepared by who appropriately qualified and experienced prepared the survey to the effect that no damage has resulted to adjoining premises, is to be provided to the Principal Certifying Authority.

If damage is identified by the person agreed to by who appropriately qualified and experienced prepared the survey which is considered to require rectification, the damage shall be rectified or a satisfactory agreement for rectification of the damage is to be made with the affected person/s as soon as possible and prior to occupation of the development.

All costs incurred in achieving compliance with this condition shall be borne by the person entitled to act on this Consent.



In the event that access for undertaking the dilapidation survey is denied by an adjoining owner, the applicant **MUST DEMONSTRATE**, in writing, to the satisfaction of Council / Accredited Certifier that all reasonable steps have been taken to obtain access and advise the affected property owner of the reason for the survey and that these steps have failed.

(Note: This documentation is for record keeping purposes only, and may be used by an applicant or affected property owner to assist in any action required to resolve any dispute over damage to adjoining properties arising from the works. It is in the applicant's and adjoining owner's interest for it to be as full and detailed as possible)

Reason: Proper management of records. [C47]

7. Geo-technical Report

A certificate prepared by an appropriately qualified Geo-technical Engineer shall be submitted with the documentation for the Construction Certificate certifying that the existing rock formations and substrate on the site are capable of withstanding:

- (a) the proposed loads to be imposed;
- (b) the extent of the proposed excavation, including any recommendations for shoring works that may be required to ensure the stability of the excavation;
- (c) protection of adjoining properties;
- (d) the provision of appropriate subsoil drainage during and upon completion of construction works.

Reason: To ensure the structural integrity of the subject site and adjoining sites during the excavation process. [C65]

8. Swimming Pool

The proposed swimming pool coping is to be located at a Reduced Level 132.3 Details demonstrating compliance are to be shown on the plans submitted with the Construction Certificate

Reason: To ensure the structure does not result in any adverse impacts on adjoining properties, due to excessive height above existing ground level. [C66]

9. Pool Access

Access to the pool shall be restricted by a child resistant barrier in accordance with the regulations prescribed in the Swimming Pools Act, 1992 and Swimming Pools Regulations, 1998:

- (a) The pool shall not be filled with water or be allowed to collect stormwater until the installation of the child resistant barrier is completed; and
- (b) The barrier is to conform to the requirements of AS 1926 Fences and Gates for Private Swimming Pools.



Warringah Council

Details demonstrating compliance with this requirement are to be approved by the Council / Accredited Certifier prior to the issue of the Construction Certificate.

Reason: To ensure the safety of children and make applicant aware of the need to comply with applicable pool fencing legislation. **[C68]**

10. Security Bond Schedule

All fees and security bonds in accordance with the schedule below must be paid or in place prior to the issue of the required Construction Certificate:

SECURITY BOND & FEE SCHEDULE	
41 Gilles Crescent, Beacon Hill	
DEVELOPMENT APPLICATION NUMBER: 2007/0581	
SECURITY BONDS	AMOUNT (\$)
Builders Road/Kerb Security Bond	\$550.00
TOTAL BONDS	\$550.00
FEES	
Kerb Security Inspection Fee	\$200.00
Long Service Levy	\$202.00
TOTAL FEES	\$402.00
Progress Inspections if Council is the PCA-per inspection	\$275.00

Reason: Compliance with the development consent. **[C71]**

11. Waste Collection Contract

Prior to the issue of a construction certificate and prior to the commencement of demolition work the owner must ensure that there is a contract with a licensed contractor for the removal of trade/demolition waste. No garbage or demolition/building waste is to be placed on the public way eg: Footpaths, roadways, plazas and reserves at any time.

Reason: To maintain the property in a safe and hygienic state. **[C84]**

CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

12. Silt & Sediment Control

Provision shall be made throughout the period of demolition / Excavation & Construction to prevent transmission of soil to the public road and drainage system by vehicles leaving the site.

Reason: To avoid siltation to adjoining properties and waterways. **[D1]**

13. Construction Certificate

A Construction Certificate is required to be approved and issued by either Council or an Accredited Certifier, prior to the commencement of any works on the site.



Reason: *Legislative requirements. [D3]*

14. Notice of Commencement

At least 2 days prior to work commencing on site Council must be informed, by the submission of a Notice of Commencement in Accordance with section 81A of EP & A Act 1979 of the name and details of the Principal Certifying Authority and the date construction work is proposed to commence.

Reason: *Legislative requirement for the naming of the PCA. [D4]*

15. WorkCover

Your attention is directed to the need to seek advice of your obligations from the WorkCover Authority prior to the commencement of any works on the site.

Reason: *Statutory requirement. [D5]*

16. Protection of Trees During Works

All trees that are to be specifically nominated to be retained by notation or condition as a requirement of development consent shall be maintained and protected during demolition, excavation and construction on the site. Protection methods shall be provided to the Principal Certifying Authority by an appropriately qualified person prior to commencement of any works on the site.

Reason: *To ensure compliance with the requirement to retain significant planting on the site. [D10]*

17. Excavation/Building Works

No excavation or building works shall be carried out until a Construction Certificate has been issued.

Reason: *To ensure compliance with statutory provisions. [D13]*

CONDITIONS THAT MUST BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK

18. Progress Inspections (Class 1 and 10 Buildings)

The Principal Certifying Authority (PCA) SHALL BE given a minimum of forty-eight (48) hours notice for mandatory inspection of the following, where applicable:

- (a) At the commencement of the work, and
- (b) After excavation for, and prior to pouring any in-situ reinforced concrete building element, and
- (c) Upon completion of swimming pool fencing,



- (d) After the building work has been completed and prior to any Occupation Certificate being issued in relation to the building.

The appointed Principal Certifying Authority MUST do the first inspection at the commencement of building work, and at completion of building work.

Notes:

- (1) The appointed Principal Certifying Authority has a discretion to determine additional inspections, or nominate other Accredited Certifiers to undertake inspections other than the first and last inspections, which are required to ensure compliance or otherwise with relevant codes and standards. In any event, the Principal Certifying Authority MUST be advised at all of the stages of construction identified above.
- (2) The PCA must advise the person with the benefit of the consent of the mandatory critical stage inspections referred to in the EP & A Regulations.
- (3) Where Warringah Council is acting as the Principal Certifying Authority for the project, notice is to be given by telephone to Council on 9942 2111 and requesting an relevant inspection. Failure to advise Council at the stages of construction identified above may result in fines being imposed.
- (4) Failure to advise the Principal Certifying Authority of the need for MANDATORY INSPECTIONS at the critical stages of construction detailed above may result in fines being imposed, works being required to be demolished, or delays experienced in obtaining final certification and occupation of the development in order to resolve issues.

Reason: Prescribed mandatory inspections under legislation. [E7]

19. Replacement of Principal Certifying Authority

If the person exercising the benefits of development consent changes or replaces the Principal Certifying Authority (PCA) during works on the site, the replacement PCA must notify Warringah Council within two (2) days of appointment. If the original PCA was Warringah Council, written approval from Council must be obtained for any change to the PCA role.

(Note: Special legislative provisions in the Environmental Planning and Assessment Act 1979 apply to the procedure for replacing a PCA)

Reason: Statutory requirement. [E11]

20. Replacement of Builder- (Class 1, 2, 3 ,4 and 10 structures)

If the builder is replaced while residential building work is being carried out, the Principal Certifying Authority (PCA) must give Warringah Council written notice of the name, licence number, and insurer of head contractor (or name and permit number of the owner-builder) within two (2) days of their appointment/replacement.

Reason: Statutory requirement. [E12]

21. Protection of Trees

The following tree/trees are required to be retained as part of the development consent:

All trees which are not listed as exempt or noxious in Warringah that are not indicated for removal on Landscape Plan Drawing No. LP01/A prepared by Landscape Direct dated 28/5/07

Reason: *Protection of existing environmental infrastructure and community assets.* [E22]

22. Noxious Plants

All lantana, privet, rubber trees, parateria, and other declared noxious plants on the site, shall be eradicated before the commencement of landscape works.

Reason: *To ensure that plants identified as weed species are not allowed to proliferate or interfere with a quality-landscaping outcome.* [E25]

23. Construction Hours

Building construction shall be restricted to within the hours of 7.00 am to 5.00 pm Monday to Friday and on Saturday to within the hours of 8.00 am to 1.00 pm inclusive, with no work on Sundays and Public Holidays.

Demolition and excavation works shall be restricted to within the hours of 8.00 am to 5.00 pm Monday to Friday only. (Excavation work includes the use of any excavation machinery and the use of jackhammers, rock breakers, excavators, loaders and the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site).

The builder and excavator shall display, on-site, their twenty-four (24) hour contact telephone number, which is to be clearly visible and legible from any public place adjoining the site.

Reason: *To ensure that works do not interfere with reasonable amenity expectations of residents and the community.* [E26]

24. Out of Hours Work Permits

Where it is necessary for works to occur outside those hours allowed by these conditions, approval for such will be subject to issue of a permit on each occasion from Council's Customer Services Centre. Such permit must be obtained and the appropriate fee paid at least two (2) clear working days in advance of each relevant date. Such occurrence shall be limited to two occasions per calendar month and shall only be approved if public safety or convenience is at risk. Any further variation shall require the lodgement and favourable determination of a modification application pursuant to Section 96 of the Environmental Planning and Assessment Act 1979.

(Note: Failure to obtain a permit for work outside of the approved hours will result in on the spot fines being issued, or Council pursuing any action required (including legal proceedings) to have the out of hours work cease, without prior warning.)

Reason: To ensure that works do not interfere with reasonable amenity expectations of residents and the community. [E27]

25. Installation and Maintenance of Sediment Control

Techniques used for erosion and sediment control on building sites are to be adequately maintained at all times and must be installed in accordance with Warringah Council guidelines. All techniques shall remain in proper operation until all development activities have been completed and the site fully stabilised. This Condition must be complied with during demolition and building work.

Reason: To protect the environment from the effects of sedimentation and erosion from development sites. [E28]

26. Health and Safety

The work undertaken must satisfy applicable occupational health and safety and construction safety regulations, including any WorkCover Authority requirements to prepare a health and safety plan. Site fencing must be installed sufficient to exclude the public from the site. Safety signs must be erected that; warn the public to keep out of the site, and provide a contact telephone number for enquiries. This Condition shall be complied with during demolition and building work.

Further information and details regarding occupational health and safety requirements for construction sites can be obtained from the Internet at www.WorkCover.nsw.gov.au.

Reason: To ensure the health and safety of the community and workers on the site. [E30]

27. Aboriginal Heritage

If in undertaking excavations or works, any Aboriginal site or relic is, or is thought to have been found, all works are to cease immediately and the applicant is to contact Aboriginal Heritage Officer for Warringah Council, and the National Parks and Wildlife Service (NPWS). Any work to a site that is discovered to be the location of an Aboriginal relic, within the meaning of the National Parks and Wildlife Act, requires a permit from the Director of the NPWS.

Reason: Aboriginal Heritage Protection. [E34]

28. Prohibition on Use of Pavements

Building materials shall not be placed on Council's footpaths, roadways, parks or grass verges and a suitable sign to this effect shall be erected adjacent to the street alignment.

Reason: To ensure public safety and amenity on public land. [E35]

29. Plant & Equipment Kept Within Site

All plant and equipment used in the erection of the building, including concrete pumps, wagons, lifts, mobile cranes, etc, shall be situated within the boundaries of the site and so placed that all concrete slurry, water, debris and the like shall be discharged onto the building site, and is to be contained within the site boundaries. This condition shall be complied with during demolition and building work.

Reason: *To ensure public safety and amenity on public land. [E36]*

30. Trees

- (1) Tree roots of 50mm or greater in diameter encountered during excavation, shall only be cut following consultation with a qualified Arborist. Tree roots between 10mm and 50mm in diameter, severed during excavation, shall be cut cleanly by hand.

Reason: *Protection of trees. [E37 (2)]*

- (2) Underground services should use common trenches as far away from tree roots as possible. If the services need to be run within the protection zone, all utility pipes are to be laid using appropriate directional boring techniques. Directional Boring shall be carried out at least 600mm beneath natural ground to avoid damage to tree/trees root system. Entry and exit points are to be located outside the protected area. No tree roots are to be severed, or damaged during this work. Should problems arise, work is to cease until those problems are resolved and confirmed in writing by Council's Tree Management Officer and Assigned DA Officer.

Reason: *Protection of trees. [E37 (3)]*

- (3) The following guidelines are to be complied with at all times:
 - (a) The applicant shall ensure that at all times during the development period no activities, storage or disposal of materials shall take place beneath the canopy of any tree covered under Council's Tree Preservation Order unless specifically approved by Council.
 - (b) Trees marked for retention are not to be damaged or used to display signage, or as fence or cable supports for any reason.
 - (c) Siting of sheds, stockpiles and vehicle parking should be sited so that they are remote from trees.
 - (d) Site personnel are to be made aware of tree requirements and protective measures. Paving materials placed within the dripline of any tree should be of a porous material.

Reason: *Protection of trees. [E37 (5)]*

- (6) During the construction period the applicant is responsible for ensuring all protected trees are maintained in a healthy and vigorous condition. This is to be done by ensuring that all identified tree protection measures are adhered to. In this regard all protected plants on this site shall not exhibit:



Warringah Council

- (a) A general decline in health and vigour.
- (b) Damaged, crushed or dying roots due to poor pruning techniques.
- (c) More than 10% loss or dieback of roots, branches and foliage.
- (d) Mechanical damage or bruising of bark and timber of roots, trunk and branches.
- (e) Yellowing of foliage or a thinning of the canopy untypical of its species.
- (f) An increase in the amount of deadwood not associated with normal growth.
- (g) An increase in kino or gum exudation.
- (h) Inappropriate increases in epicormic growth that may indicate that the plants are in a stressed condition.
- (i) Branch drop, torn branches and stripped bark not associated with natural climatic conditions.

The presence of any of these symptoms or signs may be considered by Council as a breach of the Conditions of Development Approval.

Reason: Protection of trees. [E37 (6)]

31. Applicant's Cost of Work on Council Property

The applicant shall bear the cost of all works associated with the development that occurs on Council's property.

Reason: To ensure the proper management of public land and funds. [E38]

32. Maintenance of Road Reserve

The public footways and roadways adjacent to the site shall be maintained at all times during the course of the work in a safe condition.

Reason: Public Safety [E39]

OPERATIONAL CONDITIONS IMPOSED UNDER EP&A ACT AND REGULATIONS AND OTHER RELEVANT LEGISLATION

33. Building Code of Australia

All building work must be carried out in accordance with the provisions of the Building Code of Australia.

Reason: Prescribed - Statutory. [F1]

34. Home Building Act

- (1) Building work that involves residential building work (within the meaning and exemptions provided in the Home Building Act) must not be carried out unless the Principal Certifying Authority for the development to which the work relates:
 - (a) in the case of work to be done by a licensee under that Act:
 - (i) has been informed in writing of the licensee's name and contractor licence number, and



Warringah Council

- (ii) is satisfied that the licensee has complied with the requirements of the Home Building Act, or
- (b) in the case of work to be done by any other person:
 - (i) has been informed in writing of the person's name and owner-builder permit number, or
 - (ii) has been given a declaration, signed by the owner of the land, that states that the reasonable market cost of the labour and materials involved in the work is less than the amount prescribed for the purposes of the definition of owner-builder work in section 29 of that Act, and is given appropriate information and declarations under paragraphs (a) and (b) whenever arrangements for the doing of the work are changed in such a manner as to render out of date any information or declaration previously given under either of those paragraphs.

Note: The amount referred to in paragraph (b)(ii) is prescribed by regulations under the Home Building Act 1989. As at the date on which this Regulation was gazetted, that amount was \$3,000. As those regulations are amended from time to time, that amount may vary.

- (2) A certificate purporting to be issued by an approved insurer under Part 6 of the Home Building Act 1989 that states that a person is the holder of an insurance policy issued for the purposes of that Part is, for the purposes of this clause, sufficient evidence that the person has complied with the requirements of that Part.
- (3) If arrangements for doing residential building work are changed while the work is in progress so that the information submitted to Council is out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council), has given the Council written notice of the updated information.

Reason: Prescribed - Statutory. [F2]

Note: Evidence of insurance required PRIOR to commencement of work.

35. Excavation / Backfilling

- (1) All excavations and backfilling associated with the erection or demolition of a building must be executed safely and in accordance with appropriate professional standards.
- (2) All excavations associated with the erection or demolition of a building must be properly guarded and protected to prevent them from being dangerous to life or property.

Reason: To ensure that work is undertaken in a professional and responsible manner and protect adjoining property and persons from potential damage. [F5]

36. Site Sign

- (1) A sign must be erected in a prominent position on any work site on which work involved in the erection or demolition of a building is being carried out:
 - (a) stating that unauthorised entry to the work site is prohibited;
 - (b) showing the name of the principal contractor (or person in charge of the work site), and a telephone number at which that person may be contacted at any time for business purposes and outside working hours; and
 - (c) showing the name, address and telephone number of the Principal Certifying Authority for the work.
- (2) Any such sign must be maintained while the building work or demolition work is being carried out, but must be removed when the work has been completed.
- (3) This condition does not apply to building works being carried out inside an existing building.

Reason: Statutory requirement. [F9]

37. Long Service Levy

Payment of the Long Service Levy is required prior to the release of the Construction Certificate. This payment can be made at Council or to the Long Services Payments Corporation.

Advisory note: The rate of the Long Service Levy at the time of consent is 0.35% of the building construction works. At the time of consent, payment is not required where the value of the works is less than \$25,000. For works that are \$25,000 or over, a fee is required at the prescribed rate. The levy rate and level in which it applies is subject to legislative change. The applicable fee at the time of payment of the Long Service Levy will apply and is based on the building construction works identified in the Construction Certificate.

Reason: Prescribed - Statutory. [F12]

38. Sydney Water

The approved plans must be submitted to a Sydney Water Quick Check agent or Customer Centre prior to issue of the Construction Certificate to determine whether the development will affect any Sydney Water asset's sewer and water mains, stormwater drains and/or easement, and if further requirements need to be met. Plans will be appropriately stamped.



Please refer to the website www.sydneywater.com.au for:

- Quick Check agents details - see Building Developing and Plumbing then Quick Check; and
- Guidelines for Building Over/Adjacent to Sydney Water Assets - see Building Developing and Plumbing then Building and Renovating.

Or telephone 13 20 92.

Reason: To ensure compliance with the statutory requirements of Sydney Water. **[F15]**

CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO ISSUE OF OCCUPATION CERTIFICATE

39. Occupation Certificate Required

An Interim / Final Occupation Certificate shall be obtained in relation to the approved works prior to any use of, and after completion of the swimming pool.

Reason: To ensure compliance with the provisions of the Environmental Planning and Assessment Act. **[G1]**

40. Swimming Pool Water to Sewer

The swimming pool including overflow water shall be drained to the sewer. The consent of Sydney Water to dispose of wastewater shall be obtained and compliance with any conditions imposed in connection therewith.

Reason: Water from a swimming pool is classified as wastewater and cannot be legally disposed of into the stormwater system. **[G17]**

41. Pool Access

Access to the pool shall be restricted by a child resistant barrier in accordance with the regulations prescribed in the Swimming Pools Act, 1992 and Swimming Pools Regulation 1998;

- (a) The pool shall not be filled with water or be allowed to collect stormwater until the installation of the child resistant barrier is completed; and
- (b) The barrier is to conform to the requirements of AS 1926 Fences and Gates for Private Swimming Pools.

Reason: To ensure that any person acting upon this consent is aware of their obligations under the provisions of the Swimming Pools Act, to prevent young children from accidental death by drowning. **[G18]**

42. Pool Safety Requirements

The owner of the pool shall display a notice showing:

- (a) Appropriate instructions of artificial resuscitation methods.
- (b) A warning stating 'YOUNG CHILDREN SHOULD BE SUPERVISED WHEN USING THIS POOL'.

Note: This notice shall be kept in a legible condition and at the poolside.

Reason: *To ensure an adequate level of safety for young pool users. [G19]*

43. Swimming Pools

The filtration motor, pump and moving parts shall be enclosed in a sound-proofed structure of masonry or similar materials, with the noise level of any filtration equipment or pumps to not exceed 5dBA above the ambient background noise level measured at the nearest property boundary.

Reason: *Noise control [G20]*

44. Pool Fencing (Gates)

In accordance with Australian Standards any gates in the fence shall open outwards away from the pool area and be self closing and fitted with a latch which shall be automatic and of a type which cannot be easily manipulated by small children. Latches must be on the inside of the gate and as near as possible to the top.

Reason: *To ensure compliance with the relevant standards. [G21]*

45. BASIX Compliance Certification

Prior to the issue of the Occupation Certificate, a compliance certificate is to be prepared by an Accredited Certifier and submitted to the Principal Certifying Authority stating that all the selected BASIX commitments as detailed in the BASIX Certificate, lodged with the Development Application, and the approved plans/specifications have been completed.

Reason: *To ensure the development complies with the requirements of the SEPP (Building sustainability index: BASIX 2004). [G31]*

46. Permit from Sydney Water required before filling pool

A permit is required from Sydney Water prior to filling as the proposed swimming pool will be over the 10000 litre minimum. (<<http://www.sydneywater.com.au/>>)

Reason: *State Government requirement*



47. Openings within pool enclosure

The plans must be amended and submitted to council or an Accredited Certifier prior to the issuance of a Construction Certificate showing the following amendments;

The windows located within the pool enclosure shall contain fixed glazing or fixed louvers with a restricted blade opening of a maximum of 100mm. The doors proposed must also comply with Australian Safety Standards. Additionally the glass must comply with Australian Safety Standards. Alternatively, grates or grills are to be provided in accordance with AS 1026.1 - 1986 and the Swimming Pools Act 1992.

This shall not prevent the requirement for compliance with the Swimming Pools Act 1992 or the Building Code of Australia (BCA).

Reason: To ensure safety to pool area

Right to Review by the Council

You may request the Council to review the determination of the application under Section 82A of the Environmental Planning & Assessment Act 1979. Any request to review the application must be within 12 months after the date of determination shown on this notice.

NOTE: A fee will apply for any request to review the determination.

Right of Appeal

If you are dissatisfied with this decision Section 97 of the Environmental Planning & Assessment Act 1979 may give you the right to appeal to the Land and Environment Court within 12 months after the date on which you receive this notice.

Signed _____ on behalf of the consent authority

Signature
Name _____
 Ryan Cole
 Team Leader

Date 28th September 2007