



18 December 2015

Our Reference: 162008

The General Manager
Pittwater Council
PO Box 882
Mona Vale NSW 1660

Dear Sir/ Madam,

Re: Shop 18, 12 Jacksons Road, Warriewood NSW 2102
Occupation Certificate No: 16/2008-2

Under Section 109H of the Environmental Planning and Assessment Act 1979, Private Building Certifiers has issued an Occupation Certificate for the above premises.

Please find enclosed the following documentation:


- A cheque for Council's registration fee.
- Occupation Certificate No: 16/2008-2
- Documentation used to determine the application for the Occupation Certificate as detailed in the attachments of the Certificate.

Please provide a receipt upon completion of payment process and post to Suite 2501, 4 Daydream Street, Warriewood NSW 2102.

If you have any queries, please do not hesitate to contact the undersigned.

Kind Regards,

Private Building Certifiers Pty Ltd
ABN 63 152 183 205



PRVC \$36-00
Rec: 389965
22/12/15

North West Sydney

Suite 3.08, 29-31 Lexington
Drive, Bella Vista NSW 2153

P. (02) 9680 2464
F. (02) 8079 6184

South West Sydney

Level 2, 121 Queens Street,
Campbelltown NSW 2560

P. (02) 9262 2790
F. (02) 8079 6184

Sydney City

Suite 1D, Level 23,
1 Farrer Place,
Sydney NSW 2000

P. (02) 9281 5061
F. (02) 8079 6184

North Shore

Suite 1, 133 Alexander Street,
Crows Nest NSW 2065

P. (02) 9411 2113
F. (02) 8079 6184

Northern Beaches

Suite 2501, 4 Daydream Street,
Warriewood NSW 2102

P. (02) 9999 6490
F. (02) 8079 6184



FINAL OCCUPATION CERTIFICATE No. 16/2008-2

Issued under the Environmental Planning and Assessment Act 1979 Sections 109C (1) (c) and 109H

Owner

Name: Federation Centres
Address: Level 28, 35 Collins Street, Melbourne VIC 3000

Property Details

Address: Shop SP018, 12 Jacksons Road, Warriewood NSW 2102
Lot No: 220
Section: -
DP No: 1159968
Municipality: Pittwater Council

Building Details

Use: Residential
BCA classification: 1a

Complying Development Certificate

Certificate No.: 16/2008-1
Date of Determination: 1 December 2015

Determination

Type of Certificate: Final
Approved/Refused: Approved
Date of Determination: 18 December 2015

Attachments

1. Final Fire Safety Schedule.
2. Application Form for Occupation Certificate.
3. Inspection Reports prepared by Private Building Certifiers.
4. Final Fire Safety Certificate prepared by Design Tribe Projects dated 17.12.2015.
5. Installation Certificate (Mechanical Ventilation) prepared by Matthew Eaton dated 17.12.2015.
6. Installation Certificate (Automatic Fire Suppression) prepared by Paul Richetti dated 15.12.2015.
7. Installation Certificate (Smoke Detection and Alarm System, Building Occupant Warning System and Sound System for Emergency Purposes) prepared by David Adamson dated 15.12.2015.
8. Electrical Works Compliance Certificate prepared by Alexei Ivan Morozoff dated 16.12.2015.
9. Lighting Installation Certificate prepared by Boston Electrics dated 17.12.2015.
10. Exit Signs and Emergency Lighting Installation Certificate prepared by Boston Electrics dated 17.12.2015.

North West Sydney

Suite 3.08, 29-31 Lexington Drive, Bella Vista NSW 2153
P. (02) 9680 2464
F. (02) 8079 6184

South West Sydney

Level 2, 121 Queens Street, Campbelltown NSW 2560
P. (02) 9262 2790
F. (02) 8079 6184

Sydney City

Suite 1D, Level 23, 1 Farrer Place, Sydney NSW 2000
P. (02) 9281 5061
F. (02) 8079 6184

North Shore

Suite 1, 133 Alexander Street, Crows Nest NSW 2065
P. (02) 9411 2113
F. (02) 8079 6184

Northern Beaches

Suite 2501, 4 Daydream Street, Warriewood NSW 2102
P. (02) 9999 6490
F. (02) 8079 6184

Certificate Final / Principal Certifying Authority

I, Wayne Treble certify that;

- I have been appointed as the principal certifying authority under s 109E.
- A current Development Consent/Complying Development Certificate is in force with respect to the building.
- If any building work has been carried out, a current Construction Certificate (or Complying Development Certificate) has been issued with respect to the plans and specifications for the building.
- The building is suitable for occupation or use in accordance with its classification under the Building Code of Australia.
- The health and safety of the occupants of the building has been taken into consideration
- Where required, a final fire safety certificate has been issued for the building.
- Where required, a report from the Commissioner of Fire Brigades has been considered.

Signature



Wayne Treble
Accredited Certifier
BPB Registration No. 0413
Private Building Certifiers Pty Ltd
ABN 63 152 183 205

Date of determination **18.12.2015**

Certificate Number **16/2008-2**



ATTACHMENT 1
Fire Safety Schedule

(Pursuant to Clause 168 of the Environmental Planning and Assessment Regulation 2000)

	Essential Fire Safety Measures	Standard of Performance
1.	Automatic fail safe devices	BCA D2.19 & D2.21
2.	Automatic fire suppression systems (Sprinklers)	BCA Clause E1.5 AS 2118.1 – 2005 AS 1951.3 - 1985
3.	Automatic Fire Detection and Alarm System	BCA Spec E2.2a AS 1670 – 2001 AS 1851.8 - 1987
4.	Emergency Warning & Intercommunication System	BCA Spec E2.2a AS 2220.1 &.2 AS 4428.1 – 1998 AS 1851.10
5.	Fire hydrant systems	BCA Clause E1.3 AS 2419.1 – 1996 AS 1851.4 - 1992
6.	Fire hose reel systems	BCA Clause E1.4 AS 2441 – 1988 AS 1851.2 - 1995
7.	Portable fire extinguishers	BCA Clause E1.6 AS 2444 – 2001 AS 1851.1 - 1995
8.	Emergency lighting	BCA Clause E4.2, E4.4 AS 2293.1
9.	Exit signs	BCA Clause E4.5 & E4.8 AS 2293.1
10.	Fire doors	BCA Clause C3.5, C3.8 AS 1905.1 - 1997
11.	Warning & operational signs	LGA 654, BCA D2.22 & D2.23
12.	Mechanical air handling systems/smoke control	BCA Clauses E2.2 AS 1668.1
13.	Fire dampers	BCA Clause C3.15 AS 1668.1 AS 1682.1 & 2
14.	Fire seals protecting openings in fire-resisting components of the building	BCA Clause C3.15, Spec A2.4 & Spec C3.15 AS 1530.4 – 1975 AS 4072.1 - 1992
15.	Paths of travel stairways, passageways or ramps	BCA D2.7 EP&A Regulation 2000
16.	Smoke Detection and Alarm System	BCA 2013 Part E2, Specification E2.2a, AS1668.1-1998, AS1670.1-2004
17.	Building Occupant Warning System	BCA Spec E1.5, BCA Spec E2.2a & AS1670.1 – 2004 – Clause 3.22
18.	Sound System for Emergency Purposes	BCA 2013 Clause E4.9 & AS1670.4-2004

Information for the applicant

- This form may be used to apply for:
 - a **final occupation certificate** to authorise the commencement of occupation or use of a new building, or
- Once completed, submit this application form to the principal certifying authority (PCA).

SECTION A. Type of occupation certificate applied for (Tick one)
☐ Final occupation certificate

SECTION B. Details of the applicant

*An application for an occupation certificate may only be made by a person who is eligible to appoint a PCA for the development. An application may not be made by the person who carried out the building work or subdivision work unless that person owns the land on which the work was carried out.

Mr ☒ Ms ☐ Mrs ☐ Dr ☐ Other:

First name Family name

Company (if applicable) ABN (if applicable)

Unit/Street no. Street name

Suburb or town State Postcode

Daytime telephone Fax Mobile

Email

SECTION C. Details of building

Unit/Street no. Street name

Suburb or town Postcode

Lot no. Section

DP / SP no. Volume/folio

Description of the building or part of building to which the application relates

If the application relates to a new use of the building or part of the building, also describe the new use.

Shop fitout

Building classification under the Building Code of Australia, as identified by the complying development certificate

Existing classification

6

New classification (if changed)

6

SECTION D. Attachments relating to the proposed development

1. Applicants must provide the documents listed below that are relevant to the type of development that is proposed. Please confirm that documents relating to the requirements below have been attached by placing a cross in the appropriate box(s).



Complying development certificate



Compliance certificate (if applicable)



Fire safety certificate (if applicable)



Each BASIX certificate for the development (if applicable).

2. Does the development (*see note below) involve an alternative solution under the Building Code of Australia ("BCA") in respect of a fire safety requirement?

If YES, provide either or both of the following from a "fire safety engineer" (a private accredited certifier holding Category C10 accreditation):

- A compliance certificate (as referred to in s.109C(1)(a)(v) EP&A Act) that certifies that building work relating to an alternative solution that was the subject of a compliance certificate or report under clause or 144A(a) EP&A Regulation – (the first certificate or report) has been completed and complies with that alternative solution.
- A written report that includes a statement that the building work relating to the alternative solution that was the subject of the first certificate or report has been completed and is consistent with that alternative solution.

Note: The above requirement only applies to building work in respect of:

- a class 9a building that is proposed to have a total floor area of 2000 square metres or more
- any building (other than a class 9a building) that is proposed to have:
 - a fire compartment with a total floor area of more than 2000 square metres or
 - a total floor area of more than 6000 square metres

that involves an alternative solution under the BCA in respect of the requirements set out in EP1.4, EP2.1, EP2.2, DP4 and DP5 in Volume 1 of the BCA.

3. Does the application relate to a residential flat development for which the development application was required under Clause 50(1A) of the EP&A Regulation to be accompanied by a design verification from a qualified designer?

If YES, provide a statement from a qualified designer which verifies that the residential flat development achieves the design quality of the development as shown in the plans and specifications on which the construction certificate was issued, having regard to the design quality principles set out in Part 2 of State Environmental Planning Policy No. 65-Design Quality of Residential Flat Development (SEPP No. 65)

Note: If the development application was also required to be accompanied by a BASIX certificate with respect to any building, the statement need not verify the design quality principles set out in SEPP No. 65 to the extent to which they aim to

- reduce consumption of mains-supplied potable water, or reduce emissions of greenhouse gases, in the use of the building or in the use of the land on which the building is situated, or
- improve the thermal performance of the building.

SECTION E. List of documents

Prepare and attach a list of all of the documents provided under SECTION D.

SECTION F. Delivery of the application

Applications for occupation certificates must be delivered by hand, by post or transmitted electronically to the principal office of the certifying authority. Applications MAY NOT be sent by fax.

SECTION G. Signature of applicant(s)

Signature of applicant(s)



Name(s)

Cameron Clark

Date

17/12/2015

SECTION H. Date of receipt of application

To be completed by the certifying authority immediately after receiving this Application.

This Application was received on

16/12/15

(insert date).

Record of inspection

Under CI 162A, required by Section 109E (3)(d) EP&A Reg 2000

(1) Details of Application

Certifying Authority

Wayne Treble

Accreditation No.

0413

Development Consent No.

NA

CC or CDC No.

162008

Site Street No.

Shop 18, 12

Street Name

Jacksons Road,

Suburb or Town

Warriewood

State

NSW

Postcode

2102

(2) Inspection Details

☒ **Inspection by accredited certifier**

Name of Accredited Certifier

Wayne Treble

Accreditation No.

0413

Date of Inspection Carried Out

17.12.2015

Type of Inspection

After the building work has been completed and prior to any occupation certificate being issued in relation to the building.

(3) Compliance

Does the work carried comply with the BCA, relevant NSW legislation, the approved plans and specifications?

Yes ☒ No ☐

If no, details below:


(4) Can works on site Continue

Can the works on site carry on to the next stage?

Yes ☒ Yes under conditions ☒ No ☐

If no or yes under conditions, details below:

(5) Signature



Wayne Treble

BPB Registration No. 0413


Final Fire Safety Certificate

Issued under the Environmental Planning and Assessment Regulation 2000, Clauses 170 and 173

Type of certificate (see note 1)	☒ Final
Certificate Name owner/agent Address (see notes 2 & 3)	I <u>Cam Clark</u> of <u>Design Tribe</u> certify that: (a) each of the essential fire measures listed below: - has been assessed by a person (chosen by me) who was properly qualified to do so, and - was found, when it was assessed, to have been properly implemented and to be capable of performing to a standard not less than that required by the most recent fire safety schedule (copy attached) for the building for which the certificate is issued. (b) The information contained in this certificate is, to the best of my knowledge and belief, true and accurate.
Identification of Building	Address: 12 Jacksons Road, Warriewood NSW 2102 Municipality: Pittwater Council
Particulars of Building	Whole/part building: Part Description of part: Shop SP018
Date of Assessment	Date: <u>17/12/15</u>
Owner of Building	Name: Federation Centres Address: Level 28, 35 Collins Street, Melbourne VIC 3000

Fire Safety Schedule

(Pursuant to Clause 168 of the Environmental Planning and Assessment Regulation 2000)

	Essential Fire Safety Measures	Standard of Performance
1.	Emergency Lighting	AS2293.1-2005, BCA Clause E4.4, E4.5, E4.6, E4.8
2.	Automatic fire suppression systems (Sprinklers)	AS 2118.1 – 2005
3.	Smoke Detection and Alarm System	BCA 2013 Part E2, Specification E2.2a, AS1668.1-1998, AS1670.1-2004
4.	Building Occupant Warning System	BCA Spec E1.5, BCA Spec E2.2a & AS1670.1 – 2004 – Clause 3.22
5.	Sound System for Emergency Purposes	BCA 2013 Clause E4.9 & AS1670.4-2004
6.	Mechanical Ventilation	AS1668.2 & BCA Clause F4.5(b)
Date of Certificate		Date: <u>17/12/2015</u>
Signature		 Owner/Agent

- A copy of this certificate together with the relevant fire safety schedule must be forwarded to the Council and the Commissioner of the New South Wales Fire Brigades.

- A copy of this certificate together with the relevant fire safety schedule must be prominently displayed in the building.

Notes for completing Final/Interim Fire Safety Certificate

- Note 1: An **interim fire safety certificate** or a **final fire safety certificate** is required before:
- an **interim occupation certificate** can be issued to allow a **partially completed new building (including an altered portion of, or an extension to, a new building) to be occupied or used, or**
 - an interim occupation certificate can be issued to allow a change of building use for part of an existing building.

A **final fire safety certificate** is required:

- before a final occupation certificate can be issued to allow a new building (including an altered portion of, or extension to, a new building) to be occupied or used, or
- before a final occupation certificate can be issued to allow a change of building use for an existing building, or
- in accordance with a fire safety order given by a Council.

An **interim fire safety certificate** is issued for part of the building and may deal only with those essential fire safety measures appearing on the most recent fire safety schedule (see note 3) relevant to the part of the building for which an interim occupation certificate will be sought.

A **final fire safety certificate** must deal with all essential fire safety measures appearing on the most recent fire safety schedule (see note 3), subject to the following.

An **interim fire safety certificate** or a **final fire safety certificate** need not deal with those essential fire safety measures which have been the subject of some other final fire safety certificate or annual fire safety statement within the previous 6 months, unless the person or authority responsible for determining the relevant development consent, complying development certificate, construction certificate or fire safety order, has specified otherwise in the schedule.

(also see note 3)

Note 2: The person who carried out the assessment:

- must inspect and verify the performance of each fire safety measure being assessed, and
- in the case of a (interim or final) fire safety certificate for a new building (not an alteration to, or enlargement or extension of an existing building) must test the operation of each item of fire safety equipment installed in the building.

Note 3: The relevant essential fire safety measures are those specified in the most recent fire safety schedule, attached to one of the following:

- development consent for a change of building use.
- complying development certificate for the erection of a building or a change of building use,
- construction certificate for proposed building work, including building work associated with a change of building use, or
- a fire safety order.

The fire safety schedule will also identify the required standard of performance for each essential fire safety measure.

INSTALLATION CERTIFICATE – MECHANICAL SERVICES


SUBJECT PREMISES: Shop SP018, 12 Jacksons Road, Warriewood NSW 2102
PROJECT DESCRIPTION: Internal shop fit out for SP018 –Cherry Shop

Certification:

Work or Services installed with this development	Standards of Performance
Mechanical Ventilation (General)	BCA Clause NSW F4.5(b) & AS1668.2

I, the undersigned, certify that:

- a) The mechanical ventilation services / systems that form part of this development have been installed, inspected, tested and commissioned and were found to perform in accordance with the following:
 - Tested prototypes /systems specific for each application and complying with relevant Building Code of Australia requirements and manufacturers' instructions.
 - The relevant Australian Standards listed in the Building Code of Australia, in particular AS 1668 Parts 1 & 2;
 - Required acoustic provisions as required under Part F of the BCA, consent conditions and relevant Council Local Environmental Plan and Development Control Plan requirements.
 - b) All fire dampers, smoke dampers, fire stopping materials, fire/smoke seals and other proprietary items related to the above mechanical ventilation systems (where required) have been installed in accordance with tested prototypes and manufacturers' specifications.
 - c) I am an appropriately qualified and competent person and have a thorough understanding of the relevant codes and standards referenced above. I have recognised relevant experience in the area of work being certified. I am / my employer is holding appropriate current insurance policy to the satisfaction of the building owner or the principal authorising the installation work being certified.
-
- d) The information contained within this statement is true and accurate to the best of my knowledge.

Name:	MATTHEW EATON
Qualification/s:	M. ARCH, M. ENGINEER, M. CIBSE, M. AEC
Business name:	BARATECH Pty Ltd
Business address:	9 SEFTON RD THORNLEIGH
Business telephone:	9875 3088
Signature:	
Dated:	17.12.15

INSTALLATION CERTIFICATE – ESSENTIAL SERVICES

SUBJECT PREMISES:
PROJECT DESCRIPTION:


Shop SP018, 12 Jacksons Road, Warriewood NSW 2102
Internal shop fit out for 'Cherry Shop'

Certification:

Work or Services installed with this development	Standards of Performance
Automatic fire suppression (Sprinklers)	AS 2118.1-1999

I, the undersigned, certify that:

- a. The above works / services implemented into this development have been installed, inspected, assessed and tested in accordance with:
 - Tested prototypes /systems specific for each application and complying with relevant Building Code of Australia requirements and manufacturers' instructions.
 - Approved architectural drawings, base building fire engineering requirements, conditions of consent, specifications and relevant Australian Standards.
- b. I am an appropriately qualified and competent person and have a thorough understanding of the relevant codes and standards referenced above. I have recognised relevant experience in the area of work being certified. I am / my employer is holding appropriate current insurance policy to the satisfaction of the building owner or the principal authorising the installation work being certified.
- c. The information contained within this statement is true and accurate to the best of my knowledge.

Name:	<u>PAUL RICETTI</u>
Qualification/s:	<u>CERT IV FIRE TECH</u>
Business name:	<u>FORCE FIRE & SAFETY</u>
Business address:	<u>49/11-21 UNDERWOOD RD</u>
Business telephone:	<u>1300 66 77 04</u>
Signature:	
Dated:	<u>15/12/15</u>

Installation Certificate – Detection and Alarm

SPO18 - CHERRY SHOP

I hereby certify that:

The works have been inspected during construction and have been completed in accordance with the design, specifications and the nominated Standards of Performance.

Measure and/or system	Standards of Performance
Smoke detection and Alarm System	BCA 2013 Part E2, Specification E2.2a AS1668.1-1998, AS 1670.1-2004, AS 3786-1993
Building Occupant Warning System	BCA Spec. E1.5, BCA Spec. E2.2a & AS 1670.1 – 2004 – Clause 3.22
Sound System for Emergency Purposes	BCA 2013 Clause E4.9 AS 1670.4-2004

I am a properly qualified person and have a good working knowledge of the relevant codes and standards referenced above. (My qualifications and accreditations are listed below)

Relevant qualifications and accreditations: ELECTRICAL CONTRACTOR

The information contained in this statement is true and accurate to the best of my knowledge.

Name of Certifier:

DAVID ADAMSON

Company:

FORCE FIRE P/L

Address:

UNIT 49, 11-21 UNDERWOOD RD, HOMESBURG

Phone No.

1300-66-77-04

Fax No. 1300-66-77-31

Signature

Date

15/12/15

CERTIFICATE OF COMPLIANCE – ELECTRICAL WORK

Customer COPY

CERTIFICATE NO: 2203617

CUSTOMER DETAILS

Name	Cherry Tsong		Telephone Contact	0403-287-275	
Site Address	THE CHERRY SHOP SHOP 18 WARRIEWOOD SQUARE WARRIEWOOD		Meter No:	N/A	
Cross Street	N/A	Postcode	2102	NMI (if applicable)	N/A

INSTALLATION WORK DETAILS Indicate the type of installation and types of work performed under this Notice					
Type of Installation	☐ Residential	☒ Commercial	☐ Industrial	☐ Rural	☐ Other
Special Conditions	☐ over 100 amps	☐ High Voltage	☐ Hazardous Area	☐ Generator	☐ Unmetered Supply

CERTIFICATE MUST BE ISSUED TO THE CUSTOMER FOR ALL ELECTRICAL WORK

Work of the following type must ALSO be notified to the ELECTRICITY DISTRIBUTOR (DNSP)

- | | |
|--|---|
| ☒ New Installation | ☐ Network connection or metering |
| ☐ Additions or alterations to a switchboard or associated equipment | ☐ Defect Rectification No: |

DETAILS OF EQUIPMENT Describe the equipment and estimate load increase of the work affected by this Notice.
If insufficient space attach separate sheets.

EQUIPMENT	RATING	No.	PARTICULARS OF WORK
☐ Switchboards			
☒ Circuits	20amp	5	
☒ Lighting	20amp	3	37x9watt spots, 4x 35watt down lts, 3x 25watt points.
☒ Socket-outlets	20amp	2	6x double powerpoints, 2x single power points.
☐ Appliances			
Estimated increase in load A/ph		30amps.	☐ Increased load is within capacity of installation/service mains
☐ Work is connected to supply			☐ Work is not connected to supply pending inspection by DNSP

The work has been carried out
or supervised by:




Licence No: 237989C

TEST REPORT

Indicate the relevant tests and checks that have been performed on the work.
If test records are provided attach as separate sheets.


☒ Earthing system integrity Ω	☒ Residual current device operation
☒ Insulation resistance M Ω	☒ Visual check that installation is suitable for connection to supply
☒ Polarity	☐ Stand-alone power system complies with AS 4509
☒ Correct circuit connections	☐ Fault loop impedance (if necessary)

I confirm that I have carried out the above tests and visually checked that the installation work described in this Certificate complies with AS/NZS 3000 and is suitable for its intended use.

Name:	Alexei Ivan Morozoff	Licence No:	237989C
Signature:		Date of Testing:	16/12/15

CERTIFICATION

I, the Electrical Contractor give notice to the Customer and _____
(Name of DNSP or OFT), that the work described in this Certificate has been completed in accordance with the Electricity (Consumer Safety) Regulation 2006

Name:	Alexei Ivan Morozoff	Licence No:	237989C
Signature:		Date of Notice:	16/12/15
Address:	PO BOX 242 STANHOPE GARDENS	Telephone No. or Other Contact	0400 995 491

ELECTRICITY DISTRIBUTOR (DNSP) REMARKS

Inspected by:		Date	
---------------	--	------	--

Comments:

--

BOSTON ELECTRICS

EMAIL: boston.electrics@gmail.com PHONE: 0400 995 491 ABN: 32 125 846 493 LIC No: 237989C

Certification of Lighting Installation

Attention: Building Certification Unit

PREMISES:

The Cherry Shop
Shop 18 Warriewood Square, Warriewood NSW 2106

OWNER: Cherry Tsong

I Alexei Morozoff being a qualified licensed electrical contractor, hereby certify that I have Installed and tested all lighting equipment in accordance with AS3000 and the Building Code of Australia (part J6) at the abovementioned premises.

Calculation

- | | |
|----------------------------------|-------------|
| 1. Unit Space = 85 square meters | |
| 2. Lights | |
| • 37 x 9 watt track spot lights | = 333 watts |
| • 4 x 35 watt down lights | = 140 watts |
| • 3 x 25 watt down lights | = 75 watts |
| • 3 x 10 watt down lights | = 30 watts |
| Total watts | = 578 watts |

3. Watts per square meter = 6.8 watts

Dated: 17/12/2015

Licence No. 237989C

Phone No. 0400 995 491

Signed: Alexei Morozoff



BOSTON ELECTRICS

EMAIL: boston.electrics@gmail.com

PHONE: 0400 995 491

ABN: 32 125 846 493

LIC No: 237989C

Certification of Exit signs and Emergency lighting

Attention: Building Certification Unit

PREMISES:

The Cherry Shop
Shop 18 Warriewood Square, Warriewood NSW 2106

OWNER: Cherry Tsong

I Alexei Morozoff being a qualified licensed electrical contractor, hereby certify that I have Installed and tested the exit signs and emergency lighting at the abovementioned premises in accordance with the following requirements:

Exits signs

1. All works have been carried out and in accordance with AS2293.1; Part E4.5, E4.6, E4.8 of the Building Code of Australia and AS3000.

Emergency lighting

2. All works have been carried out and in accordance with AS2293.1; Part E4.2, E4.4 of the Building Code of Australia and AS3000.

Dated: 17/12/2015

Licence No. 237989C

Phone No. 0400 995 491

Signed: Alexei Morozoff


.....