




LOT NO:
6

DEPOSITED PLAN:
25194

COUNCIL / LGA:
NORTHERN BEACHES

SLAB CLASS:
S

WIND SPEED:
N1

EXCAVATION NOTES

50MM (+/-) TOLERANCE TO NOMINATED RL'S

EXCAVATE APPROX. 1300MM ON RL 168.340 AND FILL APPROX. 2500MM

EXCAVATIONS ARE TO START A MINIMUM OF 1000MM FROM THE EDGE OF THE BUILDING AND ARE TO BE BATTERED BACK TO SUIT

IT IS THE RESPONSIBILITY OF THE OWNER TO PROVIDE A GRATED DRAIN ACROSS GARAGE OPENINGS (IF REQUIRED) DUE TO CONSTRUCTION OF DRIVEWAY

IMPORTANT NOTES

SITE CUTS ARE SUBJECT TO COUNCIL APPROVAL & NOT TO BE USED BY ANY OTHER CONTRACTORS OTHER THAN METRICON HOMES PTY LTD

STORMWATER TO DISPERSAL

DRENCH VIA RAINWATER TANK(S)

REFER TO HYDRAULIC ENGINEER'S DETAILS

TEMPORARY SITE FENCING

METRICON TO PROVIDE FENCING TO ANY UNFENCED BOUNDARIES (AS REQUIRED)

ALL WEATHER ACCESS

METRICON TO SUPPLY UP TO 5M SUITABLE ALL WEATHER ACCESS TO BUILDING PLATFORM DURING CONSTRUCTION

SURVEY LEGEND

SYMBOL	DESCRIPTION
[Symbol]	BULLY PIT
[Symbol]	HYDRANT
[Symbol]	SEWAGE INLET PIT
[Symbol]	SEWER INSPECTION COVER
[Symbol]	SEWER MANHOLE
[Symbol]	WATER METER
[Symbol]	ELECTRICITY BOX
[Symbol]	STORMWATER MANHOLE
[Symbol]	TELSTRA PIT
[Symbol]	SEWER LINE
[Symbol]	VEHICLE CROSSING
[Symbol]	STOP VALVE
[Symbol]	DEEP EDGE BEAM
[Symbol]	GAS METER
[Symbol]	LIGHT POLE
[Symbol]	INVERT
[Symbol]	TOP OF KERB
[Symbol]	KERB OUTLET

ASPECT SURVEY DATE: 02/11/16

CONTOUR INTERVALS: 200MM

LEVELS TO: AHD

SITE PLAN

DRIVEWAY

Bld E Level 4, 32 Levegh Dr, Baulkham Hills NSW 2153
P.O. Box 7510, Horwood Business Park NSW 2153
Tel: 02 8887 9000 Fax: 02 8079 5901
Contractor Licence No: 174 899
ACN: 005 108 752 www.metricon.com.au

© COPYRIGHT The ideas and the concepts contained within all drawings and documents is the sole property of Metricon Homes

MR & MRS BACON
LOT 6, KAMBER ROAD,
TERREY HILLS

JOB No: 680740

DATE: 23.11.16 DRAWN: SG

SCALE: 1:200 SHEET: 1 OF 1

UDD REF: 136 K12

KAMBER ROAD

LOT 2
DP 794191

167.83
180°01'00"

14500

APPROX. LOCATION OF
EXISTING SHED
119.95QM

83000

57707

63044

TO DINING

LOT 6
2.0244 HA

100702

LOT 1
DP 794191

270°01'00"
120.7

249813

APPROX. LOCATION OF
22,000L RAINWATER
TANK BY OWNER

EXISTING FRONT
ACCESS TO BE
USED FOR NEW
DWELLING

6000

38886

EXISTING HOUSE TO BE
DEMOLISHED BY OWNER PRIOR
ISSUE OF FINAL
OCCUPATIONAL CERTIFICATE

00°01'00"
167.64

LOT 5

 EXISTING TREES TO BE
LOPPED/REMOVED BY OWNER

TREE REMOVAL REQUIREMENTS


SITE TO BE CLEARED BY OWNER OF ANY EXISTING
TREES AND/OR PRUNE TREES WHICH WILL EFFECT
THE BUILDING AREA PRIOR TO CONSTRUCTION

IT IS THE RESPONSIBILITY OF THE OWNER TO
OBTAIN SEPARATE COUNCIL APPROVAL IF REQUIRED

ALL TREE HEIGHTS ARE APPROXIMATE ONLY
AND ARE SHOWN FOR TENDER PURPOSES ONLY.
ALL TREE RELATED ISSUES TO
BE REFERRED TO AN ARBORIST

NOTE: POSITION OF SEWER MAIN NOT YET
AVAILABLE. REFER TO SYDNEY WATER
DIAGRAM DATED 26/10/16

EXISTING HARD SURFACE AREA	
	886.3 SQM
INCLUDING ALL HARD SURFACES,	4.4 %
PROPOSED HARD SURFACE AREA	
	662.4 SQM
INCLUDING ALL HARD SURFACES,	3.27 %
TOTAL HARD SURFACE AREA	
TOTAL AREA	1548.7 SQM
INCLUDING ALL HARD SURFACES,	7.7 %



LOT NO	6
DEPOSITED PLAN	25194
COUNCIL / LGA	NORTHERN BEACHES
SLAB CLASS	S
WIND SPEED	N1

EXCAVATION NOTES
50MM (+/-) TOLERANCE TO NOMINATED RL'S
EXCAVATE APPROX. 2310MM ON RL 167.890
AND FILL APPROX. 1890MM

EXCAVATIONS ARE TO START A MINIMUM OF
1000MM FROM THE EDGE OF THE BUILDING
AND ARE TO BE BATTERED BACK TO SUIT

IT IS THE RESPONSIBILITY OF THE
OWNER TO PROVIDE A GRATED DRAIN
ACROSS GARAGE OPENINGS (IF REQUIRED)
DUE TO CONSTRUCTION OF DRIVEWAY

IMPORTANT NOTES
SITE CUTS ARE SUBJECT TO COUNCIL APPROVAL
& NOT TO BE USED BY ANY OTHER CONTRACTORS
OTHER THAN METRICON HOMES PTY LTD

**STORMWATER TO DISPERSAL
TRENCH VIA RAINWATER TANK(S)**

REFER TO HYDRAULIC ENGINEER'S DETAILS

TEMPORARY SITE FENCING
METRICON TO PROVIDE FENCING
TO ANY UNFENCED BOUNDARIES
(AS REQUIRED)

ALL WEATHER ACCESS
METRICON TO SUPPLY UP TO 5M SUITABLE
ALL WEATHER ACCESS TO BUILDING
PLATFORM DURING CONSTRUCTION

SURVEY LEGEND

 GULLY PIT	 SEWER LINE
 HYDRANT	 VEHICLE CROSSING
 SURFACE INLET PIT	 STOP VALVE
 SEWER INSPECTION COVER	 DEEP EDGE BEAM
 SEWER MANHOLE	 GAS METER
 WATER METER	 LIGHT POLE
 ELECTRICITY BOX	 INVERT
 STORMWATER MANHOLE	 TOP OF KERB
 TELSTRA PIT	 KERB OUTLET

ASPECT SURVEY DATE: 02.11.16

CONTOUR INTERVALS: 200MM

LEVELS TO: AHD

SITE PLAN

m
metricon

Build E, Level 4, 32 Levington Dr, Baulkham Hills NSW 2153
P.O. Box 7810, Norwest Business Park NSW 2153
Tel: 02 8887 9000 Fax: 02 8079 5901
Contractor Licence No: 174 599
A.C.N. 005 108 762 www.metricon.com.au

© COPYRIGHT The ideas and the concepts contained within all
drawings and documents is the sole property of Metricon Homes

MR & MRS BACON
LOT 6, KAMBER ROAD,
TERREY HILLS

JOB No: 680740


DATE: 20.02.17 DRAWN: DS/SG

SCALE: 1:600 SHEET: 1A OF 7

UDD REF: 136 K12

SEDIMENT CONTROL NOTES

1. ALL EROSION AND SEDIMENTATION CONTROL MEASURES, INCLUDING REVEGETATION AND STORAGE OF SOIL AND TOPSOIL, SHALL BE IMPLEMENTED TO THE STANDARDS OF THE SOIL CONSERVATION OF NSW AND INSPECTED REGULARLY BY THE SITE MANAGER.
2. ALL DRAINAGE WORKS SHALL BE CONSTRUCTED AND STABILIZED AS EARLY AS POSSIBLE DURING DEVELOPMENT.
3. SEDIMENT TRAPS SHALL BE CONSTRUCTED AROUND ALL INLET PITS, CONSISTING OF 300MM WIDE X 300MM DEEP TRENCH.
4. ALL SEDIMENT BASINS AND TRAPS SHALL BE CLEANED WHEN THE STRUCTURES ARE A MAXIMUM OF 80% FULL OF SOIL MATERIALS, INCLUDING THE MAINTENANCE PERIOD.
5. SOIL AND TOPSOIL STOCKPILES SHALL BE LOCATED AWAY FROM DRAINAGE LINES AND AREA WHERE WATER MAY CONCENTRATE. ALL ROADS AND FOOTPATHS TO BE SWEEP DAILY.
6. FILTER SHALL BE CONSTRUCTED BY STRETCHING A FILTER FABRIC (PROFEN OR APPROVED EQUIVALENT) BETWEEN POST AT 3.0M CENTRES. FABRIC SHALL BE BURIED 150MM ALONG ITS LOWER EDGE.
7. DUST PREVENTION MEASURES TO BE MAINTAINED AT ALL TIMES.




SEDIMENT FENCE DETAIL
NOT TO SCALE

TEMPORARY SECURITY FENCING

TEMPORARY SECURITY FENCING TO THE PERIMETER OF BOUNDARY WHERE REQUIRED TO PREVENT PUBLIC ACCESS ONTO SITE.

CUT & FILL BATTERS

ALL GROUND LINES ARE APPROXIMATE. EXTENT OF CUT AND FILL BATTERS WILL BE DETERMINED ON SITE. SEDIMENT BARRIERS ARE TO BE CUSTOMISED SITE SPECIFIC.



LOT NO.	6
DEPOSITED PLAN	25194
COUNCIL / LGA	NORTHERN BEACHES
SLAB CLASS	S
WIND SPEED	N1

EROSION & SEDIMENT

CONSTRUCTION PLAN

TEMPORARY FENCING
BUILDER TO PROVIDE FENCING TO ANY UNFENCED BOUNDARIES (LOCAL AUTH. BYLAW)

ALL WEATHER ACCESS
METRICON TO SUPPLY UP TO 5M SUITABLE ALL WEATHER ACCESS TO BUILDING PLATFORM DURING CONSTRUCTION

ASPECT SURVEY DATE: 02.11.16

CONTOUR INTERVALS: 200MM

LEVELS TO: AHD

m
metricon
Build E, Level 4, 32 Lonsing Dr, Baulkham Hills NSW 2153
P.O. Box 7510, Norwest Business Park NSW 2153
Tel: 02 8887 9000 Fax: 02 8079 5901
Contractor Licence No: 174 699
A.C.N. 005 108 752 www.metricon.com.au

© COPYRIGHT The ideas and the concepts contained within all drawings and documents is the sole property of Metricon Homes

MR & MRS BACON
LOT 6, KAMBER ROAD,
TERREY HILLS

JOB No. 680740

DATE: 20.02.17 DRAWN: DS/SG
SCALE: 1:200 SHEET: 1B OF 7
LBD REF: 136 K12

NOTE: POSITION OF SEWER MAIN NOT YET AVAILABLE. REFER TO SYDNEY WATER DIAGRAM DATED 26/10/16


ALL TREE HEIGHTS ARE APPROXIMATE ONLY AND ARE SHOWN FOR TENDER PURPOSES ONLY. ALL TREE RELATED ISSUES TO BE REFERRED TO AN ARBORIST

IMPORTANT NOTE:
REFER TO FACADE DETAIL
REF. NO. **S-TYP-002D-03**


IMPORTANT NOTE:
REFER TO ENGINEERS PLANS FOR
ARTICULATION JOINT LOCATIONS

hebel®  **Power Panel**
WALL PANELS


PROVIDE ACRYLIC RENDER FINISH TO
HEBEL PANELS TO ALL ELEVATIONS
(UNLESS NOTED OTHERWISE)




ELEVATION D.




ELEVATION A.



ELEVATION C.



~~ELEVATION B.~~



ELEVATION E.

ELEVATIONS 1:150

NOTES:

- * WINDOW SUPPLIER TO SUPPLY COVER BOARDS TO ALL CORNER WINDOWS U.N.O.
- * ALL GLAZING TO COMPLY WITH A.S. 1288 – 2006 GLASS IN BUILDINGS, & WITH A.S. 4055 – 2012 FOR WINDLOADING.
- * WINDOW HEAD HEIGHT DIMENSIONS TO BE TAKEN TO THE NEAREST CORRESPONDING BRICK COURSE.
- * WINDOWS TO COMPLY WITH B.C.A. 3.9.2.5
- * GUTTER AND DRAINAGE SYSTEM TO COMPLY WITH A.S. 3500

DESIGN: DENVER 45
FACADE: VOGUE CEILING: 24, L
GARAGE: DOUBLE LOCATION: F

DESIGNER  metricom

OWNER: MR & MRS BACON
LOT 6, KAMBER ROAD,
TERREY HILLS

METRICON 2016

JOB NO: 680740	DATE: 28.11.16
----------------	----------------

Buld E, Level 4, 32 Lexington Dr, Baulkham Hills NSW 2153
P.O. Box 7510, Norwest Business Park NSW 2153
Tel: 02 8887 9000 Fax: 02 8079 5901
Contractor Licence No: 174 699 A.C.N. 005 108 752
© COPYRIGHT The ideas and the concepts contained within all
drawings and documents is the sole property of Mettricon Homes

F.C.DATE:	30.06.17	MST VER: 02 DEC 2008
-----------	----------	----------------------

PERMIT No:	
------------	--

DRAWN: SG	CHKD:	SHEET: 3 of 7
-----------	-------	---------------


METRICON HOMES OWNS COPYRIGHT IN THIS DRAWING.
UNAUTHORISED USE, REPRODUCTION OR ADAPTION IS
FORBIDDEN AND WILL BE PROSECUTED.

IMPORTANT NOTE:
REFER TO FACADE DETAIL
REF. NO. S-TYP-0000-03

IMPORTANT NOTE:
REFER TO ENGINEERS PLANS FOR
ARTICULATION JOINT LOCATIONS

hebel® Power Panel WALL PANELS

PROVIDE ACRYLIC RENDER FINISH TO
HEBEL PANELS TO ALL ELEVATIONS
(UNLESS NOTED OTHERWISE)



ELEVATIONS 1:100

- NOTES:**
- * WINDOW SUPPLIER TO SUPPLY COVER BOARDS TO ALL CORNER WINDOWS U.N.O.
 - * ALL GLAZING TO COMPLY WITH A.S. 1288 - 2006 GLASS IN BUILDINGS, & WITH A.S. 4055 - 2012 FOR WINDLOADING.
 - * WINDOW HEAD HEIGHT DIMENSIONS TO BE TAKEN TO THE NEAREST CORRESPONDING BRICK COURSE.
 - * WINDOWS TO COMPLY WITH B.C.A. 3.9.2.5
 - * GUTTER AND DRAINAGE SYSTEM TO COMPLY WITH A.S. 3500

DESIGN: **DENVER 45**
FACADE: **VOGUE** CEILING: **24, L**
GARAGE: **DOUBLE** LOCATION: **F**

DESIGNER **m** metricon

OWNER: **MR & MRS BACON**
LOT 6, KAMBER ROAD,
TERREY HILLS

ELEVATIONS

METRICON 2016

JOB NO: **680740** DATE: **28.11.16**

Build E, Level 4, 32 Lexington Dr, Baulkham Hills NSW 2153
P.O. Box 7510, Norwest Business Park NSW 2153
Tel: 02 8887 9000 Fax: 02 8079 5901
Contractor Licence No: 174 699 A.C.N. 005 108 752
© COPYRIGHT The ideas and the concepts contained within all drawings and documents is the sole property of Metricon Homes

F.C.DATE: **30.06.17** MST VER: **02 DEC 2008**

PERMIT No:

DRAWN: **SG**

CHKD:


SHEET: **30** of **7**

METRICON HOMES OWNS COPYRIGHT IN THIS DRAWING.
UNAUTHORISED USE, REPRODUCTION OR ADAPTION IS
FORBIDDEN AND WILL BE PROSECUTED.


IMPORTANT NOTE:
REFER TO ENGINEERS PLANS FOR
ARTICULATION JOINT LOCATIONS



PROVIDE ACRYLIC RENDER FINISH TO
HEBEL PANELS TO ALL ELEVATIONS
(UNLESS NOTED OTHERWISE)



ELEVATION C.



ELEVATION B.

ELEVATIONS 1:100

- NOTES:
- * WINDOW SUPPLIER TO SUPPLY COVER BOARDS TO ALL CORNER WINDOWS U.N.O.
 - * ALL GLAZING TO COMPLY WITH A.S. 1288 - 2006 GLASS IN BUILDINGS, & WITH A.S. 4055 - 2012 FOR WINDLOADING.
 - * WINDOW HEAD HEIGHT DIMENSIONS TO BE TAKEN TO THE NEAREST CORRESPONDING BRICK COURSE.
 - * WINDOWS TO COMPLY WITH B.C.A. 3.9.2.5
 - * GUTTER AND DRAINAGE SYSTEM TO COMPLY WITH A.S. 3500

DESIGN: **DENVER 45**
FACADE: **VOGUE** CEILING: **24. L**
GARAGE: **DOUBLE** LOCATION: **F**

DESIGNER **m**
metricon

OWNER: **MR & MRS BACON**
LOT 6, KAMBER ROAD,
TERREY HILLS

ELEVATIONS

METRICON 2016

JOB NO: **680740** DATE: **28.11.16**

Build E, Level 4, 32 Lexington Dr, Baulkham Hills NSW 2153
P.O. Box 7510, Norwest Business Park NSW 2153
Tel: 02 8887 9000 Fax: 02 8079 6901
Contractor Licence No: 174 699 A.C.N. 005 108 752
© COPYRIGHT The ideas and the concepts contained within all drawings and documents is the sole property of Metricon Homes

F.C. DATE: **30.06.17** MST VER: **02 DEC 2006**

PERMIT No:

DRAWN: **SG**

CHKED:

SHEET: **30** of **7**


METRICON HOMES OWNS COPYRIGHT IN THIS DRAWING.
UNAUTHORISED USE, REPRODUCTION OR ADAPTION IS
FORBIDDEN AND WILL BE PROSECUTED.

IMPORTANT NOTE:
REFER TO FACADE DETAIL
REF. NO. S-TYP-0000-03


hebel® Power
Panel
WALL PANELS

PROVIDE ACRYLIC RENDER FINISH TO
HEBEL PANELS TO ALL ELEVATIONS
(UNLESS NOTED OTHERWISE)

IMPORTANT NOTE:
REFER TO ENGINEERS PLANS FOR
ARTICULATION JOINT LOCATIONS



ELEVATION D.



ELEVATION A.

ELEVATIONS 1:100

NOTES:

- * WINDOW SUPPLIER TO SUPPLY COVER BOARDS TO ALL CORNER WINDOWS U.N.O.
- * ALL GLAZING TO COMPLY WITH A.S. 1288 - 2006 GLASS IN BUILDINGS, & WITH A.S. 4055 - 2012 FOR WINDLOADING.
- * WINDOW HEAD HEIGHT DIMENSIONS TO BE TAKEN TO THE NEAREST CORRESPONDING BRICK COURSE.
- * WINDOWS TO COMPLY WITH B.C.A. 3.9.2.5
- * GUTTER AND DRAINAGE SYSTEM TO COMPLY WITH A.S. 3500

DESIGN: **DENVER 45**
FACADE: **VOGUE** CEILING: **24, L**
GARAGE: **DOUBLE** LOCATION: **F**

ELEVATIONS

METRICON HOMES OWNS COPYRIGHT IN THIS DRAWING.
UNAUTHORISED USE, REPRODUCTION OR ADAPTION IS
FORBIDDEN AND WILL BE PROSECUTED.

DESIGNER



METRICON 2016

Build E, Level 4, 32 Lexington Dr, Baulkham Hills NSW 2153
P.O. Box 7510, Norwest Business Park NSW 2153
Tel: 02 8887 9000 Fax: 02 8079 5901
Contractor Licence No: 174 699 A.C.N. 005 108 752
© COPYRIGHT The Ideas and the concepts contained within all
drawings and documents is the sole property of Metricon Homes

OWNER: **MR & MRS BACON**
LOT 6, KAMBER ROAD,
TERREY HILLS

JOB NO: **680740** DATE: **28.11.16**

F.C. DATE: **30.06.17** MST VER: **02 DEC 2008**

PERMIT No:

DRAWN: **SG**

CHKD:

SHEET: **3A** of **7**

Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carried out. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development that BASIX commitments be complied with.

Water Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Fixtures			
The applicant must install showerheads with a maximum rating of 5 star (+ 7.5 l/min @ 3 bar) in all showers in the development.		✓	✓
The applicant must install a toilet flushing system with a maximum rating of 4 star in each toilet in the development.		✓	✓
The applicant must install taps with a maximum rating of 3 star in the kitchen in the development.		✓	
The applicant must install bath taps with a maximum rating of 3 star in each bathroom in the development.		✓	
Alternative water			
Rainwater tank			
The applicant must install a rainwater tank of at least 3200 litres on the site. This rainwater tank must meet, and be installed in accordance with, the requirements of all applicable regulatory authorities.	✓	✓	✓
The applicant must configure the rainwater tank to collect rain runoff from at least 250 square metres of the roof area of the development (excluding the area of the roof which drains to any stormwater tank or private dam).		✓	✓
The applicant must connect the rainwater tank to:			
• all toilets in the development.		✓	✓
• the cold water tap that supplies each clothes washer in the development.		✓	✓
• at least one outdoor tap in the development (Note: NSW Health does not recommend that rainwater be used for human consumption in areas with potable water supply).		✓	✓

Thermal Comfort Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Simulation Method			
The applicant must attach the certificate referred to under "Assessor Details" on the front page of the BASIX certificate (the "Assessor Certificate") to the development application and its submission certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for an occupation certificate for the proposed development.			
The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
The details of the proposed development in the Assessor Certificate must be consistent with the details shown in this BASIX certificate, including the cooling and heating loads shown on the front page of this certificate.			
The applicant must show on the plans accompanying the Development application for the proposed development, all matters which the Assessor Certificate requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor to certify that this is the case. The applicant must show on the plans accompanying the application for a construction certificate or complying development certificate, if applicable, all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.			
The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		✓	✓
The applicant must construct the floors and walls of the dwelling in accordance with the specifications listed in the table below.	✓	✓	✓
Floor and wall construction			
Floor: concrete slab on ground			
Area			
All (a part of) floor area (apart from verandahs)			

Energy Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Hot water			
The applicant must install the following hot water system in the development, or a system with a higher energy rating: gas instantaneous with a performance of 5 stars.	✓	✓	✓
Cooling system			
The applicant must install the following cooling system, or a system with a higher energy rating, in at least 1 living area: 3-phase airconditioning; Energy rating: EER 2.5 - 3.0.		✓	✓
The applicant must install the following cooling system, or a system with a higher energy rating, in at least 1 bedroom: 3-phase airconditioning; Energy rating: EER 2.5 - 3.0.		✓	✓
The cooling system must provide for dryweight zoning between living areas and bedrooms.		✓	✓
Heating system			
The applicant must install the following heating system, or a system with a higher energy rating, in at least 1 living area: 3-phase airconditioning; Energy rating: EER 3.0 - 3.5.		✓	✓
The applicant must install the following heating system, or a system with a higher energy rating, in at least 1 bedroom: 3-phase airconditioning; Energy rating: EER 3.0 - 3.5.		✓	✓
The heating system must provide for dryweight zoning between living areas and bedrooms.		✓	✓
Ventilation			
The applicant must install the following exhaust systems in the development:			
At least 1 Bathroom: individual fan, ducted to facade or roof; Operation control: manual switch on/off.		✓	✓
Kitchen: individual fan, ducted to facade or roof; Operation control: manual switch on/off.		✓	✓
Laundry: natural ventilation only, or no laundry; Operation control: on.		✓	✓
Artificial lighting			
The applicant must ensure that the "primary type of artificial lighting" is fluorescent or light emitting diode (LED) lighting in each of the following rooms, and where the word "dedicated" appears, the fittings for those lights must only be capable of accepting fluorescent or light emitting diode (LED) lamps:			
• the kitchen.		✓	✓

Energy Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
• all bathrooms/toilets.		✓	✓
• the laundry.		✓	✓
• all hallways.		✓	✓
Natural lighting			
The applicant must install a window and/or skylight in the kitchen of the dwelling for natural lighting.	✓	✓	✓
The applicant must install a window and/or skylight in 1 bathroom(s/toilet(s)) in the development for natural lighting.	✓	✓	✓
Other			
The applicant must install a gas cooktop & electric oven in the kitchen of the dwelling.		✓	
The applicant must install a fixed outdoor clothes drying line as part of the development.		✓	

LOT NO:	6
DEPOSITED PLAN:	25194
COUNCIL / LGA:	NORTHERN BEACHES
SLAB CLASS:	S
WIND SPEED:	N1

ASPECT SURVEY DATE:	02.11.16
CONTOUR INTERVALS:	200MM
LEVELS TO:	AHD
BASIX COMMITMENTS	
m metricon	Build E, Level 4, 32 Lexington Dr, Baulkham Hills NSW 2153 P.O. Box 7510, Norwest Business Park NSW 2153 Tel: 02 8887 9000 Fax: 02 8079 5901 Contractor Licence No: 174 599 A.C.N. 005 108 752 www.metricon.com.au
© COPYRIGHT The ideas and the concepts contained within all drawings and documents is the sole property of Metricon Homes	
MR & MRS BACON LOT 6, KAMBER ROAD, TERREY HILLS	
JOB No:	680740
DATE: 20.02.17	DRAWN: DS
SCALE: ---	SHEET: 10 OF 7
UBD REF: 136 K12	

