

SITE PLAN



Certificate no.: 0003173879-04
Assessor Name: Jamie Bonnefin
Accreditation no.: 100765
Certificate date: 17 Jun 2019
Dwelling Address: 14 Playfair Road, North Curl Curl, NSW 2099
www.nathers.gov.au



SITE CRITERIA

No.14 PLAYFAIR ROAD NORTH CURL CURL N.S.W. 2099
LOT 29 D.P. 17125

SITE AREA	=	521.4	sq. m.
EXISTING HARDSTAND	=	307.4	sq. m.
EXISTING LANDSCAPED AREA < 2.0m WIDE	=	28.7	sq. m.
EXISTING LANDSCAPED AREA > 2.0m WIDE	=	185.3	sq. m. (35.5 %)
PROPOSED CONCRETE DRIVEWAY AREA	=	33.9	sq. m.
PROPOSED GARAGE FLOOR AREA	=	35.0	sq. m.
PROPOSED TOTAL GROUND FLOOR AREA	=	109.9	sq. m.
PROPOSED GROUND FLOOR FRONT DECK AREA	=	12.4	sq. m.
PROPOSED GROUND FLOOR REAR DECK AREA	=	26.0	sq. m.
PROPOSED TOTAL FIRST FLOOR AREA	=	116.1	sq. m.
PROPOSED FIRST FLOOR FRONT DECK AREA	=	3.7	sq. m.
DWELLING ROOF AREA	=	207.9	sq. m.
2 CAR PARKING SPACES PROVIDED IN GARAGE			
POST DEVELOPEMENT HARDSTAND	=	216.3	sq. m.
POST LANDSCAPED AREA < 2.0m WIDE	=	30.0	sq. m.
POST LANDSCAPED AREA > 2.0m WIDE	=	275.0	sq. m. (52.7 %)
O.S.D. IMPERVIOUS AREA	=	238.0	sq. m. (45.6 %)

NOTES:-

1. ALL GLAZING TO WINDOWS & DOORS SHALL BE IN ACCORDANCE WITH THE BASIX REPORT.
2. EXTERNAL WALL CLADDING SHALL BE SELECTED PLANK CLADDING WITH A SPECIFIED PAINTED COLOUR FINISH.
3. AN APPROVED RATED INSULATION TO ALL EXTERNAL TIMBER FRAMED WALLS IN ACCORDANCE WITH THE BASIX REPORT.
4. AN APPROVED RATED INSULATION MATERIAL TO BE PLACED IN THE CEILING SPACE WITHIN THE PERIMETER OF ALL EXTERNAL WALLS IN ACCORDANCE WITH THE BASIX REPORT.
5. AN APPROVED RATED CONDENSATION BLANKET PLACED UNDER ROOF SHEETING THRU-OUT IN ACCORDANCE WITH THE BASIX REPORT.
6. ROOF FINISHES TO BE IN ACCORDANCE WITH THE BASIX REPORT.
7. EXTERNAL WALL FINISHES TO BE IN ACCORDANCE WITH THE BASIX REPORT.
8. ALL WINDOWS AND DOORS TO HAVE WEATHER STRIPPING.
9. ALL WINDOWS & DOORS AS NOTED ON PLAN WITH SPECIFIED COLOUR FINISH.
10. ALL PAINTING TO OWNERS REQUIREMENTS.
11. ALL POWER OUTLETS & SWITCHES TO OWNERS REQUIREMENTS.
12. ALL GLAZING TO CODE AS1288
13. ALL PEST TREATMENT TO CODE AS3660.1-2000
14. SMOKE DETECTOR DENOTED SD ON PLAN TO BCA/39
15. ALL WATERPROOFING TO WET AREAS TO CODE AS3740
16. ALL TIMBER FRAMING TO CODE AS1684
17. ALL WORK CARRIED OUT TO BE IN ACCORDANCE WITH THE BCA.

BASIX REQUIREMENTS

TO BE READ INCONJUNCTION WITH THE BASIX CERTIFICATE No.9582705_02

WATER COMMITMENTS:

SHOWER HEAD RATING	3 STAR (> 4.5 BUT <= 6.0L/min)
TOILET RATING	3 STAR
ALL TAP FITTINGS RATING	3 STAR
ROOF AREA TO RAIN WATER TANK	60m ²
MIN. RAIN WATER TANK SIZE	5,300L
RAIN WATER TANK CONNECTED TO	TOILETS, LAUNDRY, 1 OUTDOOR TAP

THERMAL COMMITMENTS:

EXTERNAL WALLS	WEATHERBOARD CLADDING + R2.0 BULK INSULATION
INTERNAL WALLS	PLASTERBOARD ON TIMBER STUD
EXTERNAL CEILING	TIMBER + R4.0 BULK INSULATION
INTERNAL CEILING	TIMBER ABOVE PLASTERBOARD
ROOF	CORRUGATED IRON (LIGHT SOLAR ABSORPTANCE <0.475)
FLOORS	SUSPENDED TIMBER + R2.0 BULK INSULATION
WINDOWS	ALM-002-03 A Aluminium B 5G High Solar Gain Low-E ALM-001-03 A Aluminium A 5G High Solar Gain Low-E

ENERGY COMMITMENTS:

HOT WATER: GAS INSTANTANEOUS 4.5 STAR MIN.
INDIVIDUAL DUCTED FAN WITH MANUAL SWITCH IN BATHROOM AND KITCHEN.
NATURAL VENTILATION ONLY TO LAUNDRY.
COOLING: CEILING FAN TO AT LEAST; ONE LIVING ROOM + ONE BEDROOM
HEATING: 1-PHASE A/C (EER 3.0-3.5) TO AT LEAST; ONE LIVING ROOM
PRIMARY LIGHTING MUST BE LED FOR THE FOLLOWING ROOMS:
4 BEDROOMS/STUDY, 2 LIVING/DINING, KITCHEN, ALL BATHROOMS, ALL HALLWAYS, LAUNDRY
MUST INSTALL A WINDOW AND/OR SKYLIGHT IN THE KITCHEN AND AT LEAST 3 BATHROOMS.
GAS COOKTOP & ELECTRIC OVEN.
OUTDOOR & INDOOR CLOTHES LINES MUST BE INSTALLED.

REVISION B 15-05-2019

- INCREASED FRONT SETBACK AN ADDITIONAL 700mm
- W25 & W26 COMBINED INTO ONE PRIVACY WINDOW (SILL HEIGHT >1.5m)
- W2, W19, W18, PRIVACY WINDOWS

REVISION C 11-06-2019

- ADDED W19A TO BED 3

CLASSIC COUNTRY COTTAGES

OFFICE - 39 GAVENLOCK ROAD TUGGERAH 2259
P.O. BOX 5240 CHITTAWAY BAY N.S.W. 2261
Tel : (02) 4352 1189 Fax : (02) 4352 1198
Builders Lic. 158741C ABN 65 687 862 151

© This drawing and design remains the property of CLASSIC COUNTRY COTTAGES and may not be copied in whole or in part without prior approval of CLASSIC COUNTRY COTTAGES

PROJECT

PROPOSED NEW DWELLING 14 PLAYFAIR ROAD NORTH CURL CURL

FOR
MR D. & Mrs. D. O'BRIEN

DATE **JUNE. 2019** SCALE **1:200**

JOB No.

DWG. No.

REV

CC151

C

DEVELOPMENT

APPLICATION ISSUE

IF IN
DOUBT
ASK

4.9

68.6 MJ/m²

www.nathers.gov.au

Certificate no.: 0003173879-04

Assessor Name: Jamie Bonnefin

Accreditation no.: 100765

Certificate date: 17 Jun 2019

Dwelling Address: 14 Playfair Road North Curl Curl, NSW 2099

www.nathers.gov.au

ABSA


Accreditation Period: 2019-2022

Member Name: Jamie Bonnefin


Member Number: 100765

Member Signature: [Signature]

ABSA is a member of the Australian Building Sustainability Association



SOUTHERN ELEVATION



EASTERN ELEVATION

DEVELOPMENT APPLICATION ISSUE

CLASSIC COUNTRY COTTAGES

OFFICE - 39 GAVENLOCK ROAD TUGGERAH 2259
P.O. BOX 5240 CHITTAWAY BAY N.S.W. 2261
Tel : (02) 4352 1189 Fax : (02) 4352 1198
Builders Lic. 158741C ABN 65 687 862 151

© This drawing and design remains the property of CLASSIC COUNTRY COTTAGES and may not be copied in whole or in part without prior approval of CLASSIC COUNTRY COTTAGES

PROJECT
PROPOSED NEW DWELLING
14 PLAYFAIR ROAD
NORTH CURL CURL
FOR
MR D. & Mrs. D. O'BRIEN

DATE **JUNE. 2019** SCALE **1:100**

JOB No. **CC151** DWG. No. **04** REV **C**

- REVISION B** 15-05-2019
- INCREASED FRONT SETBACK AN ADDITIONAL 700mm
 - W25 & W26 COMBINED INTO ONE PRIVACY WINDOW (SILL HEIGHT >1.5m)
 - W2, W19, W18, PRIVACY WINDOWS
- REVISION C** 11-06-2019
- ADDED W19A TO BED 3

IF IN DOUBT ASK

