

ACTION PLANS

m: 0426 957 518

e: operations@actionplans.com.au

w: www.actionplans.com.au

DEVELOPMENT APPLICATION 42

These plans are for Development Approval only.

ITEM DETAILS	DEVELOPMENT APPLICATION						
ADDRESS	42 PACIFIC PARADE, MANLY, NSW, 2095	42 PACIFIC PARADE, MANLY, NSW, 2095					
LOT & DP/SP	LOT 1 DP 645898	LOT 1 DP 645898					
COUNCIL	NORTHERN BEACHS COUNCIL (MANLY)						
SITE AREA	223.2m²						
FRONTAGE	6.095m						
CONTROLS	PERMISSIBLE / REQUIRED	EXISTING	PROPOSED	COMPLIANCE			
	m / m² / %	m / m² / %	m / m² / %				
<u>LEP</u>							
LAND ZONING	R1 – GENERAL RESIDENTIAL	R1	R1	YES			
MINIMUM LOT SIZE	250m²	223.2m²	UNCHANGED	YES			
FLOOR SPACE RATIO	0:6 : 1 (133.92m²)	0.56 : 1 (125.86m²)	UNCHANGED	YES			
MAXIMUM BUILDING HEIGHT	8.5m	6.44m	UNCHANGED	YES			
<u>HAZARDS</u>							
ACID SULFATE SOILS	CLASS 4	N/A	N/A	N/A			
FLOOD PLANNING	HIGH FLOOD RISK	N/A	N/A	N/A			
TERRESTRIAL BIODIVERSITY	NOT IDENTIFIED	N/A	N/A	N/A			
RIPARIAN LAND & WATERCOURSE	NOT IDENTIFIED	N/A	N/A	N/A			
WETLANDS	NOT IDENTIFIED	N/A	N/A	N/A			
LANDSLIP RISK	NOT IDENTIFIED	N/A	N/A	N/A			
TERRESTRIAL BIODIVERSITY	NOT IDENTIFIED	N/A	N/A	N/A			
FORESHORE SCENIC PRO. AREA	NOT IDENTIFIED	N/A	N/A	N/A			
BUSHFIRE	NOT IDENTIFIED	N/A	N/A	N/A			
DCP							
RESIDENTIAL OPEN SPACE	AREA OS3						
TOTAL OPEN SPACE (TOS)	55% (122.76m²)	96.37m² (43%)	UNCHANGED	NO			
LANDSCAPE AREA	35% OF TOS (55%) : 42.96 m ²	41.88m²	UNCHANGED	NO			
OPEN SPACE ABOVE GROUND	MAX. 40% OF TOS (55%) : 49.1m ²	23.1m ²	UNCHANGED	YES			
PRINCIPAL PRIVATE OPEN SPACE	18m²	59.5m²	UNCHANGED	YES			
EDON'T OFTDAOK	PDELVALING PLIL PING LINE A	6.18m TO DWELLING	UNCHANGED	YES			
FRONT SETBACK	PREVALING BULDING LINE: 6m	4.3m TO POST	0.270m	NO			
REAR SETBACK	8.0m	9.56m	UNCHANGED	YES			
SIDE SETBACKS	1/3 WALL HEIGHT 1.9m	E:1.30 W:N/A SEMI	E: UNCHANGED W: N/A SEMI	NO N/A			
CAR PARKING SPACES	Required: 1	1	UNCHANGED	YES			

SHEET NUMBER	SHEET NAME	DATE PUBLISHED
DA00	COVER	2/09/2019
DA01	NOTATION	2/09/2019
DA02	SITE ANALYSIS	2/09/2019
DA03	SITE / ROOF / SEDIMENT EROSION / WASTE MANAGEMENT / STORMWATER CONCEPT PLAN	2/09/2019
DA04	EXISTING GROUND FLOOR PLAN	2/09/2019
DA05	PROPOSED GROUND FLOOR PLAN	2/09/2019
DA06	EXISTING FIRST FLOOR PLAN	2/09/2019
DA07	PROPOSED FIRST FLOOR PLAN	2/09/2019
DA08	NORTH / EAST ELEVATION	2/09/2019
DA09	SOUTH / WEST ELEVATION	2/09/2019
DA10	LONG / CROSS SECTION	2/09/2019
DA11	AREA CALCULATIONS / SAMPLE BOARD	2/09/2019
DA12	WINTER SOLSTICE 9 AM	2/09/2019
DA13	WINTER SOLSTICE 12 PM	2/09/2019
DA14	WINTER SOLSTICE 3 PM	2/09/2019

42 PACIFIC PARADE, **MANLY 2095**



NCC & AS COMPLIANCES SPECIFICATIONS

- EARTHWORKS - PART 3.1.1 OF NCC

- EARTH RETAINING STRUCTURES - PART 3.1.2 OF NCC - DRAINAGE - PART 3.1.3 OF NCC

- TERMITE-RISK MANAGEMENT - PART 3.1.4 OF NCC

- FOOTINGS & SLAB - PART 3.2 OF NCC INCLUDING AS2870

- MASONRY - PART 3.3 OF NCC INCLUDING AS3700

- FRAMING - PART 3.4 OF NCC

- SUB FLOOR VENTILATION - PART 3.4.1 OF NCC - ROOF CLADDING AND WALL-CLADDING - PART 3.5 OF NCC

- GLAZING - PART 3.6 OF NCC INCLUDING AS1288

- FIRE SAFETY - PART 3.7 OF NCC - FIRE SEPERATION - PART 3.7.2 OF NCC

- FIRE PROTECTION OF SEPERATING WALLS AND FLOORS- PART 3.7.3 OF NCC

- SMOKE ALARMS - PART 3.7.5 OF NCC

- WET AREAS AND EXTERNAL WATERPROOFING - PART 3.8.1 OF NCC

- ROOM HEIGHTS - PART 3.8.2 OF NCC

- FACILITIES - PART 3.8.3 OF NCC

- LIGHT - PART 3.8.4 OF NCC

- VENTILATION - PART 3.8.5 OF NCC

- SOUND INSULATION - PART 3.8.6 OF NCC

- STAIRWAYAND RAMP CONSTRUCTION - PART 3.9.1 OF NCC

- BARRIERS AND HANDRAILS - PART 3.9.2 OF NCC

- SWIMMING POOLS - PART 3.10.1 OF NCC

- CONSTRUCTION IN BUSHFIRE PRONE AREAS - PART 3.10.5 OF NCC

- FENCING & OTHER PROVISIONS - REGS & AS1926

- DEMOLITION WORKS - AS2601-1991 THE DEMOLITION OF STRUCTURES. - ALL WATERPROOF MEMBRANES TO COMPLY WITH WITH AS 3740-2010

- ALL PLUMBING & DRAINAGE WORK TO COMPLY WITH AS 3500

- SITE CLASSIFICATION AS TO AS 2870

- ALL PLASTERBOARD WORK TO COMPLY WITH AS 2588-1998

- ALL STRUCTURAL STEEL WORK TO COMPLY WITH AS 4100 & AS 1554

- ALL CONCRETE WORK TO COMPLY WITH AS 3600

- ALL ROOF SHEETING WORK TO COMPLY WITH AS 1562-1992 - ALL SKYLIGHTS TO COMPLY WITH WITH AS 4285-2007

- ALL CERAMIC TILING TO COMPLY WITH AS 3958.1-2007 & 3958.2-1992


- ALL GLAZING ASSEMBLIES TO COMPLY WITH AS2047 & 1288

- ALL TIMBER RETAINING WALLS ARE TO COMPLY WITH AS 1720.1-2010, AS 1720.2-2006, AS 1720.4-2006, AS 1170.1-1989 & AS 1170.4-2007


- ALL RETAINING WALLS ARE TO COMPLY WITH 3700 - 2011 & AS 3600 -2009 - ALL CONSTRUCTION TO COMPLY TO AS3959- 2009

NOTES


- APPROVED MEANS BY THE 'RELEVANT LOCAL AUTHORITY' OR COUNCIL
- THE OWNER WILL DIRECTLY PAYTHE FEES ASSOCIATED WITH THE FOLLOWING:
- BUILDING APPROVAL FROM COUNCIL, FOOTPATH AND KERB DEPOSITS WITH THE LOCAL COUNCIL, INSURANCE FEE TO BUILDING SERVICES CORPORATION, LONG SERVICE LEAVE SERVICE LEVY FEE AND APPROVAL FEE BY WATER AND SEWERAGE AUTHORITY. ALL OTHER FEES ARE TO BE PAID BY THE BUILDER. THE AMOUNT OF ANY LOCAL AUTHORITY DEPOSITS WHICH ARE FORFEITED DUE TO DAMAGE OR OTHER CAUSE WILL BE DEDUCTED FROM THE PAYMENTS DUE TO THE BUILDER.
- THE BUILDER IS TO PROVIDE AT HIS/HER OWN EXPENSE ADEQUATE PUBLIC RISK INSURANCE AND ARRANGE INDEMNIFICATION UNDER THE WORKERS COMPENSATION ACT. WORKS INSURANCE TO BE STATED IN THE CONTRACT CONDITIONS.
- ALL WORK TO BE CARRIED OUT IN A TRADESMEN LIKE MANNER AND IN ACCORDANCE WITH THE STANDARDS CODES AND REGULATIONS OF THE STANDARDS ASSOCIATION OF AUSTRALIA, BUILDING CODE OF AUSTRALIA AND ANY STATUTORY AUTHORITY HAVING JURISDICTION OVER THE WORK.
- ALL TENDERERS ARE TO VISIT THE SITE TO SATISFY THEMSELVES AS TO THE NATURE AND EXTENT OF THE WORKS, FACILITIES AVAILABLE AND DIFFICULTIES ENTAILED IN THE WORKS AS VARIATIONS WILL NOT BE ALLOWED DUE TO WORK ARISING OWING TO NEGLECT OF THIS CLAUSE.
- ALL WORK AND MATERIALS TO COMPLY WITH THE CURRENT AUSTRALIAN STANDARDS AT THE TIME OF COMMENCEMENT WERE APPLICABLE.
- THESE DRAWINGS SHALL BE READ IN CONJUNCTION WITH ALL STRUCTURAL AND OTHER CONSULTANTS DRAWINGS AND SPECIFICATIONS AND WITH ANY SUCH WRITTEN INSTRUCTIONS AS MAY BE ISSUED DURING THE COURSE OF THE CONTRACT.
- SET OUT DIMENSIONS SHOWN ON THIS DRAWING SHALL BE VARIFIED BY THE BUILDER ON SITE BEFORE COMMENCEMENT OF ANY WORK. DIMENSIONS SHOULD NOT BE OBTAINED BY SCALING THE DRAWINGS. USE ONLY FIGURED DIMENSIONS. ALL DIMENSIONS ARE IN MILLIMETRES.
- THE BUILDER IS TO ENSURE ALL CONSTRUCTION. LEVELS AND OTHER ITEMS COMPLY WITH THE CONDITIONS OF THE BUILDING APPROVAL.
- THE BUILDER IS TO COMPLY WITH ALL ORDINANCES, LOCAL AUTHORITY REGULATIONS AND THE REQUIREMENTS OF ALL SERVICES SUPPLY AUTHORITIES HAVING JURISDICTION OVER THE WORKS.
- ALL PLUMBING AND DRAINAGE WORK TO BE INSTALLED AND COMPLETED BY A LICENCED TRADESMAN AND IN ACCORDANCE WITH THE STATUTORY BODY HAVING AUTHORITY OVER THE WORKS. CONNECT ALL WASTE TO SYDNEY WATER SEWER LINE
- ALL NEW DOWNPIPES ARE TO BE CONNECTED TO THE EXISTING STORM WATER SYSTEM.
- ALL POWER AND STORMWATER OUTLET LOCATIONS SHALL BE DETERMINED ONSITE BY THE OWNER.
- SMOKE DETECTOR ALARM TO BE INSTALLED IN ACCORDANCE WITH AS3786 AND THE BUILDING CODE OF AUSTRALIA.
- ELECTRICAL WORK TO BE IN ACCORDANCE WITH SAA WIRING RULES AND BE DONE BY A LICENCED TRADESMAN
- ANY DETAILING IN ADDITION TO WHAT IS SUPPLIED SHALL BE RESOLVED BETWEEN THE OWNER AND THE BUILDER TO THE OWNERS APPROVAL, EXCEPT FOR ANY STRUCTURAL DETAILS OR DESIGN WHICH IS SUPPLIED BY THE ENGINEER.
- ALL TIMBER SIZES AND CONCRETE DETAILS TO BE CONFIRMED BY THE BUILDER PRIOR TO COMMENCEMENT OF ANY WORK.
- ALL STRUCTURAL WORK IS TO BE IN ACCORDANCE WITH THE STRUCTURAL DETAILS PREPARED BY A STRUCTURAL ENGINEER (i.e.) PIERS, FOOTINGS, CONCRETE SLABS, RETAINING WALLS, STEELWORK, FORMWORK, UNDERPINNING, ADDITIONAL STRUCTURAL LOADS, TIMBER FRAMING, WIND BRACING AND ASSOCIATED CONNECTIONS. BUILDER TO OBTAIN PRIOR TO FINALISING TENDER.
- ANY WORK INDICATED ON THE PLANS BUT NOT SPECIFIED, AND ANY ITEM NOT SHOWN ON THE PLAN WHICH IS OBVIOUSLY NECESSARY AS A PART OF CONSTRUCTION AND/OR FINISH IS TO BE CONSIDERED AS SHOWN AND SPECIFIED, AND IS TO BE DONE AS PART OF THE CONTRACT. VARIATIONS WILL NOT BE PERMITTED WITHOUT THE WRITTEN CONSENT OF THE OWNER.
- THE BUILDER SHALL PROVIDE SEDIMENT AND SILTRATION CONTROL MEASURES AS REQUIRED BY COUNCIL AND MAINTAIN THEM THROUGH THE DURATION OF THE WORKS.
- A LEGIBLE COPY OF THE PLANS BEARING APPROVAL STAMPS MUST BE MAINTAINED ON THE JOB AT ALL TIMES. HOURS OF CONSTRUCTION WILL BE RESTRICTED TO THE TIMES AS REQUIRED BY THE BUILDING APPROVAL.
- THE BUILDER IS TO ARRANGE FOR ALL INSPECTIONS REQUIRED BY THE AUTHORITIES AND LENDING INSTITUTIONS TO THEIR REQUIREMENTS.
- THE BUILDER IS TO OBTAIN APPROVAL FOR INTERUPTIONS TO EXISTING SERVICES AND MINIMISE THE DURATION AND NUMBER OF INTERUPTIONS. ANY INTERRUPTIONS WITH EXISTING SERVICES AND EQUIPMENT TO BE ATTENDED TO BY THE APPROPRIATELY SKILLED TRADESMEN.
- THE BUILDER SHALL RESTORE, REINSTATE OR REPLACE ANY DAMAGE CAUSED TO EXISTING STRUCTURES OR LANDSCAPING BY CONSTRUCTION WORK OR WORKMEN. PROVIDE PROTECTION TO EXISTING TREES TO REMAIN AS REQUIRED BY APPROVAL CONDITIONS.
- ALL BRICKWORK IS TO BE SELECTED BY OWNER AND IS TO COMPLY WITH AS1640
- ALL MASONRY TO COMPLY WITH AS3700
- ALL METALWORK AND FLASHING ITEMS NECESSARY TO SATISFACTORY COMLPETE WORK SHALL BE PROVIDED.
- ALL GUTTERS, DOWNPIPES TO BE COLORBOND.
- ALL TIMBER CONSTRUCTION TO BE IN ACCORDANCE WITH THE AUSTRALIAN STANDARD 1684 "TIMBER FRAMING CODE"
- ALL GLAZING INSTALLED TO COMPLY WITH AS1288, 2047 AND IN ACCORDANCE WITH MANUFACTURERS RECOMMENDATION
- ALL WALL AND CEILING LININGS TO BE PLASTERBOARD OR CEMENT RENDER AS SELECTED AND VILLA BOARD IN WET AREAS, TO COMPLY WITH THE RELEVANT AUSTRALIAN STANDARDS OR INSTALLED IN ACCORDANCE WITH MANUFACTURERS SPECIFICATION.
- ALL BATHROOMS AND WET AREAS TO BE ADEQUATELY WATERPROOFED TO MANUFACTURERS SPECIFATION AND AS3740 AND PART 3.8.1 OF THE BUILDING CODE OF AUSTRALIA HOUSING PROVISIONS
- STAIRS AND BALUSTRADES TO COMPLYWITH PART 3.9.1 & 3.9.2 OF THE BUILDING CODE OF AUSTRALIA HOUSING PROVISION.
- TERMITE PROTECTION MEASURES TO COMPLY WITH AS 3660 AND BE INSTALLED TO MANUFACTURERS SPECIFICATION.
- ANY DETAILING ADDITIONAL TO THAT SUPPLIED, SHALL BE RESOLVED BETWEEN THE OWNER AND THE BUILDER TO THE OWNERS APPROVAL. EXCEPT FOR ANY STRUCTURAL DETAILS OR DESIGN WHICH IS TO BE SUPPLIED BY THE STRUCTURAL ENGINEER.












m: 0426 957 518 e:operations@actionplans.com.au w: www.actionplans.com.au

	REV.	DATE	COMMENTS	DRWN	NOTES
	A	190625	INITIAL DESIGN PLAN	LRP	This drawing is altered, reprodumeans in part
	В	190724	FIRST DESIGN AMENDMENT	RNA	Action Plans.
u	С	190827	DA DOCUMENTATION	LRP	are to be used of
					dimensions on creation of shop
					All errors and Builder/Contract
					commencement

'ES I
drawing is the copyright of Action Plans and not be
d, reproduced or transmitted in any form or by any
s in part or in whole with the written permission of
Plans.
t scale measure from drawings. Figured dimensions
be used only.
uilder/Contractor shall check and verify all levels and
sions on site prior to commencement of any work,
on of shop drawings, or fabrication of components.
rrors and omissions are to be verified by the
er/Contractor and referred to the designer prior to the
concoment of works



CLIENT ALEX & KERRIE RALEC

PROJECT ADDRESS 42 PACIFIC PARADE, MANLY 2095


DA02


DATE

DRAWING NO.

DRAWING NAME SITE ANALYSIS

Monday, 2 September 2019 **SCALE** 1:200 @A3





DUST CONTROL:

TO REDUCE DUST GENERATED BY WIND ACTION, THE REMOVAL OF THE TOP SOIL IS TO BE MINIMISED. TO PREVENT DUST GENERATION, WATERING DOWN OF THE SITE, ESPECIALLY DURING THE MOVEMENT OF MACHINERY IS REQUIRED. WHERE EXCAVATING INTO ROCK, KEEP THE SURFACE MOIST TO MINIMISE DUST. CONSTRUCT A GRAVEL ENTRY/EXIT POINT USING BLUE METAL AND RESTRICT ALL VEHICLE MOVEMENTS WITHIN THE SITE TO A MINIMUM. ENSURE WIND BREAKS, SUCH AS EXISTING FENCES ARE MAINTAINED DURING THE CONSTRUCTION PHASE UNTIL NEW LANDSCAPING IS PROVIDED OR REINSTATED. PREVENT DUST BY COVERING STOCKPILES

SEDIMENT NOTE:

- 1. ALL EROSION AND SEDIMENT CONTROL MEASURES TO BE INSPECTED AND MAINTAINED DAILY BY THE SITE MANAGER.
- 2. MINIMISE DISTURBED AREAS, REMOVE EXCESS SOIL FROM EXCAVATEDAREA AS SOON AS POSSIBLE. 3. ALL MATERIAL STOCKPILE TO BE CLEAR FROM DRAINS, GUTTERS AND FOOTPATHS, OR WITHIN SEDIMENT FENCE AREA.
- 4. DRAINAGE TO BE CONNECTED TO STORMWATER AS SOON AS POSSIBLE. IF STORED ON SITE, IT MUST BE FILTERED BEFORE RELEASING INTO STORMWATER SYSTEM OR WATERWAYS.
- 5. ROADS AND FOOTPATHS TO BE SWEPT DAILY.

ALL STOCKPILES ARE TO BE KEPT ON-SITE WHERE POSSIBLE. ANY MATERIALS PLACED ON THE FOOTPATHS OR NATURE STRIPS REQUIRE COUNCIL'S PERMISSION.

ALL STOCKPILES ARE TO BE PLACED AWAY FROM THE DRAINAGE LINES AND STREET GUTTERS. IT IS BEST TO LOCATE THESE ON THE HIGHEST PART OF THE SITE IF POSSIBLE. PLACE WATERPROOF COVERING OVER STOCKPILES.

IF REQUIRED PROVIDE DIVERSION DRAIN & BANK AROUND STOCKPILES.

GUTTER PROTECTION:


PROVIDE PROTECTION TO DOWNHILL GRATE IN GUTTER BY MEANS OF SAND BAGS OR BLUE METAL WRAPPED IN GEOTEXTILE FABRIC. WHEN SOIL OR SAND BUILDS UP AROUND THIS SEDIMENT BARRIER, THE MATERIAL SHOULD BE RELOCATED BACK TO THE SITE FOR DISPOSAL.


NOTE: ALL PROPOSED STORMWATER TO CONNECT WITH EXISTING

ACTION PLANS

m: 0426 957 518 e:operations@actionplans.com.au w: www.actionplans.com.au

	REV.	DATE	COMMENTS	DRWN	NOTES This drawing is
	Α	190625	INITIAL DESIGN PLAN	LRP	altered, reprodu
	В	190724	FIRST DESIGN AMENDMENT	RNA	Action Plans.
	С	190827	DA DOCUMENTATION	LRP	are to be used of The Builder/Cor
u					dimensions on creation of shop
					All errors and Builder/Contract
					Builder/Contra commenceme





CLIENT

ALEX & KERRIE RALEC

PROJECT ADDRESS

42 PACIFIC PARADE, **MANLY 2095**

DRAWING NO.

DA03

DATE


Monday, 2 September 2019


DRAWING NAME


SITE / ROOF / SEDIMENT **EROSION / WASTE** MANAGEMENT / STORMWATER CONCEPT PLAN

SCALE

1:200 @A3








SOUTH ELEVATION


1:100



WEST ELEVATION 1:100



	REV.	DATE	COMMENTS	DRWN	NOTES
	Α	190625	INITIAL DESIGN PLAN	LRP	This drawing is the copyright of Action Plans and not be altered, reproduced or transmitted in any form or by any means in part or in whole with the written permission of
	В	190724	FIRST DESIGN AMENDMENT	RNA	Action Plans. Do not scale measure from drawings. Figured dimensions
	С	190827	DA DOCUMENTATION	LRP	are to be used only. The Builder/Contractor shall check and verify all levels and
ı					dimensions on site prior to commencement of any work, creation of shop drawings, or fabrication of components.
					All errors and omissions are to be verified by the Builder/Contractor and referred to the designer prior to the



CLIENT	DRAWING NO.
ALEX & KERRIE RALEC	DA09
PROJECT ADDRESS	DATE

A09		
TE		

SOUTH / WEST ELEVATION

DRAWING NAME

PROJECT ADDRESS	DATE
42 PACIFIC PARADE, MANLY 2095	Monday, 2 September 2019

SCALE 1:100 @A3




COLOURBOND METAL ROOF SHEETING POWDERCOAT FINISH 'MANOR RED' OR SIMILAR WHERE MARKED ON ELEVATION.





FSL-01 FIXED VELUX SKYLIGHT WINDOW WHERE MARKED ON ELEVATION.



CONTROL TABLE SITE AREA 223.2m ²					
	REQUIRED	EXISTING	PROPOSED		
FLOOR SPACE RATIO	0:6 : 1 (133.92m²)	0.56 : 1 (125.86m²)	UNCHANGED		
TOTAL OPEN SPACE	55% (122.76m²)	96.37m ²	UNCHANGED		
LANDSCAPE	35% TOS 42.96m ²	41.88m²	UNCHANGED		
OPEN SPACE ABOVE GROUND	40% OF TOS 49.1m ²	23.1m ²	UNCHANGED		
PRIVATE OPEN SPACE	18m ²	59.5m ²	UNCHANGED		

1:200 **EXISTING AREA CALCULATIONS**



ACTION PLANS

m: 0426 957 518 e:operations@actionplans.com.au w: www.actionplans.com.au

	REV.	DATE	COMMENTS	DRWN	NOTES This dray
;	А	190625	INITIAL DESIGN PLAN	LRP	altered, r
	В	190724	FIRST DESIGN AMENDMENT	RNA	Action Pla
	С	190827	DA DOCUMENTATION	LRP	are to be The Build
au					dimension creation of
					All error Builder/C
					commend

DRWN NOTES

Trawing is the copyright of Action Plans and not be d, reproduced or transmitted in any form or by any s in part or in whole with the written permission of Plans. It scale measure from drawings. Figured dimensions be used only. It wilder/Contractor shall check and verify all levels and sions on site prior to commencement of any work, on of shop drawings, or fabrication of components. Trors and omissions are to be verified by the writcontractor and referred to the designer prior to the encement of works.



CLIENT

ALEX & KERRIE RALEC

PROJECT ADDRESS 42 PACIFIC PARADE, MANLY 2095 DRAWING NO. **DA11**


DATE


Monday, 2 September 2019

DRAWING NAME

AREA CALCULATIONS / SAMPLE BOARD


SCALE 1:200 @A3








	REV.	DATE	COMMENTS	DRWN	NOTES This drawi
	Α	190625	INITIAL DESIGN PLAN	LRP	altered, re
	В	190724	FIRST DESIGN AMENDMENT	RNA	Action Plar
	С	190827	DA DOCUMENTATION	LRP	are to be u
1					dimensions creation of
					All errors Builder/Cor
					commence





CLIENT

ALEX & KERRIE RALEC

PROJECT ADDRESS

42 PACIFIC PARADE, MANLY 2095

DRAWING NO.

DA12


DATE


Monday, 2 September 2019

DRAWING NAME

WINTER SOLSTICE 9 AM

SCALE 1:200 @A3









w: www.actionplans.com.au

	REV.	DATE	COMMENTS	DRWN	NOTES This drawing
	А	190625	INITIAL DESIGN PLAN	LRP	altered, repr
	В	190724	FIRST DESIGN AMENDMENT	RNA	Action Plans
	С	190827	DA DOCUMENTATION	LRP	are to be use The Builder/ dimensions creation of si
J					
					All errors a Builder/Cont





CLIENT ALEX & KERRIE RALEC

PROJECT ADDRESS

DATE Monday, 2 September 2019 42 PACIFIC PARADE, MANLY 2095


DRAWING NO.


DA13

DRAWING NAME

WINTER SOLSTICE 12 PM

SCALE 1:200 @A3








w: www.actionplans.com.au

REV.	DATE	COMMENTS	DRWN	NOTES This drawing
Α	190625	INITIAL DESIGN PLAN	LRP	altered, repro
В	190724	FIRST DESIGN AMENDMENT	RNA	Action Plans.
С	190827	DA DOCUMENTATION	LRP	are to be used The Builder/C
				dimensions o creation of she
				All errors ar Builder/Contra




is.

ale measure from drawings. Figured dimensions sed only.

r/Contractor shall check and verify all levels and so no site prior to commencement of any work, shop drawings, or fabrication of components.

and omissions are to be verified by the ntractor and referred to the designer prior to the ment of works.



CLIENT

ALEX & KERRIE RALEC

PROJECT ADDRESS

42 PACIFIC PARADE, MANLY 2095

DRAWING NO.

Monday, 2 September 2019

DA14

DATE

DRAWING NAME

SCALE

1:200 @A3

WINTER SOLSTICE 3 PM

