



NOTICE OF DETERMINATION OF DEVELOPMENT APPLICATION

Development Application No: DA 2005/0451

DEVELOPMENT APPLICATION DETAILS

Applicant Name: Domaine Homes (NSW) Pty Ltd

Applicant Address: Norwest Quay, Unit 1 Ground Floor 21 Solent Circuit
Baulkham Hills N SW 2153

Land to be developed (Address): Lot 35, DP 617331, 64 Gordon Street Manly Vale

Proposed Development: Proposed new two storey dwelling with granny flat

DETERMINATION

Made on (Date): 7th October 2005

Consent to operate from (Date): 7th October 2005

Consent to lapse on (Date): 7th October 2010

Details of Conditions – (including Section 94 conditions)

The conditions, which have been applied to the consent, aim to ensure that the Environmental Impacts of Development are minimised and the Health and Safety of the community is maintained in accordance with the relevant standards and the Building Code of Australia.

NOTE:

If the works are to be certified by a Private Certifying Authority, then it is the certifier's responsibility to ensure all outstanding fees and bonds have been paid to Council prior to the issue of the Construction Certificate or as otherwise specified by Consent conditions.

GENERAL CONDITIONS

CONDITIONS THAT IDENTIFY APPROVED PLANS

1. Approved Plans And Supporting Documentation

The development is to be carried out in compliance with the following plans and documentation listed below and endorsed with Council's stamp, except where amended by other conditions of consent:

Drawing Number	Dated
55875 1/8 Rev D	26.05.05
55875 1A/8 Rev D	26.05.05
55875 1B/8 Rev D	26.05.05
55875 2/8 Rev D	26.05.05
55875 3/8 Rev D	26.05.05
55875 4/8 Rev D	26.05.05
55875 5/8 Rev D	26.05.05
55875 6/8 Rev D	26.05.05
55875 1C/8	16/05/05

Landscape Plan Issue D	21/07/05
4-1-05 D1/2	12/07/05
4-1-05 D2/2	12/07/05

No construction works (including excavation) shall be undertaken prior to the release of the Construction Certificate.

Note: Further information on Construction Certificates can be obtained by contacting Council's Call Centre on 9942 2111, Council's website or at the Planning and Assessment Counter.

Reason: To ensure the work is carried out in accordance with the determination of Council and approved plans. [A1 (1)]

2. Plans on Site

A copy of all stamped approved plans, specifications and documents (including the Construction Certificate if required for the work incorporating certification of conditions of approval) shall be kept on site at all times so as to be readily available for perusal by any officer of Council or the Principal Certifying Authority.

Reason: To ensure that the form of the development undertaken is in accordance with the determination of Council, Public Information and to ensure ongoing compliance. [A2]



3. Trees

The landscape plan is to be amended to incorporate one *Banksia integrifolia* (Coastal Banksia) to replace one of the proposed *Archontophoenix alexandrae* (Alexander Palm) indicated on the plan.
Details to be submitted with the construction certificate.

Reason: *Maintenance of environmental amenity*

4. Revised Architectural Plans

Three (3) copies of revised architectural plans are to be submitted to and approved by the Accredited Certifier indicating the removal of that part of the first floor master bedroom encroaching over the granny flat, shown hatched in red pen on the plans, so that the proposed works are considered Class 1 as defined by the Building Code of Australia.

Reason: *To ensure compliance with the consent.*

5. Amendments in Red Pen: Front boundary fence

No consent is implied or given for the construction of the front boundary fence indicated on landscape plan issue D.

Reason: *To comply with the conditions of this consent.*

6. Amendment in Red Pen: On-site stormwater detention structure

The on-site stormwater detention retaining wall adjacent to the rear boundary to be a minimum 900mm from the boundary.

Reason: *To allow for planting, and maintenance of the wall.*

**CONDITIONS THAT REQUIRE SUBSIDIARY MATTERS TO BE COMPLETED
PRIOR TO ISSUE OF A CONSTRUCTION CERTIFICATE**

7. Kerb Security Bond

A bond of \$825.00 shall be deposited with Council and inspection fees paid, prior to the issue of any construction certificate, against the potential for damage to Council's footpath and road reserve infrastructure during the construction process. (See Schedule)

Reason: *To ensure appropriate security is in place for the protection or repair of Public Infrastructure. [C16]*



8. Protection of Footpaths and Roadways

The public footways and roadways adjacent to the site shall be maintained at all times during the course of the work in a safe condition.

Reason: *Protection of footpath and roadways. [C22]*

9. Pool Access - Onsite Stormwater Detention system

Access to the onsite stormwater detention system shall be restricted by a child resistant barrier in accordance with the regulations prescribed in the Swimming Pools Act, 1992 and Swimming Pools Regulations, 1998:

- (a) The system shall not be filled with water or be allowed to collect stormwater until the installation of the child resistant barrier is completed; and
- (b) The barrier is to conform to the requirements of AS 1926 Fences and Gates for Private Swimming Pools.

Details demonstrating compliance with this requirement are to be approved by the Council / Accredited Certifier prior to the issue of the Construction Certificate.

Reason: *To ensure the safety of children and make applicant aware of the need to comply with applicable pool fencing legislation. [C68]*

10. Security Bond Schedule

All fees and security bonds in accordance with the schedule below must be paid or in place prior to the issue of the required Construction Certificate:

SECURITY BOND & FEE SCHEDULE	
64 Gordon Street, MANLY VALE (Property address)	
DEVELOPMENT APPLICATION NUMBER 2005/0451	
SECURITY BONDS	AMOUNT (\$)
Tree Damage Bond (within the site)	
Street Tree Bond (on Council Property)	
Builders Road/Kerb Security Bond	\$825.00
Engineering Construction Bond • General Works • Road Pavement • Stormwater • Kerb & Gutter, Footpath	
Others	
TOTAL BONDS	\$ 825.00
FEES	
Kerb Security Inspection Fee	\$200.00
Section 94 contribution	
Long Service Levy	\$632.96



Inspection fees if Council is PCA	\$1500.00
TOTAL FEES	\$2332.96

***Reason:** Compliance with the development consent. [C71]*

CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

11. Silt & Sediment Control

Provision shall be made throughout the period of demolition / Excavation & Construction to prevent transmission of soil to the public road and drainage system by vehicles leaving the site.

***Reason:** To avoid siltation to adjoining properties and waterways. [D1]*

12. Construction Certificate

A Construction Certificate is required to be approved and issued by either Council or an Accredited Certifier, prior to the commencement of any works on the site.

***Reason:** Legislative requirements. [D3]*

13. Notice of Commencement

At least 2 days prior to work commencing on site Council must be informed, by the submission of a Notice of Commencement in Accordance with section 81A of EP & A Act 1979 of the name and details of the Principal Certifying Authority and the date construction work is proposed to commence.

***Reason:** Legislative requirement for the naming of the PCA. [D4]*

14. WorkCover

Your attention is directed to the need to seek advice of your obligations from the WorkCover Authority prior to the commencement of any works on the site.

***Reason:** Statutory requirement. [D5]*

15. Road opening permit

The developer/applicant is to obtain a "Road Opening Permit" from Council and pay all appropriate charges prior to commencement of any work on Council property. The developer/applicant shall be responsible for all public utilities and services in the area of the work, and as such shall notify all relevant Authorities, and bear all costs associated with any repairs and/or adjustments as those Authorities may deem necessary.



Reason: Statutory requirement (Roads Act 1993) [D6]

16. Structural adequacy and Excavation work

Excavation work is to ensure the stability of the soil material of adjoining properties, the protection of adjoining buildings, services, structures and / or public infrastructure from damage using underpinning, shoring, retaining walls and support where required.

All retaining walls are to be structurally adequate for the intended purpose, designed and certified by a Structural Engineer, except where site conditions permit the following:

- (a) maximum height of 900mm above or below ground level and at least 900mm from any property boundary, and
- (b) comply with AS3700, AS3600 and AS1170 and timber walls with AS1720 and AS1170.

Before excavation, the responsible person must notify their intention to the adjoining owner/s and shall at the same time furnish to such owner/s particulars of the work proposed to be carried out.

Reason: Safety. [D9]

CONDITIONS THAT MUST BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK

17. Road Reserve works

Lighting, fencing, traffic control and advanced warning signs shall be provided for the protection of the works and for the safety and convenience of the public and others, to the satisfaction of the Principal Certifying Authority, and in accordance with Council's standard specifications for engineering works. Traffic movement in both directions on public roads, and vehicular access to private properties is to be maintained at all times during the works. This Condition must be complied with during demolition and building work.

Reason: Public Safety. [E4]

18. Progress Inspections (Class 1 and 10 Buildings)

The Principal Certifying Authority (PCA) SHALL BE given a minimum of forty-eight (48) hours notice for mandatory inspection of the following:

- (a) At the commencement of the work, and
- (b) After excavation for, and prior to the placement of any footings, and



- (c) Prior to pouring any in-situ reinforced concrete building element, and
- (d) Prior to covering of the framework for any floor, wall roof or other building element, and
- (e) Prior to covering over stormwater drainage connections, absorption pits and other drainage works, and
- (f) After the building work has been completed and prior to any Occupation Certificate being issued in relation to the building.

The appointed Principal Certifying Authority MUST do the first inspection at the commencement of building work, and at completion of building work.

Notes:

- (1) The appointed Principal Certifying Authority has a discretion to determine additional inspections, or nominate other Accredited Certifiers to undertake inspections other than the first and last inspections, which are required to ensure compliance or otherwise with relevant codes and standards. In any event, the Principal Certifying Authority MUST be advised at all of the stages of construction identified above.
- (2) The PCA must advise the person with the benefit of the consent of the mandatory critical stage inspections referred to in the EP & A Regulations.
- (3) Where Warringah Council is acting as the Principal Certifying Authority for the project, notice is to be given by telephone to Council on 9942 2111 and requesting an relevant inspection. Failure to advise Council at the stages of construction identified above may result in fines being imposed.
- (4) Failure to advise the Principal Certifying Authority of the need for MANDATORY INSPECTIONS at the critical stages of construction detailed above may result in fines being imposed, works being required to be demolished, or delays experienced in obtaining final certification and occupation of the development in order to resolve issues.

Reason: Prescribed mandatory inspections under legislation. [E7]

19. Replacement of Principal Certifying Authority

If the person exercising the benefits of a development consent changes or replaces the Principal Certifying Authority (PCA) during works on the site, the replacement PCA must notify Warringah Council within two (2) days of appointment. If the original PCA was Warringah Council, written approval from Council must be obtained for any change to the PCA role.



(Note: Special legislative provisions in the Environmental Planning and Assessment Act 1979 apply to the procedure for replacing a PCA)

Reason: *Statutory requirement. [E11]*

20. Noise and Vibration

Noise emissions and vibration must be minimised where possible and work is to be carried out in accordance with Environment Protection Authority guidelines for noise emissions from construction/demolition works and must also comply with the provisions of the Protection of the Environment Operations Act 1997. This Condition must be complied with during demolition and building work.

Reason: *To ensure residential amenity is maintained in the immediate vicinity. [E17]*

21. Dust Emission and Air Quality

Materials must not be burnt on the site.

Vehicles entering and leaving the site with soil or fill material must be covered.

Dust suppression measures must be carried out to minimise wind-borne emissions in accordance with the NSW Department of Housing's 1998 guidelines - Managing Urban Stormwater: Soils and Construction. Odour suppression measures must be carried out so as to prevent nuisance occurring at adjoining properties. This Condition must be complied with during demolition and building work.

Reason: *To ensure residential amenity is maintained in the immediate vicinity. [E18]*

22. Construction Hours

Building construction shall be restricted to within the hours of 7.00 am to 5.00 pm Monday to Friday and on Saturday to within the hours of 8.00 am to 1.00 pm inclusive, with no work on Sundays and Public Holidays.

Demolition and excavation works shall be restricted to within the hours of 8.00 am to 5.00 pm Monday to Friday only. (Excavation work includes the use of any excavation machinery and the use of jackhammers, rock breakers, excavators, loaders and the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site).

The builder and excavator shall display, on-site, their twenty-four (24) hour contact telephone number, which is to be clearly visible and legible from any public place adjoining the site.

Reason: *To ensure that works do not interfere with reasonable amenity expectations of residents and the community. [E26]*



23. Installation and Maintenance of Sediment Control

Techniques used for erosion and sediment control on building sites are to be adequately maintained at all times and must be installed in accordance with Warringah Council guidelines. All techniques shall remain in proper operation until all development activities have been completed and the site fully stabilised. This Condition must be complied with during demolition and building work.

***Reason:** To protect the environment from the effects of sedimentation and erosion from development sites. [E28]*

24. Prohibition on Use of Pavements

Building materials shall not be placed on Council's footpaths, roadways, parks or grass verges and a suitable sign to this effect shall be erected adjacent to the street alignment.

***Reason:** To ensure public safety and amenity on public land. [E35]*

25. Applicant's Cost of Work on Council Property

The applicant shall bear the cost of all works associated with the development that occurs on Council's property.

***Reason:** To ensure the proper management of public land and funds. [E38]*

26. Maintenance of Road Reserve

The public footways and roadways adjacent to the site shall be maintained at all times during the course of the work in a safe condition.

***Reason:** Public Safety [E39]*

OPERATIONAL CONDITIONS IMPOSED UNDER EP&A ACT AND REGULATIONS AND OTHER RELEVANT LEGISLATION

27. Building Code of Australia

All building work must be carried out in accordance with the provisions of the Building Code of Australia.

***Reason:** Prescribed - Statutory. [F1]*

28. Home Building Act

- (1) Building work that involves residential building work (within the meaning and exemptions provided in the Home Building Act) must not be carried out unless



the Principal Certifying Authority for the development to which the work relates:

- (a) in the case of work to be done by a licensee under that Act:
 - (i) has been informed in writing of the licensee's name and contractor licence number, and
 - (ii) is satisfied that the licensee has complied with the requirements of the Home Building Act, or
- (b) in the case of work to be done by any other person:
 - (i) has been informed in writing of the person's name and owner-builder permit number, or
 - (ii) has been given a declaration, signed by the owner of the land, that states that the reasonable market cost of the labour and materials involved in the work is less than the amount prescribed for the purposes of the definition of owner-builder work in section 29 of that Act, and is given appropriate information and declarations under paragraphs (a) and (b) whenever arrangements for the doing of the work are changed in such a manner as to render out of date any information or declaration previously given under either of those paragraphs.

Note: The amount referred to in paragraph (b)(ii) is prescribed by regulations under the Home Building Act 1989. As at the date on which this Regulation was gazetted, that amount was \$3,000. As those regulations are amended from time to time, that amount may vary.

- (2) A certificate purporting to be issued by an approved insurer under Part 6 of the Home Building Act 1989 that states that a person is the holder of an insurance policy issued for the purposes of that Part is, for the purposes of this clause, sufficient evidence that the person has complied with the requirements of that Part.
- (3) If arrangements for doing residential building work are changed while the work is in progress so that the information submitted to Council is out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council), has given the Council written notice of the updated information.

Reason: Prescribed - Statutory. [F2]

Note: Evidence of insurance required PRIOR to commencement of work.

29. Excavation / Backfilling

- (1) All excavations and backfilling associated with the erection or demolition of a building must be executed safely and in accordance with appropriate professional standards.
- (2) All excavations associated with the erection or demolition of a building must be



properly guarded and protected to prevent them from being dangerous to life or property.

Reason: *To ensure that work is undertaken in a professional and responsible manner and protect adjoining property and persons from potential damage. [F5]*

30. Site Sign

- (1) A sign must be erected in a prominent position on any work site on which work involved in the erection or demolition of a building is being carried out:
 - (a) stating that unauthorised entry to the work site is prohibited;
 - (b) showing the name of the principal contractor (or person in charge of the work site), and a telephone number at which that person may be contacted at any time for business purposes and outside working hours; and
 - (c) showing the name, address and telephone number of the Principal Certifying Authority for the work.
- (2) Any such sign must be maintained while building work or demolition work is being carried out, but must be removed when the work has been completed.
- (3) This condition does not apply to building works being carried out inside an existing building.

Reason: *Statutory requirement. [F9]*

31. Toilets

- (1) Toilet facilities are to be provided, at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 persons or part of 20 persons employed at the site.
- (2) Each toilet provided:
 - (a) must be a standard flushing toilet, and
 - (b) must be connected:
 - (i) to a public sewer; or
 - (ii) if connection to a public sewer is not practicable, to an accredited sewage management facility approved by the Council, or
 - (iii) if connection to a public sewer or an accredited sewage management



facility is not practicable, to some other sewage management facility approved by the Council.

- (3) The provision of toilet facilities in accordance with this clause must be completed before any other work is commenced.
- (4) In this clause:

accredited sewage management facility means a sewage management facility to which Division 4A of Part 3 of the Local Government (Approvals) Regulation 1993 applies, being a sewage management facility that is installed or constructed to a design or plan the subject of a certificate of accreditation referred to in clause 95B of the Regulation.

approved by the Council means the subject of an approval in force under Division 1 of Part 3 of the Local Government (Approvals) Regulation 1993.

public sewer has the same meaning as it has in the Local Government (Approvals) Regulation 1993.

sewage management facility has the same meaning as it has in the Local Government (Approvals) Regulation 1993.

***Reason:** To ensure adequate facilities are provided for workers on the site. [F10]*

32. Long Service Levy

Payment of the Long Service Levy is required prior to the release of the Construction Certificate. This payment can be made at Council or to the Long Services Payments Corporation. This payment is not required where the value of the works is less than \$25,000.

The Long Service Levy is calculated on 0.2% of the building and construction work.

***Reason:** Prescribed - Statutory. [F12]*

CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO ISSUE OF OCCUPATION CERTIFICATE

33. Occupation Certificate Required

An Interim / Final Occupation Certificate shall be obtained in relation to the approved works prior to any use or occupation of those parts of the building.

***Reason:** To ensure compliance with the provisions of the Environmental Planning and Assessment Act. [G1]*



34. Street Number

Street number being affixed to building prior to occupation.

***Reason:** Proper identification of buildings. [G7]*

35. On-Site Stormwater Detention Compliance Certification

The on-site detention system and associated drainage works are to be in accordance with the drainage plan submitted by ENOCH Building Design Pty Ltd consultants (Drawing No 4-1-05 D1/2 and D2/2 dated 12/07/05). On completion of works a works as executed drawing and certification of the works by the design engineer is to be submitted to the Principal Certifying Authority. Additionally a Compliance Certificate is to be issued by an Accredited Certifier in Civil Works registered with the Institute of Engineers Australia, stating that the works are in accordance with the above approved plans and Council's "On-site detention technical specification", the compliance certificate is to be submitted to the Principal Certifying Authority prior to occupation. Council can issue the Compliance Certificate if required subject to prescribed fee.

***Reason:** To ensure appropriate provision is made for the disposal and management of stormwater generated by the development, and to ensure that public infrastructure in Council's care and control is not overloaded. [G27]*

36. Creation of Positive Covenant and Restriction as to User

Where any conditions of this Consent require the creation of a positive covenant and/or restriction as to user, the original completed request forms shall to be submitted to Warringah Council for authorisation. A certified copy of the documents shall be provided to Warringah Council after final approval and registration has been affected by the "NSW Land and Property Information Department" prior to occupation.

***Reason:** To identify encumbrances on land. [G28]*

37. Restrictions as to User

Restrictions as to User shall be created over the on-site stormwater detention system, restricting any alteration to the levels and/or any construction on the land. The terms of such restriction is to be prepared to Warringah Council's standard requirements at the applicant's expense and endorsed by Council prior to lodgement with the "NSW Land and Property Information Department". Warringah Council shall be nominated as a party to release, vary or modify such restriction.

***Reason:** To ensure no modification of the stormwater detention structure without Council's consent. [G29]*



38. Positive Covenant (Onsite Detention Structure)

Creation of a Positive Covenant of the Title of the land requiring the proprietor of the land to maintain the stormwater detention structures required by this Consent, in accordance with the standard requirements of Council. The Positive Covenant is to be prepared by the applicant using terms acceptable to, and which are available from Warringah Council. The positive covenant is to be endorsed by Council prior to its lodgement with the 'NSW Land and Property Information Department'.

Reason: *To ensure ongoing maintenance of the stormwater detention structure. [G32]*

39. Smoke Alarms

A smoke alarm system, complying with Part 3.7.2 of the Building Code of Australia, shall be installed throughout the dwelling.

Reason: *Safety*

40. Fire Separation of Granny Flat

The granny flat is to be fully fire separated from the remainder of the dwelling via 1 (one) hour fire rated construction. The door connecting the granny flat with the main dwelling is to be a minimum 35mm thick, tight fitting, solid core door fitted with a self closing mechanism.

Reason: *Fire Safety*



Right to Review by the Council

You may request the Council to review the determination of the application under Section 82A of the Environmental Planning & Assessment Act 1979. Any request to review the application must be within 12 months after the date of determination shown on this notice.

NOTE: A fee will apply for any request to review the determination.

Right of Appeal

If you are dissatisfied with this decision Section 97 of the Environmental Planning & Assessment Act 1979 may give you the right to appeal to the Land and Environment Court within 12 months after the date on which you receive this notice.

Signed _____ on behalf of the consent authority

Signature _____

Name Philip Hoffman

Date 7th October 2005