

Manly Council



Reference: 07 December 2010 294/2010 NS
Enquiries: Landuse & Sustainability

Mrs. Ella Miles
12 Kempbridge Avenue
2092 Seaforth NSW

Council Offices
1 Belgrave Street
Manly NSW 2095

Correspondence to
General Manager
PO Box 82
Manly NSW 1655

DX 9205 Manly

Telephone 02 9976 1500
Facsimile 02 9976 1400

www.manly.nsw.gov.au
records@manly.nsw.gov.au

ABN 43 662 868 065

Dear Mrs. Miles

NOTICE OF DETERMINATION
Pursuant to Section 81(1)(a) of the
Environmental Planning and Assessment Act 1979

Development Application No.	294/2010
Proposed Development	Alterations and addition to an existing dwelling including ground floor extension and a first floor addition.
Land to be developed	12 Kempbridge Avenue, Seaforth. Lot 56 in DP12499
Determination	Approved by DAU
Date of Determination	30 November 2010
Consent is to operate from	30 November 2010
Consent is to lapse on	30 November 2015

Pursuant to the Building Code of Australia, the building is a Class 1a building.

Council determined this application and has granted consent subject to the following conditions:

Non-Standard Conditions

ANS01

Two (2) endemic trees are to be planted on the subject property as chosen from the following list: 'Endemic Plants from the Manly Locality Suitable for gardens' – this can be found on the Manly Council website.

Reason: To ensure compliance with local requirements of the Manly Development Control Plan for the Residential Zone 2007.

ANS02

Windows identified as W20 and W18 are to include sill heights of 1.8m from finished floor level or include obscured glazing to that height.

Reason: To protect the privacy and amenity of neighbouring residences.

ANS03

The sub-floor level beneath 'ground floor plan' level as shown on plans submitted to Council is not to be used, at any time, either now or in the future, for habitable purposes or any additional purposes that would require consent from Council.

Reason: To comply with the Manly Development Control Plan for the Residential Zone 2007 and relevant legislation.

CLEANER HEALTHIER HAPPIER

GENERAL CONDITIONS RELATING TO APPROVAL

Documents relating to consent.

The development, except where modified by the conditions of this consent, is to be carried out in accordance with the following plans and documentation.

Plans affixed with Council's stamp relating to Development Consent No. 294/2010

Plan No. / Title	Issue/ Revision & Date	Date Received by Council
A1- Roof Plan	27 April 2010	07 September 2010
A2- Upper Floor Plan	27 April 2010	07 September 2010
A3- Ground Floor Plan	27 April 2010	07 September 2010
A4- Elevations –Sheet 1 of 2	27 April 2010	07 September 2010
A5- Elevations – Sheet 2 of 2	27 April 2010	07 September 2010
A6 – Sections	27 April 2010	07 September 2010
N1 – Notes & Schedules	27 April 2010	07 September 2010
S1 –Site Analysis	27 April 2010	07 September 2010
S2 – Site Plan & Calculations	27 April 2010	07 September 2010
S3- Site Management Control Plan	27 April 2010	07 September 2010

Documentation affixed with Council's stamp relating to Development Consent No. 294/2010

- *Statement of Environmental Effects prepared by Sally Gardner Design & Draft dated 27 April 2010.*

In the event of any inconsistency between the approved plans and supplementary documentation, the plans will prevail.

Reason: To ensure that the form of the development undertaken is in accordance with the determination of Council

GENERAL CONDITIONS RELATING TO APPROVAL

1 (1AP04)

Alteration and demolition of the existing building is limited to that documented on the approved plans (by way of notation). No approval is given or implied for removal and/or rebuilding of any portion of the existing building which is not shown to be altered or demolished.

Reason: To ensure compliance with the approved development.

CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF THE CONSTRUCTION CERTIFICATE

2 (2AP01)

Four (4) copies of architectural drawings consistent with the development consent and associated conditions are to be submitted to the Council/Accredited Certifier prior to the issue of the Construction Certificate.

Reason: To comply with the Environmental Planning and Assessment Act 1979.

3 (2AP03)

Consent given to build in close proximity to the allotment boundary is in no way to be construed as permission to build on or encroach over the allotment boundary. Your attention is directed to the provisions of the Dividing Fences Act 1991 which gives certain rights to adjoining owners, including use of the common boundary. In the absence of the structure standing well clear of the common boundary, it is recommended you make yourself aware of your legal position which may involve a survey to identify the allotment boundary.

Reason: To advise developers of their responsibilities and to protect the interests of adjoining owners.

4 (2CD01)

Pursuant to Section 97 of the Local Government Act, 1993, Council requires prior to the issue of Construction Certificate, or commencement of any excavation and demolition works, payment of a Trust Fund Deposit of \$7,500. The Deposit is required as security against damage to Council property during works on the site. The applicant must bear the cost of all restoration works to Council's property damaged during the course of this development. All building work must be carried out in accordance with the provisions of the Building Code of Australia.

Note: Should Council property adjoining the site be defective e.g. cracked footpath, broken kerb etc., this should be reported in writing, or by photographic record, submitted to Council at least seven (7) days prior to the commencement of any work on site. This documentation will be used to resolve any dispute over damage to infrastructure. It is in the applicant's interest for it to be as full and detailed as possible.

Where by Council is not the Principal Certifying Authority, refund of the trust fund deposit will also be dependent upon receipt of a final Occupation Certificate by the Principal Certifying Authority and infrastructure inspection by Council.

Reason: To ensure security against possible damage to Council property.

5 (2CD04)

Where any shoring for excavation is to be located on or is supporting Council's property, or any adjoining private property, engineering drawings and specifications certifying the shoring will be adequate for their intended purpose and must be submitted to the Council/Accredited Certifier for approval with the Construction Certificate. The documentation prepared and certified by an appropriately qualified and practising structural engineer is to show all details, including the extent of encroachment and the method of removal and de-stressing of shoring elements. A copy of this documentation must be provided to the Council for record purposes at the time of Construction Certificate application.

Reason: To ensure the protection of existing public infrastructure and adjoining properties.

6 (2CD06)

Four (4) certified copies of the structural engineer's details for the proposed development; including but not limited to all reinforced concrete, structural steel support construction and any proposed retaining walls; must be submitted to the Council/Accredited Certifier prior to the issue of the Construction Certificate.

Reason: To ensure construction of the new development is in accordance with the structural engineers design.

7 (2CD07)

A Certificate of Adequacy signed by a practising structural engineer stating the existing structure is capable of supporting the proposed additions, is to be submitted to the Council/Accredited Certifier prior to the issue of the Construction Certificate.

Reason: The existing building must be able to support proposed additional loading.

8 (2CD13)

All plumbing and drainage, including sewerage drainage stacks, ventilation stacks and water service pipes are to be concealed within the building. Plumbing other than stormwater downpipes must not be attached to the external surfaces of the building.

Reason: To ensure the visual quality of the development.

9 (2DS01)

A detailed stormwater management plan is to be prepared to fully comply with Council's Specification for On-site Stormwater Management 2003 and Specification for Stormwater Drainage 2003 and must be submitted to Council for approval prior to issue of the Construction Certificate. The stormwater management plan and designs are to be prepared by a suitably qualified engineer.

Reason: To ensure appropriate provision is made for the disposal and management of stormwater generated by the development, and to ensure that infrastructure reverting to Council's care and control is of an acceptable standard.

10 (2FP02)

Detailed drawings and specifications of all works (including but not limited to structures, road works, driveway crossings, footpaths and stormwater drainage) within existing roads, must be submitted to and approved by Council under the Roads Act 1993, before the issue of any Construction Certificate. Specific works include:

- 1) Full width vehicular crossings having a maximum width, at the back of layback, of 5m, and in accordance with the current policy of Council and Specifications for the construction of vehicle crossings; and
- 2) Longitudinal sections for both sides of the vehicular crossing and driveway commencing at the centre line of the road carriageway must be provided for assessment. Gradients and transitions must be in accordance with Australian Standard AS 2890.1 – 2004, Part 1 – Off-Street Car Parking. The driveway profile submitted to Council must be to scale at 1:25 (for template checking purposes) and contain all relevant details: reduced levels, proposed grades and distances.

Driveway to be designed to provide for existing or future footpaths across driveway, in accordance with Council's Specification for Civil Infrastructure Works, Developments & Subdivisions 2003 and Australian Standard AS 1428.1:2001 - Design for access and mobility.

Reason: To facilitate suitable vehicular access to private sites.

11 (2FP03)

No portion of the proposed building or works, as approved within the subject site, are to encroach upon any road reserve or other public land except as may be permitted by the Local Government Act 1993. This includes the opening and closing of gates and doors which must open and close within the subject site.

Reason: To ensure structures are contained within the site.

12 (2MS01)

Where construction or excavation activity requires the disturbance of the soil surface and existing vegetation, details including drawings and specifications must be submitted to Council accompanying the Construction Certificate, which provide adequate measures for erosion and sediment control. As a minimum, control techniques are to be in accordance with Manly Council Guidelines on Erosion and Sediment Control, or a suitable and effective alternative method. The Sediment Control Plan must incorporate and disclose:

- 1) all details of drainage to protect and drain the site during the construction processes,
- 2) all sediment control devices, barriers and the like,
- 3) sedimentation tanks, ponds or the like,
- 4) covering materials and methods, and
- 5) a schedule and programme of the sequence of the sediment and erosion control works or devices to be installed and maintained.

Details from an appropriately qualified person showing these design requirements have been met must be submitted with the Construction Certificate and approved by the Council/Accredited Certifier prior to issuing of the Construction Certificate.

Reason: To protect the environment from the effects of sedimentation and erosion from development sites.

13 (2TC01)

Details of the method of termite protection which will provide whole of building protection, inclusive of structural and non-structural elements must be submitted to the Council / Accredited Certifier prior to issue of the Construction Certificate. Attention is drawn to the provisions of Australian Standard AS 3660.1 - 2000 Termite management – New building work, and to the Manly Code for the Protection of Buildings Against Termite Attack 1996.

Reason: To protect the building from possible termite damage.

14 (2WM02)

A Waste Management Plan is to be submitted with the application prior to a Construction Certificate being issued in accordance with the Manly Development Control Plan for Waste Minimisation and Management 2000.

The plan should detail the type and estimate the amount of demolition and construction waste and nominate how these materials will be sorted and dealt with. Weight dockets and receipts must be kept as evidence of approved methods of disposal and recycling. All demolition and excess construction materials are to be recycled where ever practicable. It should include consideration of the facilities required for the ongoing operation of the premises' recycling and waste management services after occupation. A template is available from the Manly Council website.

Reason: To plan for waste minimisation, recycling of building waste and on-going waste management.

CONDITIONS TO BE SATISFIED PRIOR TO ANY COMMENCEMENT

15 (3BM01)

The floor surfaces of bathrooms, shower rooms, laundries and WC compartments are to be of an approved impervious material properly graded and drained and waterproofed in accordance with Australian Standard AS 3740. Certification is to be provided to the Principal Certifying Authority from a licensed applicator prior to the fixing of any wall or floor tiles.

Reason: To prevent the penetration of dampness through walls and floors.

16 (3CD01)

Building work, demolition or excavation must not be carried out until a Construction Certificate has been issued.

Reason: To ensure compliance with statutory provisions.

17 (3CD03)

An adequate security fence is to be erected around the perimeter of the site prior to commencement of any excavation or construction works, and this fence is to be maintained in a state of good repair and condition until completion of the building project.

Reason: To protect the public interest and safety.

18 (3CD06)

Roof and framing including provision for tie downs, bracing and fixings are to be designed by a practising structural engineer. The Engineer is to specify appropriate wind category relating to the site terrain, house design and height of the structure, with details being submitted to the Principal Certifying Authority prior to the commencement of framework.

Reason: To ensure structural adequacy.

19 (3FP01)

The applicant must complete an application form and pay applicable fees for an application to Council for the construction of a Vehicular Crossing, for the design, specification and inspection by Council. Applications are to be made a minimum of two (2) working days prior to commencement of proposed works on Council's property.

Reason: To provide suitable vehicular access to private sites, without disruption to pedestrian and vehicular traffic.

20 (3LD01)

All healthy trees and shrubs identified for retention on the submitted landscape drawing are to be suitably marked for protection before any construction works start.

Reason: To ensure the trees conditioned to stay on the site are suitably protected during any construction works.

CONDITIONS TO BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK

21 (4AP02)

A copy of all stamped approved drawings, specifications and documents (including the Construction Certificate if required for the work incorporating certification of conditions of approval) must be kept on site at all times so as to be readily available for perusal by any officer of Council or the Principal Certifying Authority.

Reason: To ensure the form of the development undertaken is in accordance with the determination of Council, public information and to ensure ongoing compliance.

22 (4BM01)

All materials and finishes of the proposed additions are to match, as closely as possible the material and finish of the existing building.

Reason: To enhance the visual quality of the development and the streetscape.

23 (4CD01)

All of the following are to be satisfied/complied with during demolition, construction and any other site works:

- 1) All demolition is to be carried out in accordance with Australian Standard AS 2601-2001.
- 2) Demolition must be carried out by a registered demolition contractor.
- 3) A single entrance is permitted to service the site for demolition and construction. The footway and nature strip at the service entrance must be planked out.
- 4) No blasting is to be carried out at any time during construction of the building.
- 5) Care must be taken during demolition/ excavation/ building/ construction to prevent any damage to adjoining buildings.
- 6) Adjoining owner property rights and the need for owner's permission must be observed at all times, including the entering onto land for the purpose of undertaking works.
- 7) Any demolition and excess construction materials are to be recycled wherever practicable.
- 8) The disposal of construction and demolition waste must be in accordance with the requirements of the Protection of the Environment Operations Act 1997.
- 9) All waste on the site is to be stored, handled and disposed of in such a manner as to not create air pollution (including odour), offensive noise or pollution of land and/or water as defined by the Protection of the Environment Operations Act 1997. All excavated material should be removed from the site in an approved manner and be disposed of lawfully to a tip or other authorised disposal area.
- 10) Section 143 of the Protection of the Environment Operations Act 1997 requires waste to be transported to a place which can lawfully accept it. All non-recyclable demolition materials are to be disposed of at an approved waste disposal depot in accordance with legislation.
- 11) All materials on site or being delivered to the site are to generally be contained within the site. The requirements of the Protection of the Environment Operations Act 1997 must be complied with when placing/stockpiling loose material, disposing of concrete waste, or other activities likely to pollute drains or water courses.
- 12) Details as to the method and location of disposal of demolition materials (weight dockets, receipts, etc.) should be kept on site as evidence of approved methods of disposal or recycling.
- 13) Any materials stored on site must be stored out of view or in such a manner so as not to cause unsightliness when viewed from nearby lands or roadways.

- 14) Public footways and roadways adjacent to the site must be maintained and cleared of obstructions during construction. No building materials, waste containers or skips may be stored on the road reserve or footpath without prior separate approval from Council, including payment of relevant fees.
- 15) Building operations such as brickcutting, washing tools or paint brushes, and mixing mortar not be performed on the roadway or public footway or any other locations which could lead to the discharge of materials into the stormwater drainage system.
- 16) All site waters during excavation and construction must be contained on site in an approved manner to avoid pollutants entering into waterways or Council's stormwater drainage system.
- 17) Any work must not prohibit or divert any natural overland flow of water.

Reason: To ensure that demolition, building and any other site works are undertaken in accordance with relevant legislation and policy and in a manner which will be non-disruptive to the local area.

24 (4CD02)

In order to maintain the amenity of adjoining properties, audible site works must be restricted to between 7.00am and 6.00pm, Monday to Friday and 7.00am to 1.00pm Saturday. No site works can be undertaken on Sundays or public holidays.

Unless otherwise approved within a Construction Traffic Management Plan, construction vehicles, machinery, goods or materials must not be delivered to the site outside the approved hours of site works.

Reason: To prevent disturbance to the surrounding community.

25 (4CD03)

Toilet facilities are to be provided at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 person or part of 20 persons employed at the site, by effecting either a permanent or temporary connection to the Sydney Water's sewerage system or by approved closets.

Reason: To maintain sanitary conditions on building sites.

26 (4CD05)

Retaining walls being constructed in conjunction with excavations must be in accordance with structural engineer's details. Certification by a structural engineer that the constructed works comply with the structural detail must be submitted to the Principal Certifying Authority.

Reason: To ensure the structural adequacy of the retaining walls.

27 (4CD06)

All construction works must be strictly in accordance with the Reduced Levels (RLs) as shown on the approved drawings. Certification is to be submitted to the Principal Certifying Authority during construction by a registered surveyor certifying complying and finished ridge levels.

Reason: To ensure compliance with the consent.

28 (4CD07)

Anyone who removes, repairs or disturbs bonded or a friable asbestos material must hold a current removal licence from Workcover NSW. Before starting work, a work site-specific permit approving each asbestos project must be obtained from Workcover NSW. A permit will not be granted without a current Workcover licence.

All removal, repair or disturbance of or to asbestos material must comply with the following:

- The Occupational Health and Safety Act 2000,
- The Occupational Health and Safety Regulation 2001,
- The Code of Practice for the Safe Removal of Asbestos [NOHSC: 2002 (1998)],

- The Guide to the Control of Asbestos Hazards in Buildings and Structures [NOHSC: 3002 (1998)] <http://www.nohsc.gov.au/>], and
- The Workcover NSW Guidelines for Licensed Asbestos Removal Contractors.

Note: The Code of Practice and Guide referred to above are known collectively as the Worksafe Code of Practice and Guidance Notes on Asbestos. They are specifically referenced in the Occupational Health and Safety Regulation 2001 under Clause 259. Under the Occupational Health and Safety Regulation 2001, the Worksafe Code of Practice and Guidance Notes on Asbestos are the minimum standards for asbestos removal work. Council does not control or regulate the Worksafe Code of Practice and Guidance Notes on Asbestos. Those involved with work to asbestos should be made aware of the requirements by visiting www.workcover.nsw.gov.au or one of Workcover NSW's offices for further advice.

Reason: To ensure the health of site workers and the public.

29 (4FP01)

The existing footpath level and grade at the street alignment of the property must be maintained.

Reason: To ensure appropriate access and infrastructure protection.

30 (4LD02)

All healthy trees and shrubs identified for retention on the drawing are to be:

- (a) suitably protected from damage during the construction process, and
- (b) retained unless their removal has been approved by Council.

Reason: This is to ensure that the trees on the site which do not have approval to be removed on the site are suitably protected during any construction works.

31 (4LD03)

The felling, lopping, topping, ringbarking, wilful destruction or removal of any tree/s unless in conformity with this approval or subsequent approval is prohibited.

Reason: To prohibit the unnecessary damage or removal of trees without permission from Council during any construction.

32 (4LD04)

The following precautions must be taken when working near trees to be retained:

- harmful or bulk materials or spoil must not be stored under or near trees,
- prevent damage to bark and root system,
- mechanical methods must not be used to excavate within root zones,
- topsoil from under the drip line must not be added and or removed,
- ground under the drip line must not be compacted, and
- trees must be watered in dry conditions.

Reason: This is to ensure no damage is caused to trees from various methods of possible damage.

33 (4LD05)

Trees and shrubs liable to damage (including, but not limited to street trees) are to be protected with suitable temporary enclosures for the duration of the works. These enclosures are to only be removed when directed by the Principal Certifying Authority.

The enclosures are to be constructed out of F62 reinforcing mesh 1800mm high wired to 2400mm long star pickets, driven 600mm into the ground and spaced 1800mm apart at a minimum distance of 1000mm from the tree trunk.

Reason: To ensure protection of the trees on the site which could be damaged during any development works and to outline the type of protection.

34 (4MS01)

Should you appoint Council as the Principal Certifying Authority (PCA) to undertake inspections during the course of construction, then the following inspection/certification are required:

- Silt control fences,
- Footing inspection - trench and steel,
- Framework inspection,
- Wet area moisture barrier,
- Drainage inspection,
- Final inspection.

The cost of these inspections by Council is \$1,620 (being \$270 per inspection inclusive of GST). Payment of the above amount is required prior to the first inspection. Inspection appointments can be made by contacting the Environmental Services Division on 9976 1414.

At least 24 hours notice should be given for a request for an inspection and submission of the relevant inspection card. Any additional inspection required as a result of incomplete works will incur a fee of \$130.

Reason: To ensure that the development is completed in accordance with the terms of the development consent and with the Building Code of Australia.

35 (4MS02)

In order to ensure compliance with approved drawings, a Survey Certificate, to Australian Height Datum, must be prepared by a registered surveyor as follows:

- 1) at the completion of the first structural floor level indicating the level of that floor and the relationship of the building to the boundaries, and
- 2) at the completed height of the building, prior to the placement of concrete in form work, or the laying of roofing materials, and
- 3) at completion, the relationship of the building, and any projections thereto, to the boundaries.

Progress certifications in response to points (a) through (c) must be provided to the Principal Certifying Authority at the time of carrying out relevant progress inspections. Under no circumstances will work be allowed to proceed should such survey information be unavailable or reveal discrepancies between the approved drawings and the proposed works.

Reason: To ensure compliance with the development consent.

36 (4MS04)

The Sediment Control Plan is to be implemented from the commencement of works and maintained until completion of the development.

Reason: To protect the environment from the effects of sedimentation and erosion from development sites.

CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF THE OCCUPATION CERTIFICATE

37 (5DS01)

Stormwater drainage from the proposed addition/extension must be disposed of to the existing drainage system. All work is to be carried out in accordance with Council standards and specifications for stormwater drainage. Work is to be completed prior to the issue of the Occupation Certificate.

Reason: To ensure appropriate provision is made for the disposal and management of stormwater generated by the development, and to ensure infrastructure reverting to Council's care and control is of an acceptable standard.

38 (5FP01)

All surplus vehicular crossings and/or kerb laybacks must be removed and the kerb and nature strip reinstated prior to issue of the Occupation Certificate.

Reason: To provide on-street parking, suitable vehicular access to private sites, and infrastructure protection.

39 (5FR01)

An automatic fire detection and alarm system must be installed in the proposed dwelling in accordance with the requirements of the Building Code of Australia.

Reason: To comply with the Environmental Planning and Assessment Act 1979.

40 (5TC01)

Prior to issue of the Occupation Certificate, a durable termite protection notice must be permanently fixed to the building in a prominent location detailing the form of termite protection which has been used in accordance with the Manly Code for the protection of Buildings against Termite Attack.

Reason: To inform owners and future owners of the type of termite protection installed and of the need for regular inspections.

41 (5US01)

Any adjustment to a public utility service is to be carried out in compliance with its standards; where consent is required, with its concurrence; and with the full cost being borne by the applicant.

Reason: To ensure compliance with the terms of this consent.

ONGOING CONDITIONS RELATING TO THE OPERATION OF THE PREMISES OR DEVELOPMENT

42 (6AP02)

The premises are to be used or occupied solely as a dwelling house and not at any time for separate occupation as flats, without the prior consent of Council.

Reason: To ensure the premises is occupied in compliance with the consent.

43 (6LP02)

No tree other than on land identified for the construction of buildings and works as shown on the building drawing can be felled, lopped, topped, ringbarked or otherwise wilfully destroyed or removed without the approval of Council.

Reason: To prevent the destruction of trees on other properties adjoining the development site.

44 (6LP04)

Leighton Green Cypress Cupressocyparis leylandii or any of its cultivars, must not be planted on the site for the life of the development. In the event of any inconsistency between this condition and the development application documents, this condition will prevail to the extent of the inconsistency.

Reason: To reduce the potential for adverse amenity effects such as overshadowing, loss of views, and loss of plant diversity.

45 (6MS02)

No person shall use or occupy the building or alteration which is the subject of this approval without the prior issue of an Occupation Certificate.

Reason: Statutory requirement, Environmental Planning and Assessment Act 1979.

46 (6NL03)

The ongoing use of the premises/property must not give rise to 'offensive noise' as defined under the provisions of the Protection of the Environment Operations Act 1997.

Reason: To ensure compliance with legislation and to protect public health and amenity.

WARNING: Failure to obtain a Construction Certificate prior to the commencement of any building works is a serious breach of Section 81A(2) of the Environmental Planning & Assessment Act 1979. It is also a criminal offence which attracts substantial penalties and may also result in action in the Land and Environment Court and orders for demolition.

Please note that all building work must be carried out fully in accordance with this development consent and conditions of approval. It is an offence to carry out unauthorised building work or building work that is not in accordance with this consent.

In accordance with Clause 284 of the *Environmental Planning and Assessment Regulation 2000*, non compliance with the above conditions may result in Council issuing a Penalty Notice which may incur a fine.

Notes:

Review of Determination

1. If you are dissatisfied with this decision, Section 82A of the *Environmental Planning and Assessment Act 1979* gives you the right of review by Council within twelve (12) months of the date of determination. Please note that this review must be completed within the twelve (12) month period after the date of determination. A determination in respect of integrated development or designated development cannot be reviewed by Council.

Right of Appeal

2. If you are dissatisfied with this decision, Section 97 of the *Environmental Planning and Assessment Act 1979* gives you the right to appeal to the Land and Environment Court of New South Wales (their address being Level 4, 225 Macquarie Street, Sydney NSW 2000) within twelve (12) months after the date on which you receive this notice.

Modification of the Consent

3. You are advised that any modification to the approved building(s) or structure(s), changes to the layout of buildings or structures on the site, modification of any conditions of this consent or changes to the operation of an approved use may require the lodgement of modification to the consent under Section 96 of the *Environmental Planning and Assessment Act 1979*.
4. Please be advised that in order to lodge an application to modify the consent pursuant to this section, the development must be substantially the same development for which consent was originally granted. If Council is not satisfied that the development is substantially the same, a new development application for the works/use will be required.

Before the Commencement of Building / Subdivision Work

5. A Long Service Levy is payable prior to the issue of all Construction Certificates or Complying Development Certificates, on building works in NSW, where the value of works is \$25,000 (inclusive of GST) and above. The levy is presently calculated by multiplying the value of works (including GST) by 0.35%. When calculating the levy round down to the nearest dollar, for example, if the cost of works is \$485,260 multiply this by 0.35% = \$1,698.41. The levy payable is therefore \$1,698.

Please be advised that the levy is a state government levy and the percentage at which it is charged, can change without notice. The levy funds a portable long service scheme for workers in the building and construction industry. For further information see www.lspc.nsw.gov.au or contact the Corporation on 13 14 41.

6. The erection of a building in accordance with this development consent **must not be commenced until:**
 - (a) detailed plans and specifications of the building have been endorsed with a **Construction Certificate** by:
 - (i) the Consent Authority, or
 - (ii) an Accredited Certifier, and

- (b) the person having the benefit of the development consent:
- (i) has appointed a **Principal Certifying Authority**, and
 - (ii) has notified the Consent Authority and the Council (if the Council is not the consent authority) of the appointment, and
- (c) the person having the benefit of the development consent has given at least two days notice to the Council of the person's intention to commence the erection of the building.

Details in regard to **Notice of Commencement of Building / Subdivision Work** (Form 7 attached to this consent) and appointment of the Principal Certifying Authority are to be submitted to Council following issue of the Construction Certificate and two (2) working days prior to commencement of building works.

Other approvals

7. It is advised that your plans must be submitted to Sydney Water for approval at least fourteen (14) days before commencement of works. Please phone Sydney Water on 13 20 92 for information regarding an office closest to you.
8. You are advised to consult with an energy provider with respect to electrical installations, and telecommunication providers with respect to any telecommunication lines.
9. Australia Post should be consulted for the provision of a letterbox.

Dial before you dig

10. 'Dial before you dig' is a free referral service for information on underground pipes and cables. Dial 1100 before you dig or lodge an enquiry online at www.dialbeforeyoudig.com.au.

Should you have any questions in relations to the matter, please contact Council's Landuse & Sustainability, on (02) 9976 1414, during business hours.

Signed below on behalf of the consent authority.

Yours faithfully,

Date: 20.12.10



Joanne Bramma
Public Officer

OS